



PEERLESS[®]
INDUSTRIAL GROUP

Weatherly #148
27.76 (Traction)
July, 2015

Supersedes #27.76
October, 2014

A Kito Group Company
KITO

TRACTION PRODUCTS & TECHNICAL GUIDE



CURRENT CONDITIONS
HEAVY SNOW COLD
-22

MON	TUE	WED	THU	FRI	SAT	SUN
-22	-21	+2	-21	-18	-10	+7
-28	+18	+7	-17	-26	-15	+15

CABLE CHAIN 22-31

Z-CHAIN™
Super Z



LINK CHAIN 33-65

AutoTrac™
Self Tightening Traction Chain

QUICK GRIP



WHITESTAR™
Alloy



www.peerlesschain.com

Our website contains information on all of our tire chains, cable chains and accessories along with installation videos and tire size/chain application look-up.

Browse our website to learn more about our company, our products, download current literature and much more!

TRACTION PRODUCT WARRANTY:

All winter traction products in this catalog are warranted free from defect in workmanship and material for one year from the date of delivery to user. Defective product may be returned to the manufacturer, freight prepaid, within 10 days of discovery of alleged defect. Inspection will be made to determine cause of failure. Chain determined to be defective will be repaired or replaced. Buyer shall not be entitled to recover any incidental or consequential damages. No compensation will be made for any labor claim, delays or damages incurred by using this product. Although this warranty gives you specific rights, you may have other legal rights which differ from state to state. For more information contact us at the address below.

**SPEEDS OVER 30MPH / 50KMH, (UNLESS OTHERWISE NOTED)
IMPROPER FIT OR IMPROPER INSTALLATION VOID THIS WARRANTY**

CAUTION: All winter traction product crossmembers will wear out with extended use. Products can also break due to misfit, misapplication or misuse. If this should occur, stop immediately and repair or replace product. If these cautions are ignored, Peerless Industrial Group and its distributors are not responsible for injury or vehicle damage. Manufacturer will not warranty alloy wheels or wheel covers damaged by chains or chain tighteners.

WARRANTY & CUSTOMER SERVICE INFORMATION:

Customer Service Dept.
P.O. Box 949
Clackamas, OR 97015-0949 U.S.A



CABLE CHAIN

Z-Cable Products

- Z-Chain Info 22
- Z-Chain 23
- Super Z 6 24 - 25
- Super Z 8 24 - 25
- Super Z Passenger Series 26 - 27
- Super Z Light Truck Series 26 - 27
- Super Z Single Truck 28 - 29
- Super Z Dual/Triple & OTR 29

Ladder-Style Cable Products

- Radial Chain 30
- Radial Chain LT 30
- Alloy Radial Chain Truck Singles ... 31
- Alloy Radial Chain Truck Duals 31

LINK CHAIN

Diamond-Style Products

- Auto-Trac 33 - 34
- Whitestar & Whitestar LT 35 - 36
- Diamond Blue Singles 55

Ladder-Style Products

- Passenger 37
- Light Truck 37 - 45 & 47 - 48
- Truck Singles 38 - 42
- Super Singles..... 43
- Truck 45 - 50

Mud Service

- Light Truck 50 - 51
- Truck Singles 50
- Mud Service Singles 50
- Mud Service Duals/Triples..... 51

Square Rod Alloy

- Light Truck..... 52
- Square Rod Truck 56
- Square Rod Dual/Triple 56

Emergency Unit Chain

- Truck Singles..... 52
- Snap Link..... 53

Stud Chain Products

- Truck Singles 53
- Truck Dual/Triple 54

Other Link Chain Products

- Skid Steer/Wide Base Mud.....57
- Forklift 57
- Grader/ OTR 58
- Tractor 59 - 62
- Tractor - Build Your Own 63
- Garden Tractor/
Snow blower/ATV 64 - 65

SPARE PARTS/ACCESSORIES

Replacement Crossmembers

- Super Z 67 - 68
- Z-Chain 68
- Alloy Radial Chain..... 68

Replacement Cross Chains

- Quik Grip Bulk Packaging 69 - 70
- Quik Grip Retail Packaging 70
- Domestic Bulk Packaging 71 - 73
- Whitestar Alloy 73
- Diamond Blue 73

Rubber Tensioners

- Rubber Tensioners 73 - 74
- Multi-Arm Chain Tensioners 74
- Link Chain Spring Tensioners 74

Other Repair Parts

- Tensioner Hooks 75
- Fastener Speed Hooks 76 - 77
- Swivel Hooks 77
- End Hooks 77
- Center Draw Fasteners 75
- Fastener Repair Kit 76
- End Fasteners 76
- Cross Chain Repair Link 78
- Side Chains 78
- Cross Chains 78

Tools

- Super Z Tensioner Installation
Lever 79
- Repair Pliers & Jaws 79
- Bolt/Chain Cutter 79
- Alloy Radial Chain Repair
Tool Kit 79
- Iceman Ice Scraper 79

POP DISPLAY/TECHNICAL

- Requirements and Regulations.... 6 - 9
- Tire Size Application Guide 10 - 20
- Retail Displays/Signage 80
- Link Chain Specifications..... 81 - 85
- Packaging Specifications..... 86 - 87
- Products by Part Number 89 - 91

FOR QUESTIONS AND ANSWERS REGARDING PEERLESS TRACTION PRODUCTS GO TO:

peerlesschain.com

PLEASE NOTE:

Before selecting any traction product, refer to the vehicle manufacturer's recommendation in your vehicle owner's manual.

For more information see page 8-9.


BE PREPARED:

Be sure to pre-fit the chains to your tire and insure you have enough clearance for the chains to operate properly.

For more information see page 8-9.

CAUTION:

If you have alloy wheels or hubcaps that scratch easily or protrude beyond the tire sidewall, Peerless cautions against using any traction product that requires the use of a rubber tightener.



GOOD

Quik Grip

Ladder-Style Link Chain

Good for on & off-road, steep grades, deep snow, back roads, unplowed side streets, etc.

Radial Chain

Ladder-Style cable chain

Good for on-road use, packed snow, icy highways and side streets, etc.

BETTER

Super Z® Passenger and Light Truck

Diagonal-Pattern Cable Chain

Better for use on-road, steep grades, deep snow, packed snow, icy roads. Compatible with traction control and/or ABS systems.

Whitestar Alloy

Diamond-Pattern Link Chain

Whitestar Alloy is better for on & off-road, steep grades, deep/packed snow, icy roads. Excellent all-around traction performance.

Quik Grip Alloy

Alloy Ladder-Style Link Chain

Excellent traction and durability for both on and off road applications. Aggressive square rod cross chains are ideal for steep grades, deep snow, ice & mud.

BEST

Super Z6® & Super Z8®

Diagonal-Pattern Cable Chain

Best for on-road, steep grades, deep or packed snow and icy roads. Most compatible with traction control and ABS systems. Outstanding all-around traction. Best for vehicles with restricted clearance.

Z-Chain®

Diagonal-Pattern Cable Chain

All of the benefits of Super Z® plus outstanding traction with unequaled speed & ride capabilities for emergency response equipment.

Auto-Trac®

Diamond-Pattern Link Chain

Easy installation and removal with no need to re-tighten. Best durability of any link-style chain for cars and light trucks. Excellent compatibility with ABS and traction control systems.

COMPARISONS OF TRACTION PRODUCTS

PRODUCT	PRODUCT TYPE	CLASS "S" CLEARANCE	BRAKING PERFORMANCE		HANDLING PERFORMANCE		DURABILITY	EASY INSTALL	ABS & AWD
			Distance	Control	Cornering	Starting			
Passenger Car Products									
Z ^o Chain	Alloy diagonal pattern cable	✓	BEST	BEST	BEST	BEST	BEST	BEST	BEST
Super Z ⁶	Alloy diagonal pattern cable	✓	BEST	BEST	BEST	BEST	BETTER	BEST	BEST
Auto-Trac [®]	Alloy diamond pattern link	✓	BEST	BEST	BEST	BEST	BETTER	BEST	BEST
Whitestar Alloy	Alloy diamond pattern link	✓	BEST	BEST	BEST	BEST	BETTER	BETTER	BEST
Super Z ^o	Alloy diagonal pattern cable	✓	BETTER	BEST	BEST	BETTER	BETTER	BEST	BEST
Radial Chain	Ladder-style cable	✓	GOOD	BETTER	BETTER	GOOD	BETTER	BETTER	BETTER
Quik Grip PL	Ladder-style link	✓	BETTER	GOOD	GOOD	BETTER	GOOD	GOOD	GOOD
Quik Grip RP	V-Bar ladder-style link	✗	BEST	BETTER	GOOD	BEST	GOOD	GOOD	GOOD
Pickup and SUV Products									
Z ^o Chain	Alloy diagonal pattern cable	✓	BEST	BEST	BEST	BEST	BEST	BEST	BEST
Super Z ⁶ / Z ⁸	Alloy diagonal pattern cable	✓	BEST	BEST	BEST	BEST	BEST	BEST	BEST
Super Z ^o	Alloy diagonal pattern cable	✓	BEST	BEST	BEST	BETTER	BEST	BEST	BEST
Auto-Trac [®]	Alloy diamond pattern link	✓	BEST	BEST	BEST	BEST	BETTER	BEST	BEST
Whitestar Alloy	Alloy diamond pattern link	✓	BEST	BEST	BEST	BEST	BETTER	BETTER	BEST
Radial Chain LT	Ladder-style cable	✗	GOOD	BETTER	BETTER	GOOD	BETTER	BETTER	GOOD
Quik Grip Highway	Ladder-style link	✗	BETTER	GOOD	GOOD	BETTER	GOOD	GOOD	GOOD
Quik Grip Reinforced	V-Bar ladder-style link	✗	BEST	BETTER	GOOD	BEST	GOOD	GOOD	GOOD
Quik Grip Alloy	Alloy ladder-style link	✗	BEST	GOOD	GOOD	BEST	BEST	GOOD	GOOD
Truck and Bus Products									
Super Z ^o HD	Alloy diagonal pattern cable	✗	BEST	BEST	BEST	BEST	BEST	BEST	BEST
Diamond Blue™	Alloy diamond pattern link	✗	BEST	BEST	BEST	BEST	BETTER	GOOD	BEST
Quik Grip Alloy	Alloy ladder-style link	✗	BEST	GOOD	GOOD	BEST	BEST	GOOD	GOOD
Alloy Radial Chain™	Alloy ladder-style cable	✗	GOOD	BETTER	BETTER	GOOD	BETTER	BETTER	GOOD
Quik Grip Reinforced	V-Bar ladder-style link	✗	BEST	BETTER	GOOD	BEST	GOOD	GOOD	GOOD
Quik Grip Highway	Ladder-style link	✗	BETTER	GOOD	GOOD	BETTER	GOOD	GOOD	GOOD

Several western states (including Oregon, Washington & California) have chain laws that require carrying and/or using winter traction products at certain times or under certain road conditions.

In these states, failure to carry and/or use winter traction products as prescribed by local authorities can result in fines and/or other penalties. These chain laws are the most complicated for commercial vehicles, specifically tractor-trailer combinations. Although they vary by state, the most representative is California's diagram **on the following page** (courtesy of Caltrans) showing requirements acceptable in any jurisdiction.

Tire chains, cable chains and other winter traction devices are legal in every state and province in North America.

All legal authorities recognize the difference between studded tires and other winter traction devices. Some states and provinces either limit the use of studded tires or outlaw them completely because studs are considered to be a permanently attached device which contribute to expensive damage to road surfaces over time. Tire chains, cable chains and other like traction devices are considered temporary because they are installed only when needed. They don't represent the same kind of threat to road surfaces.

CalTrans approved! Super Z® meets CalTrans Highway I-80 "minimum" requirements.

In December 1997, Caltrans (California Department of Transportation) approved the use of Super Z® winter traction product under their unpublished "minimum" chain-up requirements. Super Z® was the first cable chain approved by Caltrans to meet this standard, which allows some commercial vehicles to proceed with less than the minimum number of chains required by law.



Yosemite National Park adopted similar regulations in 2004, making Super Z® the first cable chain product to be allowed in the Park.

Colorado is the only governmental authority in North America that recognizes a legal difference between cable chain, tire chain, rubber or any other variety of traction devices that can be temporarily installed on a tire. Since Nov. 1, 1996, the Colorado Department of Transportation (CDOT) has enforced regulations making the use of most "cable" chain products virtually illegal on vehicles over 26,000 GVW. CDOT does allow some cable chains (including all our cable chain products) to be used as alternative traction devices (ATDs) on commercial vehicles of 26,000 GVW, with the exception of single axle tractors.



TIRE CHAIN REGULATION CONTACT INFORMATION

Oregon Department of Transportation.....	www.tripcheck.com (or) www.oregon.gov/odot
California Department of Transportation.....	www.dot.ca.gov
Washington Department of Transportation.....	www.wsdot.wa.gov/winter
Colorado Department of Transportation	www.coloradodot.info/travel
Nevada Department of Transportation.....	www.nevadadot.com/safety/winter/chains.asp

Note: While not mandatory in a number of states, it recommends heavy duty vehicles hauling trailers also chain up one trailer axle to help assist the vehicle in braking safely.

For questions about chain laws and current chain regulations please visit the websites shown above. For general customer service questions, please visit www.peerlesschain.com.

To the best of our knowledge, the previous statements accurately represent laws pertaining to the use of winter traction devices throughout the U.S.A. and Canada. Chain laws and regulations may change at any time. Peerless will do its best to publish the most current information available.

Chain Requirements:



Vehicles are permitted in chain control areas when equipped with chains or Automatic Traction Device (ATD) as indicated. Tire traction devices are defined in the California Vehicle Code (VC) Section 605 which include conventional link-type tire chains and cable chains, as well as other less conventional devices. When the term "chains" is used here, it means any "tire traction device" (not necessarily link type chain) which meets the requirements of (VC) Section 605.

Vehicles with cable chains and other traction devices that meet the requirements of Vehicle Code Section 605 are legal in California. However, for the safety of the public, vehicles may be restricted at times due to local weather and road conditions.

Caltrans and the [California Highway Patrol \(CHP\)](#), reserve the right to prohibit any vehicle from entering a chain control area when it's determined that the traction devices do not meet the requirements of (VC) section 605.

LEGEND

- Driving axle
- Non-driving axle
- Wheel with chains or ATD
- Wheel with no chains or ATD
- Drive axle must be chained.
- Caltrans and CHP may require chains on all drive wheels if conditions warrant.
- Chains on trailers may be staggered front and back.
- Both axles must be chained (four wheels with chains or ATD).




NOTES

- All vehicles, including four wheel or all wheel drive vehicles must carry chains upon entering a chain control area.
- Minimum legal tread depth for Mud and Snow tires is 6/32 of an inch.
- All vehicles, including four wheel drive vehicles, that are towing trailers must have chains on one drive axle.
- Front wheel drive vehicles must have chains on front (drive) axle.
- Trailers with brakes must have chains on one axle.
- On any semi-trailer, only one set of chains is required regardless of number of axles.
- Chains are not required on tag axle.
- Trucks or tractors equipped with Super Singles, chains are required on all drive wheels.




Acceptable on either axle of semi-trailers.

AUTOS/PICKUPS




BUSES/RECREATIONAL VEHICLES

(Articulated buses must also chain outside wheels of last axle.)



TRUCKS




Truck Type 2




Truck Type 3


Tractor and Semi-trailer Single Dr.



Tractor and Semi-trailer Type 3-S-2




Tractor, Semi-trailer, and Trailer Type 3-S-1-T-2



Truck and Trailer Type 3-T-3 or 3-T-2

The following truck may be restricted when chains are required:



Tractor, Semi-trailer, and Trailer Type 2-S-1-T-2

For questions regarding these configurations, please contact the Caltrans Maintenance Program at (916) 657-4911.


Clearance Definitions:

Class "S" is the Society of Automotive Engineers' (SAE) definition for the least amount of space that should be provided around the drive tires of any vehicle to accommodate the use of a winter traction product. These different classes incorporate two different measurements: from the tread face of the tire to the nearest obstruction, and from the inside sidewall of the tire to the nearest obstruction.

S.A.E. J1232-1980 Definition:

Most newer vehicles manufactured since the late 80's will have special clearance requirements. This generally refers to S.A.E. Class "S" clearance restrictions. The "Z" family of traction products for passenger cars and light duty trucks will meet or exceed these requirements.

The minimum clearances specified must be maintained around fenders, braces, suspension parts, strut housing, splash pans and fuel and brake lines. Tire size must be known to select a traction product of correct fit. For passenger car, pickup and SUV applications it is important to check the owner's manual. The restricted wheel well clearances in most of today's vehicles will require Class "S" products. Consumers must refer to their owner's manual for information pertaining to their specific vehicle.



Check your owner's manual: Most vehicle manufacturers make a statement regarding clearance issues related to their vehicles. This information is located in the owner's manual under chains, traction devices, tires or a similar heading. It is important to select a traction product that is compatible with the minimum class assigned to your vehicle. This reference is based on the original tire and wheel size shown in your owner's manual. Using a different size tire may affect the chain's ability to operate properly. If you can't locate the clearance requirements of your vehicle, contact the manufacturer.

Traction products not only have to fit the tire, but must also fit within the space provided around the tires.

Some owner's manuals state that certain tire sizes do not provide enough clearance to accommodate winter traction products. Frequently, manufacturers make these statements because a vehicle has less clearance available than Class "S" requires. The fact is, many of these vehicles can use one of our winter traction products. Trying to measure the nearest obstruction under your vehicle could prove tricky. To insure you have adequate clearance to operate any traction device they must be pre-fitted and driven a short distance. Start slowly. If you hear any contact (ticking sound), stop and remove the chains immediately. Regardless of the type of traction product you use, do not exceed 30 MPH (48kmH).

CAUTION: When chaining up one axle of a four wheel drive vehicle, always check the owner's manual for the manufacturers recommendation as to which axle to chain up.

Important information for Pickups, SUVs & 4x4s:

Many western states and Canadian provinces have mountain passes and roadways where the possession and use of winter traction devices are required by law, regardless of vehicle type, under certain winter conditions. A failure to comply with these requirements can result in fines and/or other penalties imposed by local authorities. For current, up-to-date information regarding chain laws, restrictions and regulations, as well as the most complete tire size application listing, visit: www.peerlesschain.com

Many pickups and sport utility vehicles have restricted clearances around the drive tires. Vehicle manufacturers recommend using only traction products that meet S.A.E Class "S" clearance specifications.

Super Z[®]6, Super Z[®]8, Super Z[®] & Z[®]-Chain are the only light truck cable brands that meet these requirements.

S.A.E. Class "S"

Cable chains or link chains for vehicles with restricted clearances.

S.A.E. Class "U"

Passenger tire chains that use light truck components, as well as some light truck chains.

S.A.E. Class "W"

Regular tire chains for vehicles with non-restricted wheel well clearances.

Illustration of S.A.E. Clearance Requirements & Product Comparison

Product	Treadface	Sidewall	Class
Quik Grip Link Chain Profile Type P, RP	1.97" / 50mm (X)	0.91" / 23mm (Y)	Class "U"
Class "S" Link Type PL, Auto-Trac [®] , Whitestar Alloy, Z-Chain [®] , Super Z [®] 700 Series and Super Z [®] 8	1.46" / 37mm (X)	0.59" / 15mm (Y)	Class "S"
Radial Chain & Super Z [®] 300 Series	1.00" / 25mm (X)	0.50" / 12.7mm (Y)	Class "S"
Super Z [®] 6	1.20" / 31mm (X)	0.25" / 6.3mm (Y)	Class "S"

Product Clearance specifications:

As you can see by the measurements shown below, many products fit in an even smaller space than required by S.A.E. Class "S". Class "S" requires 15mm (0.59") clearance from the sidewall and 37mm (1.46") clearance from the treadface.

Products that meet Class "S" requirements:

Z[®] - Chain (Z-539-Z-583); **Super Z[®]** (ZT729-ZT751); **Auto-Trac[®]** (0152005-0232805); **Whitestar Alloy** (WS1604-WS1707); **Quik Grip** (QG1114-QG1142)

Products that exceed Class "S" requirements:

(operate in low clearance areas around the sidewall and the treadface)

Super Z[®] 6 (SZ119-SZ451): Requires 6.3 mm (0.25") clearance from the sidewall
Requires 31.0 mm (1.20") clearance at the treadface

Super Z[®] 8 (SZ462-SZ497): Requires 8.2 mm (0.32") clearance from the sidewall
Requires 35.0 mm (1.38") clearance at the treadface

Super Z[®] (SZ315-SZ343); **Radial Cable Chain** (SC1014-SC1042); Requires 12.7 mm (0.50") clearance from the sidewall
Requires 25.0 mm (1.00") clearance at the treadface

What is so important about a "Z"?

For over a decade we have been selling a unique group of products under various "Z" trademarks. The "Z" was inspired by the Z-shaped crossmember pattern, but what the "Z" really stands for is reliability, performance, convenience and durability. "Z" products are easily the most recognized in the traction industry. They're aggressive, easier to use and longer-lasting than other traction products, and they have proven it from California to Bosnia.

"Z" combines the advantages of diagonal crossmembers, steel traction coils and a method of fastening and adjusting the "chain" so that there is no loss of traction at any point on the tire – and often no need to re-adjust the product after the initial installation.

"Z" products have these important advantages over other winter traction products:

- Easier installation and removal.
- Greater durability and lower potential for vehicle damage.
- Superior starting, stopping and cornering performance.
- Lower operating space requirements around drive tires.
- Greater compatibility with electronic "Traction Management Systems" (ABS, 4WD & AWD).

"Z" traction product for every winter traction need:

Z[®]-CHAIN for police, fire, ambulance as well as other high-performance users. Available to fit most car, pickup and SUV tire sizes.

SUPER Z[®] 6, our newest product for cars, pickups and SUVs – able to operate in drive tire clearances as low as 6 mm (1/4").

SUPER Z[®] 8, our newest product for new, larger SUV tires and small to medium commercial vehicles – able to operate in drive tire clearances as low as 8 mm (5/16").

SUPER Z[®] 300 Series for simple installation and excellent durability on passenger car tires.

SUPER Z[®] 700 Series with the same advantages as Super Z Passenger but designed for use on pickups and SUVs.


SUPER Z[®] for commercial trucks, buses, graders and other industrial applications. Available in single, widebase (super single) and dual-tire versions.



How to read your tire size:

Tire size must be known in order to select a traction product. On most tires the size will look like this:

P225/75R16. This example indicates that the tire is 225mm wide, has an aspect ratio of 75% and is mounted on a wheel that is 16 inches in diameter. All of these numbers are critical in helping to find the correct traction product. The letter "P" (for passenger), "LT" (for light truck) and "R" (for radial) that sometimes appear with these numbers are much less important.



Passenger and light truck applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

Check your owner's manual for information regarding the use of tire chains! These product applications show the best choice for most tires. Due to variation between tire manufacturers, the best choice for your tire may be different. To be sure, traction products should be fitted to the tire before actual use is required. Please refer to your vehicle owner's manual for any product limitations. Product stock numbers shown in **RED BOLD** will meet or exceed S.A.E. Class "S" clearance requirements.

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52
6.5	6.50-16C	Z-575	-	-	-	-	-	-	QG2219*	-
7	7.00-16	Z-575	ZT729	SZ429	-	-	WS1705	-	QG2221*	QG2121
	7.00-16LT	Z-575	ZT729	SZ429	-	-	WS1705	-	QG2219*	-
7.5	7.50-16LT	Z-579	ZT741	SZ441	-	-	WS1707	TC2212MM	QG2221*	QG2121
8	8-17.5	Z-579	ZT735	SZ435	-	-	WS1707	-	QG2219*	-
	8-19.5	Z-579	ZT747	SZ447	-	-	-	TC2512MM	QG2214*	-
8.5	8.5-17.5	Z-579	ZT735	SZ435	-	-	WS1707	-	-	-
8.75	8.75-16.5LT	Z-575	ZT729	SZ429	-	-	WS1705	TC2111MM	QG2219*	-
9.5	9.50-16.5LT	Z-579	ZT735	SZ435	-	-	WS1707	TC2212MM	QG2221*	QG2121
	9.5-17.5	-	-	-	SZ468	-	-	-	-	-
10	10.00-15TR	-	-	-	SZ486	-	-	-	-	-
	10-17.5	-	-	-	SZ497	-	-	-	QG2228*	QG2128
29	29x9.50-15LT	Z-571	ZT729	SZ429	-	-	WS1705	TC2111MM	QG2229*	QG2129
	29x12.50-15LT	Z-579	ZT735	SZ435	-	-	-	-	QG3227*	QG3127
30	30x9.50-15LT	Z-575	ZT735	SZ435	-	0231905	-	-	QG2229*	QG2129
31	31x10.50-15LT	Z-579	ZT741	SZ441	-	0232105	WS1707	TC2512MM	QG3227*	QG3127
	31x10.50-16.5LT	Z-579	ZT741	SZ441	-	-	WS1707	TC2512MM	QG3227*	QG3127
	31x11.50-15LT	Z-579	ZT747	SZ447	-	-	WS1707	-	QG3227*	QG3127
	31x12.50-15NHS	-	-	-	-	-	-	-	QG3229*	QG3129
31	31x13.50-15LT	-	ZT747	SZ447	-	-	-	-	QG3229*	QG3129
	31x15.50-15LT	-	ZT751	SZ451	-	-	-	-	QG3237	-
	32x10.50-17	Z-579	ZT747	SZ447	-	-	WS1707	-	QG2228*	QG2128
	32x12.50-16.5LT	-	-	-	SZ462	-	-	-	QG3229*	QG3129
33	33x10.50-15LT	Z-583	ZT751	SZ451	-	0232805	-	TC2512MM	QG2228*	QG2128
	33x12.50-16.5LT	-	-	-	SZ474	-	-	-	QG3229*	QG3129
	33x14.50-16.5LT	-	-	-	-	-	-	-	QG3229*	QG3129
35	35x12.50-16.5LT	-	-	-	SZ486	-	-	-	QG2226*	QG2126
	35x12.50-17	-	-	-	SZ486	-	-	-	QG2226*	QG2126
	35x12.50-18	-	-	-	SZ486	-	-	-	QG2226*	QG2126
	35x12.50-20	-	-	-	SZ486	-	-	-	QG2226*	QG2126
36	36x12.50-16.5LT	-	-	-	SZ492	-	-	-	QG2226*	QG2126
	36x13.50-15LT	-	-	-	SZ486	-	-	-	QG2226*	QG2126
	36x14.50-16.5LT	-	-	-	SZ480	-	-	-	-	-
37	37x12.50-16.5LT	-	-	-	SZ492	-	-	-	QG2226*	QG2126
38	38x15.50-16.5LT	-	-	-	-	-	-	-	QG3235	-
	38x15.50-20LT	-	-	-	-	-	-	-	QG3235	-
145	145/65-15	-	SZ315	SZ115	-	-	WS1604	SC1014	QG1114	-
155	155/60-15	-	-	-	-	-	WS1604	SC1014	QG1114	-
155	155/80-12	-	-	-	-	-	WS1604	SC1014	QG1114	-
	155/80-13	-	SZ315	SZ115	-	-	WS1604	SC1014	QG1114	-
175	175/55-15	-	SZ315	SZ115	-	0152005	WS1604	SC1018	QG1118	-
	175/55-16	Z-539	SZ319	SZ119	-	-	WS1608	-	QG1126	-
	175/65-14	-	SZ315	SZ115	-	0152005	WS1606	-	QG1118	-

Passenger and light truck applications

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52
175	175/65-15	Z-539	SZ319	SZ119	-	0153005	WS1606	SC1026	QG1126	-
	175/70-13	-	SZ315	SZ115	-	-	WS1605	-	QG1118	-
	175/70-14	Z-539	SZ319	SZ119	-	0152505	WS1608	-	QG1126	-
185	185/55-14	-	SZ315	SZ115	-	-	WS1604	-	QG1118	-
	185/55-15	Z-539	SZ319	SZ119	-	0152505	WS1605	-	QG1122	-
	185/55-16	Z-539	SZ323	SZ123	-	0153005	WS1608	SC1026	QG1126	-
	185/60-14	-	SZ319	SZ119	-	0152005	WS1605	-	QG1122	-
	185/60-15	Z-539	SZ323	SZ123	-	0152505	WS1606	SC1026	QG1126	-
	185/65-14	Z-539	SZ319	SZ119	-	0152505	WS1606	SC1026	QG1126	-
	185/65-15	Z-539	SZ323	SZ123	-	0153005	WS1608	SC1026	QG1126	-
195	195/50-16	Z-539	SZ323	SZ123	-	0153005	WS1608	SC1026	-	-
	195/55-13	-	SZ315	SZ115	-	-	WS1604	-	-	-
	195/55-15	Z-539	SZ323	SZ123	-	0152505	WS1608	-	-	-
	195/55-16	Z-539	SZ327	SZ129	-	0153505	WS1608	SC1030	QG1130	-
	195/60-15	Z-539	SZ327	SZ127	-	0153005	WS1608	SC1030	QG1130	-
	195/60-16	Z-547	SZ329	SZ129	-	0153505	WS1608	SC1030	QG1130	-
	195/65-14	Z-539	SZ323	SZ123	-	0153005	WS1608	SC1026	-	-
	195/65-15	Z-539	SZ329	SZ129	-	0153505	WS1608	SC1030	QG1130	-
	195/65-16	Z-547	SZ329	SZ129	-	-	WS1612	SC1030	QG1130	-
	195/75-14	Z-547	SZ329	SZ129	-	0153505	WS1610	SC1030	QG1130	-
	LT195/75-14	Z-555	SZ329	SZ129	-	-	WS1610	SC1030	QG2209	-
	195/75-15	Z-555	SZ331	SZ131	-	0154005	WS1612	SC1034	QG1134	-
	LT195/75-15	-	SZ335	SZ135	-	-	WS1612	SC1034	QG1134	-
	205	205/40-18	Z-539	SZ327	SZ127	-	0153505	-	SC1032	-
205/45-16		Z-539	SZ323	SZ123	-	-	-	-	-	-
205/45-17		Z-539	SZ327	SZ127	-	0153505	-	SC1032	-	-
205/50-16		Z-539	SZ327	SZ127	-	0153005	WS1608	SC1032	QG1130	-
205/50-17		Z-547	SZ331	SZ131	-	0154005	WS1610	SC1032	QG1134	-
205/55-15		Z-539	SZ327	SZ127	-	0153505	WS1608	-	QG1126	-
205/55-16		Z-547	SZ331	SZ131	-	0154005	WS1610	SC1032	QG1134	-
205/55-17		Z-555	SZ329	SZ129	-	0154005	WS1610	SC1034	QG1134	-
205/60-15		Z-547	SZ331	SZ131	-	0153505	WS1608	SC1032	QG1130	-
205/60-16		Z-547	SZ331	SZ131	-	0154005	WS1610	SC1032	QG1134	-
205/60-17.5		Z-555	SZ335	SZ135	-	-	WS1614	SC1032	QG1138	-
205/65-15		Z-547	SZ329	SZ129	-	0154005	WS1610	SC1032	QG1134	-
205/65-16		Z-555	SZ335	SZ135	-	0154505	WS1612	SC1034	QG1138	-
205/65-17.5		Z-563	SZ343	SZ143	-	-	WS1614	-	-	-
205/70-14		Z-547	SZ329	SZ129	-	0154005	WS1610	SC1032	QG1130	-
205/70-15		Z-547	SZ331	SZ135	-	0154505	WS1612	SC1034	QG1134	-
205/70-16		Z-555	SZ335	SZ135	-	0155005	WS1614	SC1034	QG1138	-
205/75-14		Z-547	SZ331	SZ131	-	0154005	WS1610	SC1034	QG1134	-
205/75-15		Z-555	SZ335	SZ135	-	0154705	WS1614	SC1034	QG1138	-
205/75-17.5		Z-575	SZ343	SZ429	-	-	WS1705	TC211MM	QG2219*	-
215	215/40-16	Z-539	SZ323	SZ123	-	-	-	-	-	-
	215/40-17	Z-539	SZ327	SZ127	-	-	-	SC1032	-	-
	215/40-18	Z-547	SZ331	SZ131	-	0154005	WS1608	SC1032	QG1130	-
	215/45-15	Z-539	SZ323	SZ123	-	0152005	-	-	-	-
	215/45-16	Z-539	SZ323	SZ123	-	0153005	-	-	-	-
	215/45-17	Z-547	SZ331	SZ131	-	0154005	-	SC1032	-	-
	215/45-18	Z-547	SZ331	SZ131	-	-	-	SC1032	-	-
	215/50-15	Z-539	SZ323	SZ123	-	0153005	WS1608	-	QG1126	-
	215/50-16	Z-547	SZ331	SZ131	-	-	WS1610	SC1032	QG1134	-
	215/50-17	Z-547	SZ331	SZ133	-	0154005	WS1610	SC1032	QG1134	-
	215/55-15	Z-539	SZ327	SZ133	-	-	WS1608	SC1032	QG1130	-
	215/55-16	Z-547	SZ331	SZ131	-	0154505	WS1610	SC1032	QG1134	-
	215/55-17	Z-555	SZ335	SZ135	-	0154505	WS1612	SC1036	QG1138	-
	215/55-18	Z-571	SZ339	SZ139	-	0155005	WS1614	SC1038	QG1138	-
	215/55-20	Z-575	ZT735	SZ435	-	-	WS1705	-	QG3210*	QG3110
	215/60-16	Z-547	SZ335	SZ135	-	0154505	WS1612	SC1034	QG1138	-
	215/60-17	Z-563	SZ339	SZ139	-	0155305	WS1614	SC1038	QG1138	-
	215/65-15	Z-555	SZ335	SZ135	-	0154505	WS1612	SC1034	QG1138	-
	215/65-16	Z-555	SZ335	SZ135	-	0155005	WS1614	SC1038	QG1138	-
	215/65-17	Z-563	SZ339	SZ139	-	0155005	WS1614	SC1042	QG1142	-
215/70-15	Z-555	SZ335	SZ135	-	0155005	WS1612	SC1038	QG1138	-	
215/70-16	Z-563	SZ339	SZ139	-	0155305	WS1614	SC1042	QG1142	-	

TIRE APPLICATION GUIDE



Passenger and light truck applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52
215	215/70-17	Z-571	ZT729	SZ429	-	-	WS1705	TC2111MM	QG2229*	QG2129
	215/75-15	Z-563	SZ339	SZ139	-	0155005	WS1614	SC1038	QG1138	-
	LT215/75-15	Z-563	SZ339	SZ139	-	-	WS1614	SC1038	QG1138	-
	215/75-17.5	Z-575	ZT729	SZ429	-	-	WS1705	-	QG2221*	QG2121
	LT215/85-16	Z-575	ZT729	SZ429	-	0231705	WS1705	TC2212MM	QG2219*	-
225	225/35-19	Z-539	SZ323	SZ123	-	0152005	-	-	-	-
	225/40-17	Z-539	-	SZ133	-	-	-	SC1032	-	-
	225/40-18	Z-547	-	SZ133	-	0154005	-	SC1036	-	-
	225/40-19	Z-555	SZ339	SZ139	-	0154005	-	SC1036	-	-
	225/45-17	Z-547	-	SZ133	-	0154005	-	SC1034	-	-
	225/45-18	Z-555	-	SZ139	-	0154505	-	SC1036	-	-
	225/45-19	Z-563	SZ339	SZ139	-	0155505	-	SC1038	-	-
	225/50-16	Z-547	SZ331	SZ131	-	0154505	WS1610	SC1036	QG1134	-
	225/50-17	Z-555	SZ335	SZ137	-	0155305	WS1612	SC1036	QG1134	-
	225/50-18	Z-555	SZ339	SZ139	-	-	WS1614	SC1036	QG1142	-
	225/55-15	Z-547	-	SZ133	-	0154005	-	SC1036	-	-
	225/55-16	Z-555	SZ335	SZ137	-	0154705	WS1612	SC1036	QG1134	-
	225/55-17	Z-555	SZ339	SZ139	-	0155305	WS1614	SC1038	QG1138	-
	225/55-18	Z-563	SZ339	SZ139	-	0231805	WS1614	TC2111MM	QG2229*	QG2129
	225/55-19	Z-571	ZT729	SZ429	-	0231805	WS1705	TC2111MM	QG2229*	QG2129
	225/55-20	Z-575	ZT735	SZ435	-	-	WS1705	-	QG3210*	QG3110
	225/60-15	Z-547	SZ331	SZ133	-	0154705	WS1612	SC1036	QG1134	-
	225/60-16	Z-555	SZ339	SZ139	-	0155005	WS1614	SC1038	QG1138	-
	225/60-17	Z-563	SZ343	SZ143	-	0155505	WS1614	SC1040	QG1142	-
	225/60-18	Z-571	ZT729	SZ429	-	0231905	WS1705	TC2111MM	QG2229*	QG2129
	225/60-19	Z-575	ZT735	SZ435	-	-	WS1705	TC2212MM	QG2221*	QG2121
	225/65-15	Z-555	SZ339	SZ139	-	-	WS1612	SC1038	QG1138	-
	225/65-16	Z-563	SZ343	SZ143	-	0155505	WS1614	SC1038	QG1138	-
	225/65-17	Z-571	SZ343	SZ143	-	0155505	WS1614	SC1042	QG2229*	QG2129
	225/65-18	Z-575	ZT735	SZ435	-	-	WS1705	TC2212MM	QG2221*	QG2121
	225/70-15	Z-563	SZ343	SZ143	-	0155505	WS1614	SC1038	QG1138	-
	225/70-16	Z-571	SZ343	SZ143	-	0155505	WS1614	TC2111MM	QG2229*	QG2129
	225/70-19.5	Z-579	ZT741	SZ441	-	0232105	WS1707	-	QG2221*	QG2121
	225/700-480A	-	-	-	-	-	-	SC1042	-	-
	225/75-15	Z-563	-	SZ139	-	0155305	WS1614	SC1042	QG1142	-
	225/75-16	Z-571	ZT729	SZ429	-	0231905	WS1705	TC2111MM	QG2229*	QG2129
	LT225/75-16	Z-571	ZT729	SZ429	-	0231805	WS1705	TC2111MM	QG2229*	QG2129
225/75-17.5	Z-575	ZT735	SZ435	-	-	WS1707	-	QG2221*	QG2121	
LT225/75-17	Z-575	ZT729	SZ429	-	0231705	WS1705	TC2212MM	QG2221*	QG2121	
235	235/35-19	-	-	SZ137	-	0154005	-	-	-	-
	235/40-18	Z-555	-	SZ137	-	0154705	-	SC1036	-	-
	235/40-19	Z-555	SZ339	SZ139	-	0154505	-	SC1040	-	-
	235/45-17	Z-555	-	SZ137	-	0154505	-	SC1036	-	-
	235/45-18	Z-555	SZ339	SZ139	-	0155005	-	SC1040	-	-
	235/45-19	Z-563	SZ343	SZ143	-	-	-	SC1042	-	-
	235/45-20	Z-571	SZ343	SZ143	-	-	WS1614	SC1042	-	-
	235/50-15	Z-547	SZ327	SZ127	-	-	WS1608	SC1032	-	-
	235/50-16	Z-555	SZ335	SZ137	-	0154505	WS1610	SC1036	-	-
	235/50-17	Z-555	SZ339	SZ139	-	0155005	WS1612	SC1040	-	-
	235/50-18	Z-563	SZ343	SZ143	-	0155505	WS1614	SC1040	-	-
	235/50-19	Z-571	ZT729	SZ429	-	0231805	WS1705	-	-	-
	235/55-15	Z-555	SZ335	SZ137	-	-	WS1610	SC1036	-	-
	235/55-16	Z-555	SZ339	SZ139	-	0154705	WS1612	SC1040	-	-
	235/55-17	Z-563	SZ343	SZ143	-	0155505	WS1614	SC1040	-	-
	235/55-18	Z-571	ZT729	SZ429	-	0231905	WS1705	TC2111MM	-	-
	235/55-19	Z-575	ZT729	SZ429	-	0232405	WS1705	TC2111MM	QG2219*	-
	235/55-20	Z-575	ZT735	SZ435	-	0232405	WS1707	-	QG2221*	QG2121
	235/60-15	Z-555	SZ335	SZ135	-	0155005	WS1612	SC1040	-	-
	235/60-16	Z-563	SZ339	SZ139	-	0155305	WS1614	SC1040	-	-
	235/60-17	Z-571	SZ343	SZ143	-	0155505	WS1705	SC1040	-	-
	235/60-18	Z-571	ZT729	SZ429	-	0231905	WS1705	TC2212MM	QG2229*	QG2129
	235/65-15	Z-563	SZ339	SZ139	-	0155505	WS1612	SC1040	QG2229*	QG2129
	235/65-16	Z-571	SZ343	SZ143	-	0155505	WS1705	SC1040	-	-
	235/65-17	Z-571	ZT729	SZ429	-	0231805	WS1705	TC2111MM	QG2229*	QG2129
	235/65-18	Z-575	ZT735	SZ435	-	-	WS1705	-	QG2229*	QG2129
	235/70-16	Z-571	ZT729	SZ429	-	0231905	WS1705	TC2111MM	QG2229*	QG2129

Passenger and light truck applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52	
235	235/70-17	Z-579	ZT735	SZ435	-	0232405	WS1707	TC2212MM	QG2221*	QG2121	
	235/70-19.5	Z-579	ZT741	SZ441	-	-	WS1707	TC2512MM	QG2221*	QG2121	
	235/710-460A	-	-	-	-	-	-	SC1042	-	-	
	235/75-15	Z-571	ZT729	SZ429	-	0231905	WS1705	TC2111MM	QG2229*	QG2129	
	LT235/75-15	Z-571	ZT729	SZ429	-	0231805	WS1705	TC2111MM	QG2229*	QG2129	
	235/75-16	Z-575	ZT735	SZ435	-	0231905	WS1705	TC2212MM	QG2221*	QG2121	
	LT235/75-16	Z-575	ZT735	SZ435	-	0231905	WS1705	TC2212MM	QG2221*	QG2121	
	235/75-17	Z-579	ZT735	SZ435	-	0232405	WS1707	TC2212MM	QG2221*	QG2121	
	235/75-17.5	Z-579	ZT741	SZ441	-	0232105	WS1707	-	QG2228*	QG2128	
	LT235/80-17	Z-579	ZT747	SZ447	-	0232105	WS1707	TC2512MM	QG2228*	QG2128	
	LT235/85-16	Z-579	ZT741	SZ441	-	0232105	WS1707	TC2512MM	QG2221*	QG2121	
	245	245/35-18	Z-555	SZ331	SZ131	-	0154705	-	SC1036	-	-
		245/35-19	Z-555	SZ339	SZ139	-	0154505	-	SC1036	-	-
		245/35-20	Z-555	SZ339	SZ139	-	0155305	WS1612	SC1040	-	-
245/40-17		Z-555	SZ331	SZ131	-	0154705	WS1610	SC1036	-	-	
245/40-18		Z-555	SZ339	SZ139	-	0155505	-	SC1036	-	-	
245/40-19		Z-555	SZ339	SZ139	-	0155305	WS1612	SC1040	-	-	
245/40-20		Z-563	SZ343	SZ143	-	-	-	SC1042	-	-	
245/45-16		Z-547	SZ331	SZ131	-	-	-	SC1036	-	-	
245/45-17		Z-555	-	SZ137	-	0155005	-	SC1036	-	-	
245/45-18		Z-563	SZ343	SZ143	-	0155305	-	SC1040	QG2229*	QG2129	
245/45-19		Z-563	SZ343	SZ143	-	0155005	-	SC1042	-	-	
245/45-20		Z-575	ZT729	SZ429	-	0155005	WS1705	-	QG2219*	-	
245/45-22		Z-575	ZT741	SZ441	-	0232405	-	TC2512MM	-	-	
245/50-15		Z-555	SZ331	SZ131	-	-	WS1610	SC1036	-	-	
245/50-16		Z-555	SZ339	SZ139	-	0155005	WS1612	SC1040	-	-	
245/50-17		Z-555	SZ339	SZ139	-	0155305	WS1612	SC1040	-	-	
245/50-18		Z-563	SZ343	SZ143	-	-	-	SC1040	-	-	
245/50-19		Z-571	ZT729	SZ429	-	-	WS1705	TC2212MM	QG2229*	QG2129	
245/50-20		Z-575	ZT735	SZ435	-	0232405	-	-	QG2229*	QG2129	
245/55-16		Z-555	-	-	-	-	WS1612	SC1036	QG2229*	QG2129	
245/55-17		Z-563	SZ339	SZ139	-	-	-	-	-	-	
245/55-18		Z-563	ZT729	SZ429	-	0231905	WS1705	TC2212MM	QG2229*	QG2129	
245/55-19		Z-575	ZT735	SZ441	-	-	WS1707	-	-	-	
245/60-16		Z-563	SZ343	SZ143	-	-	WS1614	SC1042	QG2229*	QG2129	
245/60-18		Z-575	ZT735	SZ435	-	0232105	-	-	QG2229*	QG2129	
245/60-20		Z-579	ZT741	SZ441	-	0232105	WS1707	TC2512MM	QG2228*	QG2128	
245/65-16		Z-563	SZ343	SZ143	-	-	WS1705	-	QG2229*	QG2129	
245/65-17		Z-575	ZT735	SZ435	-	0232405	-	TC2212MM	QG2229*	QG2129	
245/680-460A		-	-	-	-	-	-	SC1042	-	-	
245/70-16		Z-575	ZT735	SZ435	-	0232405	WS1705	-	QG2221*	QG2121	
245/70-17		Z-575	ZT741	SZ441	-	0232405	WS1705	TC2212MM	QG2221*	QG2121	
245/70-17.5		Z-579	ZT741	SZ441	-	-	WS1707	TC2212MM	QG2228*	QG2128	
LT245/70-17		Z-575	ZT741	SZ441	-	0232105	WS1705	TC2212MM	QG2221*	QG2121	
245/70-19.5		Z-583	ZT751	SZ451	SZ462	0232605	-	-	QG2228*	QG2128	
245/75-15	Z-575	ZT729	SZ429	-	-	WS1705	-	QG2229*	QG2129		
245/75-16	-	ZT741	SZ441	-	0232105	WS1707	TC2512MM	QG2221*	QG2121		
LT245/75-16	-	ZT741	SZ441	-	0232105	WS1707	TC2512MM	QG2221*	QG2121		
245/75-17	Z-579	ZT741	SZ441	-	-	WS1707	TC2512MM	QG2228*	QG2128		
LT245/75-17	Z-579	ZT741	SZ441	-	0232105	WS1707	TC2512MM	QG2228*	QG2128		
245/75-19.5	-	-	-	-	SZ462	-	WS1707	QG2228*	QG2128		
255	255/30-19	Z-555	SZ335	SZ135	-	0154705	-	SC1036	-	-	
	255/35-18	Z-555	SZ335	SZ135	-	0154705	-	SC1036	-	-	
	255/35-19	Z-555	SZ343	SZ143	-	0155305	-	SC1040	-	-	
	255/35-20	Z-563	SZ343	SZ143	-	-	-	-	-	-	
	255/40-17	Z-555	-	SZ137	-	-	-	SC1040	-	-	
	255/40-18	Z-555	SZ343	SZ143	-	0155305	-	-	-	-	
	255/40-19	Z-563	SZ343	SZ143	-	0155005	-	SC1042	QG2229*	QG2129	
	255/40-20	Z-563	-	-	-	0155005	-	-	-	-	
	255/45-16	Z-555	SZ335	SZ135	-	-	-	SC1036	-	-	
	255/45-17	Z-555	SZ339	SZ139	-	0155305	-	SC1040	-	-	
	255/45-18	Z-563	SZ343	SZ143	-	0155005	-	SC1042	QG2229*	QG2129	
	255/45-19	Z-563	-	SZ143	-	0155005	-	SC1042	-	-	
	255/45-20	Z-575	ZT735	SZ435	-	0232405	WS1705	-	QG2229*	QG2129	
	255/50-16	Z-555	SZ343	SZ143	-	0155505	WS1612	SC1040	-	-	
255/50-17	Z-563	SZ343	SZ143	-	-	WS1614	SC1042	-	-		

TIRE APPLICATION GUIDE



PEERLESS



Passenger and light truck applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52	
255	255/50-18	Z-563	SZ343	SZ143	-	-	WS1614	SC1042	-	-	
	255/50-19	Z-571	ZT735	SZ435	-	0232405	-	-	QG2229*	QG2129	
	255/50-20	Z-579	ZT741	SZ441	-	0232605	WS1707	-	QG3210*	QG3110	
	255/50-21	Z-579	ZT747	SZ447	-	-	WS1707	TC2512MM	QG2228*	QG2128	
	255/55-16	Z-563	SZ343	SZ143	-	-	WS1614	SC1042	-	-	
	255/55-17	Z-563	SZ343	SZ143	-	-	WS1614	SC1042	-	-	
	255/55-18	Z-575	ZT735	SZ435	-	0232405	WS1707	-	QG2229*	QG2129	
	255/55-19	Z-579	ZT747	SZ435	-	-	WS1707	-	QG3210*	QG3110	
	255/55-20	Z-579	ZT747	SZ447	-	0232105	WS1707	-	QG2228*	QG2128	
	255/60-16	Z-555	SZ343	SZ143	-	-	WS1612	SC1040	-	-	
	255/60-17	Z-571	ZT735	SZ435	-	0232105	WS1705	-	QG2229*	QG2129	
	255/60-18	Z-579	ZT741	SZ441	-	-	WS1707	-	-	-	
	255/60-19	Z-579	ZT747	SZ447	-	-	WS1707	TC2512MM	QG2228*	QG2128	
	255/65-15	Z-563	SZ343	SZ143	-	-	WS1614	-	QG2229*	QG2129	
	255/65-16	Z-571	ZT735	SZ435	-	0232405	WS1705	-	QG3210*	QG3110	
	255/65-17	Z-575	ZT741	SZ441	-	0232605	WS1705	-	-	-	
	255/65-18	Z-579	ZT747	SZ447	-	0232405	WS1707	TC2512MM	QG2228*	QG2128	
	255/65-19	Z-579	ZT747	SZ447	-	-	-	TC2512MM	QG2228*	QG2128	
	255/70-14	Z-571	ZT729	SZ429	-	-	WS1705	-	QG2229*	QG2129	
	255/70-15	Z-571	ZT735	SZ435	-	0231905	WS1705	-	QG3210*	QG3110	
	255/70-16	Z-575	ZT735	SZ435	-	0232105	WS1707	-	QG3210*	QG3110	
	255/70-17	Z-579	ZT747	SZ447	-	0232105	WS1707	-	QG3227*	QG3127	
	255/70-18	Z-579	ZT747	SZ447	-	0232805	WS1707	-	QG2228*	QG2128	
	255/70-19.5	-	-	-	SZ462	-	WS1707	-	QG2228*	QG2128	
	255/710-460A	-	-	-	-	-	-	SC1042	-	-	
	255/75-17	Z-579	ZT751	SZ451	-	0232605	WS1707	TC2512MM	QG2228*	QG2128	
	LT255/75-17	Z-583	ZT751	SZ451	-	0232605	WS1707	TC2512MM	QG2228*	QG2128	
	265	265/35-18	Z-555	SZ339	SZ139	-	0155305	-	SC1036	-	-
		265/35-19	-	SZ339	SZ139	-	-	-	-	-	-
		265/40-18	Z-555	SZ343	SZ143	-	0155505	-	SC1036	-	-
		265/40-20	Z-571	ZT729	SZ429	-	-	-	-	-	-
		265/40-22	Z-579	ZT741	SZ441	-	0232105	WS1707	-	QG2228*	QG2128
265/45-18		Z-571	ZT729	SZ429	-	-	-	-	-	-	
265/45-20		Z-575	ZT735	SZ435	-	-	-	-	-	-	
265/45-21		Z-575	ZT747	SZ435	-	-	WS1707	-	-	-	
265/50-15		Z-555	SZ339	SZ139	-	0155305	WS1612	-	QG2229*	QG2129	
265/50-16		Z-555	SZ343	SZ143	-	-	WS1612	-	QG2229*	QG2129	
265/50-19		Z-575	ZT741	SZ441	-	0232105	WS1705	-	-	-	
265/50-20		Z-579	ZT747	SZ447	-	0232105	WS1707	-	-	-	
265/55-17		Z-575	ZT735	SZ435	-	-	WS1705	-	QG2229*	QG2129	
265/55-18		Z-575	ZT735	SZ435	-	-	WS1705	-	-	-	
265/60-16		Z-571	ZT729	SZ429	-	-	WS1705	-	QG2229*	QG2129	
265/60-17		Z-575	ZT735	SZ435	-	-	WS1705	-	QG2229*	QG2129	
265/60-18		Z-579	ZT747	SZ447	-	0232605	WS1707	-	QG2228*	QG2128	
265/60-20		Z-579	ZT751	SZ451	-	-	-	TC2512MM	QG2228*	QG2128	
LT265/60-20		Z-579	ZT751	SZ451	-	-	-	TC2512MM	QG2228*	QG2128	
265/65-15		Z-571	ZT729	SZ429	-	-	-	-	QG2229*	QG2129	
265/65-16		Z-575	ZT735	SZ435	-	0232405	WS1707	-	QG3210*	QG3110	
265/65-17		Z-579	ZT747	SZ447	-	0232105	WS1707	-	QG2228*	QG2128	
265/65-18		Z-579	ZT747	SZ447	-	0232605	WS1707	-	QG2228*	QG2128	
LT265/70-15		Z-575	ZT735	SZ435	-	0232105	WS1705	-	QG2229*	QG2129	
265/70-16		Z-579	ZT741	SZ441	-	0232605	-	-	QG3210*	QG3110	
LT265/70-16		Z-579	ZT741	SZ441	-	0232605	WS1707	-	QG3210*	QG3110	
265/70-17		Z-579	ZT747	SZ447	-	0232605	WS1707	TC2512MM	QG2228*	QG2128	
LT265/70-17		Z-579	ZT747	SZ447	-	0232605	WS1707	TC2512MM	QG2228*	QG2128	
265/70-18		Z-583	ZT751	SZ451	-	0232805	-	-	QG2228*	QG2128	
LT265/70-18		Z-583	ZT751	SZ451	-	0232805	-	-	QG2228*	QG2128	
265/70-19.5		Z-583	-	-	SZ468	0232805	-	-	-	-	
265/75-15		Z-575	ZT741	SZ441	-	0232605	-	-	QG2228*	QG2128	
LT265/75-15	Z-575	ZT741	SZ441	-	0232605	-	-	QG2228*	QG2128		
265/75-16	Z-579	ZT747	SZ447	-	0232605	WS1707	TC2512MM	QG2228*	QG2128		
LT265/75-16	Z-579	ZT747	SZ447	-	0232605	WS1707	TC2512MM	QG2228*	QG2128		
LT265/75-17	Z-583	ZT751	SZ451	-	-	-	-	QG2228*	QG2128		
265/75-19.5	Z-583	-	-	SZ497	-	-	-	-	-		
265/790-540A	Z-579	ZT735	SZ435	-	-	-	-	-	-		

Passenger and light truck applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52
265	LT265/85-16	Z-583	-	-	SZ468	-	-	-	QG3229*	QG3129
275	275/30-19	Z-555	SZ343	SZ143	-	0155505	-	-	-	-
	275/30-21	Z-563	-	-	-	-	-	-	-	-
	275/35-18	Z-555	SZ343	SZ143	-	0155505	-	-	-	-
	275/35-19	Z-555	-	-	-	0231705	-	-	-	-
	275/35-20	Z-563	-	-	-	-	-	-	-	-
	275/40-19	Z-563	-	-	-	0231805	-	-	-	-
	275/40-20	Z-575	ZT735	SZ435	-	0232405	WS1705	-	QG2229*	QG2129
	275/45-18	Z-563	-	-	-	-	-	-	-	-
	275/45-19	Z-575	ZT741	SZ441	-	-	-	-	-	-
	275/45-20	Z-579	ZT741	SZ441	-	0232105	-	-	-	-
	275/45-22	Z-579	ZT747	SZ447	-	0232605	-	-	-	-
	275/50-19	Z-579	ZT735	SZ435	-	-	-	-	-	-
	275/50-20	Z-579	ZT747	SZ447	-	-	WS1707	-	QG2228*	QG2128
	275/55-19	Z-579	ZT747	SZ447	-	-	WS1707	-	QG2228*	QG2128
	275/55-20	Z-583	ZT751	SZ451	-	0232805	-	-	QG3229*	QG3129
	275/60-16	Z-575	ZT741	SZ441	-	-	WS1707	-	-	-
	275/60-17	Z-579	ZT741	SZ441	-	0232105	WS1707	-	QG2228*	QG2128
	275/60-18	Z-579	ZT747	SZ447	-	0232105	WS1707	-	QG2228*	QG2128
	275/60-20	Z-583	-	-	SZ462	0232805	-	-	QG3229*	QG3129
	275/65-16	Z-579	ZT741	SZ441	-	-	WS1707	-	-	-
	275/65-17	Z-579	ZT747	SZ447	-	-	WS1707	-	QG2228*	QG2128
	275/65-18	Z-579	ZT751	SZ451	-	0232805	-	-	QG2228*	QG2128
	LT275/65-18	Z-579	ZT751	SZ451	-	0232805	-	-	QG2228*	QG2128
	LT275/65-20	-	ZT841	-	SZ462	-	-	-	QG3229*	QG3129
	275/70-16	Z-579	ZT747	SZ447	-	0232605	WS1707	-	QG2228*	QG2128
	LT275/70-16	Z-579	ZT747	SZ447	-	0232605	WS1707	-	QG2228*	QG2128
	275/70-17	Z-579	ZT747	SZ447	-	-	-	-	QG2228*	QG2128
	LT275/70-17	Z-583	ZT751	SZ451	-	0232805	-	-	QG2228*	QG2128
	275/70-18	Z-583	-	-	SZ462	0232805	-	-	QG3229*	QG3129
	LT275/70-18	Z-583	-	-	SZ462	0232805	-	-	QG3229*	QG3129
	275/70-19.5	Z-583	-	-	SZ497	-	-	-	-	-
	LT275/75-15	Z-575	ZT747	SZ447	-	-	WS1707	-	QG2228*	QG2128
	275/75-16	Z-579	ZT747	SZ447	-	-	WS1707	-	QG3227*	QG3127
	LT275/75-17	Z-583	-	-	SZ462	-	-	-	QG3227*	QG3127
	LT275/75-18	-	-	ZT841	SZ462	-	-	-	QG3229*	QG3129
285	285/30-19	Z-555	SZ339	SZ139	-	0155005	-	-	-	-
	285/30-20	Z-563	-	SZ143	-	-	-	-	-	-
	285/30-21	Z-563	ZT735	SZ435	-	-	-	-	-	-
	285/35-18	Z-555	SZ339	SZ139	-	-	-	-	-	-
	285/35-19	Z-563	SZ343	SZ143	-	-	-	-	-	-
	285/35-20	Z-563	ZT735	SZ435	-	0231805	-	-	-	-
	285/40-18	Z-563	SZ343	SZ143	-	-	-	-	-	-
	285/40-19	Z-571	SZ343	SZ143	-	-	WS1705	TC2512MM	QG2229*	QG2129
	285/40-20	Z-579	ZT741	SZ441	-	-	-	-	-	-
	285/45-21	Z-579	ZT741	SZ441	-	-	-	-	-	-
	285/45-22	Z-583	ZT751	SZ451	-	0232805	-	-	-	-
	285/50-20	Z-579	ZT751	SZ451	-	-	WS1707	-	QG2228*	QG2128
	285/60-18	Z-579	ZT751	SZ451	-	-	WS1707	-	QG2228*	QG2128
	285/70-17	Z-583	-	-	SZ462	0232805	-	-	QG3229*	QG3129
	LT285/70-17	Z-583	-	-	SZ462	0232805	-	-	QG3229*	QG3129
	285/70-19.5	-	-	-	SZ486	-	-	-	-	-
	LT285/75-16	Z-583	-	-	SZ462	0232805	-	-	QG3229*	QG3129
295	295/30-18	Z-555	-	-	-	-	-	-	-	-
	295/30-19	Z-563	-	-	-	-	-	-	-	-
	295/30-20	Z-563	-	SZ143	-	-	-	-	-	-
	295/35-18	Z-555	-	-	-	-	-	-	-	-
	295/35-19	Z-563	-	SZ143	-	-	-	-	-	-
	295/35-20	Z-563	ZT735	SZ435	-	-	-	-	-	-
	295/35-21	Z-579	ZT735	SZ435	-	-	-	-	-	-
	295/40-20	Z-579	ZT735	SZ435	-	-	-	-	-	-
	295/40-21	Z-579	ZT747	SZ447	-	-	WS1707	-	-	-
305	305/30-19	Z-563	-	-	-	-	-	-	-	-
	305/35-19	Z-579	ZT747	SZ447	-	-	-	-	-	-
	305/35-20	Z-579	ZT747	SZ447	-	-	-	-	-	-

Passenger and light truck applications

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	Z-CHAIN® page 22-23	SUPER Z® page 26-27	SUPER Z6® page 24-25	SUPER Z8® page 24-25	AUTO-TRAC® page 33-34	WHITESTAR ALLOY® page 35-36	RADIAL CHAIN® page 30	QUIK GRIP® page 37-54	QUIK GRIP® SQ. ROD pg 52
305	305/55-16	Z-579	ZT741	SZ441	-	-	-	-	-	-
	305/55-18	-	ZT747	SZ447	-	-	-	-	QG3229*	QG3129
	305/55-20	-	-	-	SZ486	-	-	-	-	-
	305/60-20	-	-	-	SZ486	-	-	-	-	-
	LT305/65-17	-	-	-	SZ474	-	-	-	QG3229*	QG3129
	LT305/65-18	-	-	-	SZ486	-	-	-	QG2226*	QG2126
315	315/35-20	Z-579	ZT747	SZ447	-	-	-	-	-	-
	315/70-17	-	-	-	SZ486	-	-	-	QG2226*	QG2126
	LT315/70-17	-	-	-	SZ492	-	-	-	QG2226*	QG2126
325	325/60-18	-	-	-	SZ486	-	-	-	QG2226*	QG2126
	325/60-20	-	-	-	SZ492	-	-	-	-	-
	325/65-18	-	-	-	SZ492	-	-	-	QG2226*	QG2126
	325/75-17	-	-	-	SZ486	-	-	-	QG2226*	QG2126
335	335/25-20	Z-563	ZT735	SZ435	-	-	-	-	-	-
	335/30-18	Z-563	SZ339	SZ139	-	-	-	-	-	-
345	345/55-17	Z-583	ZT751	SZ451	SZ468	-	-	-	QG3227*	QG3127
	345/70-18	-	-	-	SZ492	-	-	-	QG2226*	QG2126
355	355/60-20	-	-	-	-	-	-	-	QG2226*	QG2126
375	375/60-18	-	-	-	SZ486	-	-	-	QG2226*	QG2126

Commercial & heavy duty tire applications

These heavy duty product applications show the best choices for most tires. Truck tires can vary in size due to tire manufacturers, tread design or recapping. **It is strongly recommended that traction products be fitted to the tire before actual use.** Chain laws can vary from state to state. Please refer to pages 6-9 for information on tire chain regulations. Product stock number shown in **RED BOLD** will meet or exceed S.A.E. Class "S" clearance requirement. **Super Z8 recommended for commercial vehicles under 20,000 GVW.**

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	AXLE TYPE	SUPER Z® page 27-29	SUPER Z8® page 24-25	RADIAL page 31	QG SQ. ROD ALLOY pg 52 & 56	DIAMOND BLUE ALLOY pg 55	QUIK GRIP® LINK pg 37-54	QUIK GRIP® V-BAR pg 37-54	QUIK GRIP® V-BAR CTO pg 48-50
7.0	7.00-20	Single	-	SZ497	-	-	-	QG2214*	QG2814	-
	7-22.5	Single	ZT751	-	-	-	-	QG2214*	QG2814	QGV320*
7.2	7.2-24	Single	-	-	-	-	-	QG0832	-	-
7.5	7.50-20	Single	-	-	-	-	-	QG2237	QG2837	-
		Dual	ZT956	-	-	-	-	QG4237	QG4837	-
	7.50-22.5	Single	ZT865	-	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT962	-	-	-	-	QG4239CAM*	QG4839*	-
8.0	8-17.5	Single	ZT735	-	-	-	-	QG2219*	QG2819*	QGV315*
		Dual	-	-	-	-	-	QG4219*	QG4819	-
	8-22.5	Single	-	-	-	-	-	QG2237	QG2837	-
		Dual	ZT956	-	-	-	-	QG4237	QG4837	-
8.25	8.25-15TR	Single	ZT835	SZ462	-	QG2128	-	QG2228*	QG2828*	-
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	8.25-20	Single	ZT859	SZ492	TA1939	-	-	QG2239CAM*	QG2839*	-
	8.25-22.5	Dual	ZT962	-	TA3939	-	-	QG4239CAM*	QG4839*	-
		Single	ZT865	-	-	-	-	QG2239CAM*	QG2839*	-
	8.25-22.5	Dual	ZT962	-	-	-	-	QG4239CAM*	QG4839*	-
		Single	-	-	-	-	-	QG0822	-	-
8.3	8.3-24	Single	-	-	-	-	-	-	-	
9.0	9.00-15TR	Single	ZT837	SZ468	-	-	-	-	-	-
		Dual	ZT948	-	-	-	-	-	-	-
	9.00-20	Single	ZT869	-	TA1941	-	DB2141	QG2241CAM*	QG2841*	-
		Dual	ZT970	-	TA3941	-	-	QG4241CAM*	QG4841	-
	9-22.5	Single	ZT859	SZ492	TA1939	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT962	-	TA3939	-	-	QG4239CAM*	QG4839*	-
9.5	9.5-24	Single	-	-	-	-	-	QG0832	-	-
	9.5-28	Single	-	-	-	-	-	QG0836	-	-
	9.5-32	Single	-	-	-	-	-	QG0838	-	-
	9.5-38	Single	-	-	-	-	-	QG0862	-	-
	9.5-42	Single	-	-	-	-	-	QG0862	-	-

Commercial & heavy duty tire applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	AXLE TYPE	SUPER Z® page 27-29	SUPER Z8® page 24-25	RADIAL page 31	QG SQ. ROD ALLOY pg 52 & 56	DIAMOND BLUE ALLOY pg 55	QUIK GRIP® LINK pg 37-54	QUIK GRIP® V-BAR pg 37-54	QUIK GRIP® V-BAR CTO pg 48-50
10.0	10.00-15TR	Single Dual	ZT853 ZT956	SZ486 -	- -	- -	- -	- -	- -	- -
	10.00-20	Single Dual	ZT881 ZT982	- -	TA1945 TA3945	QG2145 QG4145	DB2145 -	QG2245CAM* QG4245CAM*	QG2845* QG4845*	QGV343HD* QGV743HD*
	10.00-22	Single Dual	ZT887 ZT990	- -	TA1949 TA3949	QG2149 QG4149	DB2149 -	QG2249CAM* QG4249CAM*	QG2849* QG4849*	QGV344HD* QGV744HD*
	10-22.5	Single Dual	ZT869 ZT970	- -	TA1941 TA3941	- -	DB2141 -	QG2241CAM* QG4241CAM*	QG2841* QG4841	- -
	10.00/90-20	Single Dual	ZT877 ZT970	- -	- -	QG2145 QG4145	DB2145 -	QG2245CAM* QG4245CAM*	QG2845* QG4845*	- -
11.0	11.00-20	Single Dual	ZT887 ZT990	- -	TA1951 TA3949	QG2151 -	DB2151 -	QG2251CAM* QG4251CAM*	QG2851* QG4851	QGV355 QGV755
	11.00-22	Single Dual	ZT891 -	- -	- -	QG2155 -	- -	QG2255CAM* QG4255CAM*	QG2855* QG4855	QGV356 QGV756
	11-22.5	Single Dual	ZT881 ZT982	- -	TA1945 TA3945	QG2145 QG4145	DB2145 -	QG2245CAM* QG4245CAM*	QG2845* QG4845*	QGV343HD* QGV743HD*
	11.00-24	Single	ZT891	-	-	-	-	-	QG2853	-
	11-24.5	Single Dual	ZT887 ZT990	- -	TA1949 TA3949	QG2149 QG4149	DB2149 -	QG2249CAM* QG4249CAM*	QG2849* QG4849*	QGV344HD* QGV744HD*
11.2	11.2-24	Single	ZT887	-	-	-	-	QG0836	-	-
	11.2-30	Single	-	-	-	-	-	QG0838	-	-
	11.2-32	Single	-	-	-	-	-	QG0856	-	-
	11.2-38	Single	-	-	-	-	-	QG0862	-	-
11.5	11.50-20	Single Dual	ZT887 ZT990	- -	TA1951 TA3949	QG2151 -	DB2151 -	QG2251CAM* QG4251CAM*	QG2851* QG4851	QGV355 QGV755
	11.5-22.5	Single Dual	ZT881 -	- -	TA1947 TA3947	- -	- -	QG2235 QG4235CAM*	- -	QGV344HD* QGV744HD*
	12.00-20	Single Dual	ZT891 -	- -	- -	QG2155 -	- -	QG2255CAM* QG4255CAM*	QG2855* QG4855	QGV356 QGV756
12.0	12-22.5	Single Dual	ZT887 ZT990	- -	TA1951 TA3949	QG2151 -	DB2151 -	QG2251CAM* QG4251CAM*	QG2851* QG4851	QGV355 QGV755
	12.00-24	Single	-	-	-	-	-	QG2257	QG2857	-
	12-24.5	Single Dual	- -	- -	- -	QG2155 -	- -	QG2255CAM* QG4255CAM*	QG2855* QG4855	QGV356 QGV756
	12.2-24	Single	-	-	-	-	-	QG0852	-	-
	12.4-16	Single	-	-	-	-	-	QG0850	-	-
12.4	12.4-24	Single	-	-	-	-	-	QG0852	-	-
	12.4-28	Single	-	-	-	-	-	QG0856	-	-
	12.4-32	Single	ZT-132	-	-	-	-	QG2615	-	-
	12.4-38	Single	-	-	-	-	-	QG0862	-	-
	12.4-42	Single	-	-	-	-	-	QG0866	-	-
	12.5-22.5	Single Dual	ZT887 ZT990	- -	TA1951 TA3949	QG2151 -	DB2151 -	QG2251CAM* QG4251CAM*	QG2851* QG4851	QGV355 QGV755
	12.5-24.5	Single Dual	ZT891 -	- -	- -	QG2155 -	- -	QG2255CAM* QG4255CAM*	QG2855* QG4855	- -
	12.5/80-18	Single	-	-	-	-	-	QG0834	-	-
12.75	12.75-22.5	Single Dual	ZT891 ZT990	- -	TA1949 TA3949	QG2155 -	- -	QG2255CAM* QG4255CAM*	QG2855* QG4855	- -
	13.00-24	Single	-	-	-	-	-	QG2612	-	-
13.0	13.00-25	Single	-	-	-	-	-	QG2612	-	-
	13/80-20	Single Dual	- -	- -	TA1945 TA3945	QG2145 QG4145	DB2145 -	QG2245CAM* QG4245CAM*	QG2845* QG4845*	- -
	13.50-16.1	Single	-	-	-	-	-	QG0838	-	-
13.6	13.6-16	Single	-	-	-	-	-	QG0850	-	-
	13.6-26	Single	-	-	-	-	-	QG0858	-	-
	13.6-28	Single	-	-	-	-	-	QG0859	-	-
	13.6-38	Single	-	-	-	-	-	QG0866	-	-
	13.9-36	Single	-	-	-	-	-	QG0866	-	-
13.9	14.00-20 GRADER	Single	ZT-132	-	-	-	-	QG2612	-	-
	14.00-21	Single	-	-	-	-	-	QG2612	-	-
14.0	14.00-24 GRADER	Single	ZT-132	-	-	-	-	QG2615	-	-
	14.00-25	Single	-	-	-	-	-	QG2615	-	-

TIRE APPLICATION GUIDE



For complete, up-to-date listings, see our website at: www.peerlesschain.com

Commercial & heavy duty tire applications

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	AXLE TYPE	SUPER Z [®] page 27-29	SUPER Z8 [®] page 24-25	RADIAL page 31	QG SQ. ROD ALLOY pg 52 & 56	DIAMOND BLUE ALLOY pg 55	QUIK GRIP [®] LINK pg 37-54	QUIK GRIP [®] V-BAR pg 37-54	QUIK GRIP [®] V-BAR CTO pg 48-50
14.0	14/80-20	Single	ZT892	-	-	QG2155	-	QG2255CAM*	QG2855*	-
		Dual	-	-	-	-	-	-	QG4855	-
14.9	14.9-24	Single	-	-	-	-	-	QG0859	-	-
	14.9-26	Single	ZT-132	-	-	-	-	QG2615	-	-
	14.9-28	Single	-	-	-	-	-	QG0869	-	-
	14.9-30	Single	-	-	-	-	-	QG0876	-	-
15.0	15-22.5	Single	-	-	-	-	QG3255	-	-	
15.5	15.5-25	Single	ZT-132	-	-	-	-	QG2612	-	-
16.0	16.00-20 GRADER	Single	ZT-141	-	-	-	-	QG2624	-	-
	16.00-21 GRADER	Single	ZT-141	-	-	-	-	QG2624	-	-
	16.00-24 GRADER	Single	ZT-143	-	-	-	-	QG2627	-	-
	16.00-25 GRADER	Single	ZT-143	-	-	-	-	QG2627	-	-
16.5	16.5-19.5	Single	-	-	-	-	-	QG3255	-	-
	16.5-22.5	Single	ZT896	-	TA2071	-	-	-	-	-
16.9	16.9-20	Single	-	-	-	-	-	QG2612	-	-
	16.9-24	Single	-	-	-	-	-	QG0874	-	-
	16.9-28	Single	-	-	-	-	-	QG0876	-	-
	16.9-30	Single	-	-	-	-	-	QG0877	-	-
	16.9-34	Single	-	-	-	-	-	QG0879	-	-
	16.9-38	Single	-	-	-	-	-	QG0880	-	-
17.5	17.5L-24	Single	-	-	-	-	-	QG0874	-	-
	17.5-25	Single	-	-	-	-	-	QG2624	-	-
18.0	18.00-24	Single	-	-	-	-	-	QG2636	-	-
	18.00-25	Single	ZT-145	-	-	-	-	QG2636	-	-
	18.00-26	Single	-	-	-	-	-	QG2636	-	-
18.4	18.4-16.1	Single	-	-	-	-	-	QG0881	-	-
	18.4-26	Single	-	-	-	-	-	QG0883	-	-
	18.4-30	Single	-	-	-	-	-	QG0885	-	-
	18.4-34	Single	-	-	-	-	-	QG0887	-	-
	18.4-38	Single	-	-	-	-	-	QG0889	-	-
19.0	19-22.5	Single	-	-	-	-	QG3261	-	-	
19.5	19.5-19.5	Single	-	-	-	-	-	QG3261	-	-
	19.5L-24	Single	-	-	-	-	-	QG0883	-	-
20.0	20.5-25	Single	-	-	-	-	QG2633	-	-	
21.0	21L-24	Single	-	-	-	-	-	QG2648	-	-
	21.00-25	Single	-	-	-	-	-	QG2648	-	-
21.5	21.5-16	Single	-	-	-	-	-	QG0882	-	-
	21.5L-16.1	Single	-	-	-	-	-	QG0882	-	-
23.1	23.1-26	Single	-	-	-	-	-	QG0891	-	-
	23.1-30	Single	-	-	-	-	-	QG0893	-	-
23.5	23.5-25	Single	-	-	-	-	QG2645	-	-	
37	37x12.50-17	Single	ZT859	SZ492	-	-	-	QG3235	-	-
	37x12.50-20LT	Single	ZT859	SZ492	-	-	-	QG3235	-	-
38	38x14.50-17	Single	ZT881	-	-	-	-	QG3235	-	-
	38x15-15	Single	ZT881	-	-	-	-	QG3235	-	-
	38x10.50-15	Single	ZT859	SZ492	-	-	-	QG2239CAM*	QG2839*	-
215	215/75-17.5	Single	ZT729	-	-	QG2121	-	QG2221*	QG2821*	QGV315*
		Dual	-	-	-	QG4121	-	QG4221*	QG4821	-
	215/75-19.5	Single	ZT747	-	-	QG2128	-	QG2228*	QG2828*	QGV320*
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
225	225/70-19.5	Single	ZT741	-	-	QG2121	-	QG2221*	QG2821*	QGV320*
		Dual	-	-	-	QG4121	-	QG4221*	QG4821	-
	225/70-22.5	Single	-	SZ497	-	-	-	QG2214*	QG2814	-
	225/75-17.5	Single	ZT735	-	-	QG2121	-	QG2221*	QG2821*	QGV315*
		Dual	-	-	-	QG4121	-	QG4221*	QG4821	-
	225/75-19.5	Single	ZT747	-	-	QG2128	-	QG2228*	QG2828*	QGV320*
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	225/80-22.5	Single	-	-	-	-	-	QG2237	QG2837	-
		Dual	ZT956	-	-	-	-	QG4237	QG4837	-
235	235/70-17.5	Single	ZT735	-	-	QG2121	-	QG2221*	QG2821*	QGV320*
		Dual	-	-	-	QG4121	-	QG4221*	QG4821	-
	235/70-19.5	Single	ZT741	-	-	QG2121	-	QG2221*	QG2821*	QGV320*
		Dual	-	-	-	QG4121	-	QG4221*	QG4821	-
	235/75-17.5	Single	ZT741	-	-	QG2128	-	QG2228*	QG2828*	QGV320*
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-

Commercial & heavy duty tire applications

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	AXLE TYPE	SUPER Z® page 27-29	SUPER Z8® page 24-25	RADIAL page 31	QG SQ. ROD ALLOY pg 52 & 56	DIAMOND BLUE ALLOY pg 55	QUIK GRIP® LINK pg 37-54	QUIK GRIP® V-BAR pg 37-54	QUIK GRIP® V-BAR CTO pg 48-50
235	235/80-22.5	Single	ZT859	SZ492	TA1939	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	TA3939	-	-	QG4239CAM*	QG4839*	-
245	245/70-17.5	Single	ZT741	-	-	QG2128	-	QG2228*	QG2828*	QGV320*
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	245/70-19.5	Single	ZT835	SZ462	-	QG2128	-	QG2228*	QG2828*	-
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	245/70-22.5	Single	ZT853	SZ486	-	-	-	QG2237	QG2837	-
		Dual	-	-	-	-	-	-	QG4837	-
	245/75-17.5	Single	ZT741	-	-	QG2128	-	QG2228*	QG2828*	QGV320*
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	245/75-19.5	Single	ZT835	SZ462	-	QG2128	-	QG2228*	QG2828*	-
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	245/75-22.5	Single	ZT859	SZ492	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	-	-	-	QG4239CAM*	QG4839*	-
	245/80-22.5	Single	ZT859	SZ492	TA1939	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	TA3939	-	-	QG4239CAM*	QG4839*	-
255	255/60-22.5	Single	ZT837	SZ468	-	-	-	QG2237	QG2837	-
		Dual	-	-	-	-	-	-	QG4837	-
	255/70-19.5	Single	ZT835	SZ462	-	QG2128	-	QG2228*	QG2828*	-
		Dual	-	-	-	QG4128	-	QG4228CAM	QG4828	-
	255/70-22.5	Single	ZT859	SZ497	TA1939	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	TA3939	-	-	QG4239CAM*	QG4839*	-
	255/75-22.5	Single	ZT859	SZ492	TA1939	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	TA3939	-	-	QG4239CAM*	QG4839*	-
	255/80-22.5	Single	ZT865	-	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT962	-	-	-	-	QG4239CAM*	QG4839*	-
265	265/70-19.5	Single	ZT837	SZ468	-	-	-	QG2237	QG2837	-
		Dual	-	-	-	-	-	-	QG4837	-
	265/70-22.5	Single	ZT869	-	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	-	-	-	QG4239CAM*	QG4839*	-
	265/75-19.5	Single	ZT837	SZ497	-	-	-	QG2237	QG2837	-
		Dual	ZT948	-	-	-	-	-	QG4837	-
	265/75-22.5	Single	ZT865	-	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT962	-	-	-	-	QG4239CAM*	QG4839*	-
275	275/70-19.5	Single	ZT837	SZ497	-	-	-	QG2237	QG2837	-
		Dual	ZT948	-	-	-	-	-	QG4837	-
	275/70-22.5	Single	ZT869	-	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	-	-	-	QG4239CAM*	QG4839*	-
	275/75-22.5	Single	ZT877	-	TA1943	QG2143	DB2143	QG2243CAM*	QG2843CAM	QGV343HD*
		Dual	ZT962	-	TA3943	QG4143	-	QG4243CAM*	QG4843CAM	QGV343HD*
	275/80-22.5	Single	ZT881	-	TA1943	QG2143	DB2143	QG2243CAM*	QG2843CAM	QGV343HD*
		Dual	ZT970	-	TA3943	QG4143	-	QG4243CAM*	QG4843CAM	QGV343HD*
	275/80-24.5	Single	ZT881	-	TA1947	QG2147	DB2147	QG2247CAM*	QG2847CAM	QGV344HD*
		Dual	ZT982	-	TA3947	QG4147	-	QG4247CAM*	QG4847CAM	QGV344HD*
285	285/65-22.5	Single	ZT869	-	-	-	-	QG2239CAM*	QG2839*	-
		Dual	ZT956	-	-	-	-	QG4239CAM*	QG4839*	-
	285/70-19.5	Single	ZT853	SZ486	-	-	-	QG2234CAM	-	-
		Dual	ZT948	-	-	-	-	-	-	-
	285/70-24.5	Single	ZT881	-	TA1943	QG2145	DB2145	QG2245CAM*	QG2845*	-
		Dual	ZT970	-	TA3943	QG4145	-	QG4245CAM*	QG4845*	-
	285/75-22.5	Single	ZT877	-	TA1943	QG2143	DB2143	QG2243CAM*	QG2843CAM	QGV343HD*
		Dual	ZT962	-	TA3943	QG4143	-	QG4243CAM*	QG4843CAM	QGV343HD*
	285/75-24.5	Single	ZT881	-	TA1947	QG2147	DB2147	QG2247CAM*	QG2847CAM	QGV344HD*
		Dual	ZT982	-	TA3947	QG4147	-	QG4247CAM*	QG4847CAM	QGV344HD*
	285/80-22.5	Single	ZT881	-	TA1951	QG2151	DB2151	QG2251CAM*	QG2851*	-
		Dual	ZT982	-	-	-	-	QG4251	QG4851	-
	285/80-24.5	Single	ZT881	-	TA1951	QG2151	DB2151	QG2251CAM*	QG2851*	-
		Dual	ZT982	-	TA3949	-	-	QG4251	QG4851	-
295	295/60-22.5	Single	ZT859	-	-	-	-	-	-	-
		Single	ZT853	SZ497	-	-	-	-	-	-

TIRE APPLICATION GUIDE



Commercial & heavy duty tire applications

For complete, up-to-date listings, see our website at: www.peerlesschain.com

* Indicates tire chain that is available in both CAM and non-CAM version. The most popular version is shown.

	Tire Size	AXLE TYPE	SUPER Z [®] page 27-29	SUPER Z8 [®] page 24-25	RADIAL page 31	QG SQ. ROD ALLOY pg 52 & 56	DIAMOND BLUE ALLOY pg 55	QUIK GRIP [®] LINK pg 37-54	QUIK GRIP [®] V-BAR pg 37-54	QUIK GRIP [®] V-BAR CTO pg 48-50
295	295/70-22.5	Single Dual	ZT877 -	- -	TA1943 TA3943	QG2143 QG4143	DB2143 -	QG2243CAM* QG4243CAM*	QG2843CAM QG4843CAM	QGVC343HD* QGVC743HD*
	295/75-17.5 295/75-22.5	Single Dual	ZT859 ZT881 ZT970	SZ492 - -	- TA1943 TA3943	- QG2143 QG4143	- DB2143 -	QG2226* QG2243CAM* QG4243CAM*	- QG2843CAM QG4843CAM	- - -
	295/75-24.5	Single Dual	ZT881 ZT982	- -	TA1947 TA3947	- -	- -	QG2235 QG4235	- -	QGVC344HD* QGVC744HD*
	295/80-22.5	Single Dual	ZT881 ZT982	- -	TA1951 -	QG2151 -	DB2151 -	QG2251CAM* QG4251	QG2851* QG4851	- -
305	305/70-22.5	Single Dual	ZT881 -	- -	- -	QG2145 QG4145	DB2145 -	- -	- -	- -
	305/75-24.5	Single Dual	ZT887 ZT982	- -	- -	QG2155 -	DB2151 -	QG2255CAM* QG4255	QG2855* QG4855	- -
	305/80-22.5	Single Dual	ZT881 ZT982	- -	TA1947 TA3947	QG2151 -	DB2151 -	QG2251CAM* QG4251	QG2851* QG4851	- -
	305/85-22.5	Single Dual	ZT892 ZT990	- -	- -	QG2155 -	- -	QG2255CAM* QG4255	QG2855* QG4855	QGV355 QGV755
315	315/70-22.5	Single Dual	ZT881 ZT970	- -	TA1945 TA3945	QG2145 QG4145	DB2145 -	- -	- -	QGVC343HD* QGVC743HD*
	315/80-22.5	Single Dual	ZT887 ZT990	- -	TA1949 TA3949	QG2155 -	DB2151 -	QG2255CAM* QG4255	QG2855* QG4855	- -
	315/80-22.5 MIC	Single Dual	ZT891 -	- -	TA1949 TA3949	QG2155 -	DB2151 -	QG2255CAM* QG4255	QG2855* QG4855	- -
320	320/85-38	Single	-	-	-	-	-	QG0862	-	-
365	365/70-22.5	Single	ZT892	-	-	-	-	-	-	-
	365/80-20	Single	ZT892	-	-	QG2155	-	QG2255CAM*	QG2855*	-
	365/85-20	Single	-	-	-	-	-	QG3255	-	-
380	380/70-28	Single	-	-	-	-	-	QG2612	-	-
	380/80-38	Single	-	-	-	-	-	QG0879	-	-
	380/85-28	Single	-	-	-	-	-	QG0869	-	-
	380/85-30	Single	-	-	-	-	-	QG0876	-	-
	380/85-34	Single	-	-	-	-	-	QG0877	-	-
385	385/65-22.5	Single	ZT892	-	-	-	-	QG3255	-	-
	385/95-25	Single	ZT-132	-	-	-	-	QG2615	-	-
395	395/85-20	Single	ZT898	-	-	-	-	QG3261	-	-
400	400/70-20	Single	ZT892	-	-	-	-	QG3255	-	-
420	420/70-28	Single	-	-	-	-	-	QG0869	-	-
	420/85-28	Single	-	-	-	-	-	QG0876	-	-
	420/85-34	Single	-	-	-	-	-	QG0879	-	-
	420/90-30	Single	-	-	-	-	-	QG0879	-	-
425	425/55-22.5	Single	ZT896	-	TA2071	-	-	-	-	-
	425/65-22.5	Single	ZT896	-	TA2071	-	-	-	-	-
	425/70-22.5	Single	ZT898	-	TA2071	-	-	-	-	-
440	440/80-28	Single	-	-	-	-	QG0876	-	-	
445	445/50-22.5	Single	ZT897	-	TA2069	-	-	QG3269CAM*	-	-
	445/55-22.5	Single	-	-	-	-	-	QG3255	-	-
	445/65-19.5	Single	ZT896	-	TA2071	-	-	-	-	-
	445/65-22.5	Single	ZT-118	-	-	-	-	QG3261	-	-
	445/80-22.5	Single	-	-	-	-	-	QG0874	-	-
	445/95-25	Single	ZT-143	-	-	-	-	QG2627	-	-
455	455/50-22.5	Single	ZT897	-	TA2069	-	-	QG3269CAM*	-	-
	455/55-22.5	Single	ZT899	-	TA2069	-	-	QG3269CAM*	-	-
480	480/70-28	Single	-	-	-	-	-	QG0883	-	-
	480/70-30	Single	-	-	-	-	-	QG0883	-	-
	480/80-38	Single	-	-	-	-	-	QG0889	-	-
520	520/70-34	Single	ZT-145	-	-	-	-	QG2636	-	-
540	540/60-30	Single	-	-	-	-	-	QG2633	-	-
550	550/65-25	Single	-	-	-	-	-	QG0883	-	-

Z-Cable Products

Z-Chain Info 22
Z-Chain 23
Super Z 6 24 - 25
Super Z 8 24 - 25
Super Z Passenger Series 26 - 27
Super Z Light Truck Series 26 - 27
Super Z Single Truck 28 - 29
Super Z Dual/Triple & OTR 29

Ladder-Style Cable Products

Radial Chain 30
Radial Chain LT 30
Alloy Radial Chain Truck Singles ... 31
Alloy Radial Chain Truck Duals 31

CABLE CHAIN



Z[®]-CHAIN™


Diagonal-Pattern Cable Chain provides extreme performance for high-end and professional applications. *The choice of professional fleets everywhere!*

All of the benefits of Super Z[®], plus outstanding traction with unequalled speed & ride capabilities for emergency response equipment.

Over the past decade Z[®]-Chain has become the winter traction product of choice for police, fire, ambulance and other professional fleets throughout North America. Z[®]-Chain's fast installation, aggressive traction performance and extreme durability simply out-class all other options.

Z[®]-Chain is based on a revolutionary "Z" design. Product updates made over the last few years have kept Z[®]-Chain as the premier cable traction product, both in performance and durability. The unique fastening system reduces fly-off, provides less road impact and greatly extends the life of the chain.

Z[®]-Chain was originally designed for police departments and emergency fleets, but with its high performance features, skiers and other demanding users have found Z[®]-Chain to be the best winter traction product available!



Outside fastener



Inside fastener



Diagonal Crossmember



Included with each pair of chains:

Clear, illustrated step-by-step installation and removal instructions and gloves - all in a durable, reusable nylon bag.



Z-CHAIN™



- Z® -Chain's diagonal cross member pattern provides:**
- Constant contact between the tire and road surface.
 - Greater lateral traction for improved cornering and braking, in addition to starting and stopping traction.
 - Maximum efficiency of anti-lock brakes (ABS), all-wheel drive (AWD) and other computer assisted traction/braking systems.
 - Manganese alloy crossmembers which offer superior all-around traction performance!
 - Operates within the space limitations of Class "S" clearance requirements, even in light truck sizes.
 - Fast, secure installation and removal.
 - Z®-Chain doesn't require chain tensioners, so it is the perfect choice for customers with alloy or protruding wheels and wheel covers as chain tensioners can scratch these types of wheels.
 - Low potential for damage to vehicle body and mechanical components, even when abused.
- See Traction Products comparison chart on page 5.



Z®-Chain (Passenger & Light Truck)

Stock #	** Partial listing of tire sizes								Weight per pair (Lbs.)	Replacement Cross Chain #
Z-539	175/65-15,	185/55-15,	185/60-15,	185/65-15,	195/50-16,	195/55-16,	195/60-15,	205/50-16	10.75	Z-9380
Z-547	205/50-17,	205/55-16,	205/60-16,	215/45-17,	215/45-18,	215/50-17,	215/60-16,	225/45-17	11.50	Z-9384
Z-555	215/55-17,	215/65-16,	225/45-18,	225/50-17,	225/50-18,	225/55-17,	235/45-18,	245/40-19	12.00	Z-9388
Z-563	215/65-17,	215/70-16,	225/60-17,	235/50-18,	235/55-17,	235/60-16,	245/45-19,	285/35-19	12.00	Z-9388
Z-571	215/55-18,	225/60-18,	225/65-17,	235/50-19,	235/60-18,	235/65-17,	235/70-16,	235/75-15	12.25	Z-9390
Z-575	235/55-19,	245/45-20,	245/50-20,	245/65-17,	LT245/70-17,	245/75-15,	255/45-20,	265/60-17	12.25	Z-9394
Z-579	255/55-20,	255/70-18,	265/60-18,	265/65-17,	265/70-17,	LT265/70-17,	265/75-16,	275/65-18	12.50	Z-9394
Z-583	LT255/75-17,	265/70-18,	LT265/70-18,	275/55-20,	275/60-20,	275/70-18,	285/45-22,	LT285/70-17	13.00	Z-9398

Packaged: 1 pair per bag / 4 pair per master carton

Order unit: Pair

Minimum order quantity: Master carton

****This is only a partial listing of tire size applications. For complete, up-to-date listings, please refer to pages 10-20, or to our website at: www.peerlesschain.com.**

Refer to vehicle owner's manual for any traction product limitations.

Super Z⁶ & Super Z⁸

Diagonal-Pattern Cable Chain provides performance for vehicles with VERY limited operating clearance around the drive tires. Super Z⁶ was designed for cars, pick-ups, and SUV's with restricted clearance around the drive tires.

Super Z⁶ requires only 6.3mm (.25") of sidewall clearance to operate.

Best for on-road, steep grades, deep or packed snow and icy roads. The most compatible with traction control and ABS systems. Outstanding all-around traction. Best for vehicles with restricted clearance.

Super Z⁶ and Super Z⁸ are based on our Super "Z" ideas, but with a couple of important differences. Super Z⁶ is the only steel traction product that can operate in drive tire clearances as low as 6 mm (1/4")! Super Z⁸ is the only steel traction product that can operate on many new, larger SUV tires and small to medium-sized commercial vehicles with drive tire clearances as low as 8 mm (5/16")! Both are even stronger and more durable than either Super Z⁶ for passenger & light truck applications.

Automotive designers are constantly trying to build vehicles with larger and more comfortable interior spaces and commercial vehicle designers are trying to make room for a larger payload. The easiest way to do this would be to just make bigger vehicles, but there are legal and practical limits on just how big they can get! So, clever designers first try to make sure there's no existing space that's not being used – like the space around a vehicle's tires. In fact, designers have become so good at finding other uses for this space that there are now hundreds of vehicle models whose owner's manuals warn "don't use tire chains" or words to that effect.

The diagonal crossmember pattern provides outstanding traction and durability. A split outside cable with two fastening positions allows for easy installation without moving the vehicle, and there's no need to stop and retighten. Compatible with electronically monitored brake systems and traction control. Super Z⁶ traction coils are manufactured from alloy steel.



Included with each pair of chains:

Clear, illustrated step-by-step installation and removal instructions and gloves - all in a durable, reusable nylon bag.



Super Z⁶ & Super Z⁸

Z⁶ - Chain's diagonal cross member pattern provides:

- Easy installation and removal with superb durability.
- Aggressive starting, stopping and cornering traction.
- Greater compatibility with electronic "Traction Management Systems" (ABS, 4WD & AWD).

See Traction Products comparison chart on page 5.



Super Z⁶ and Super Z⁸ Meets S.A.E. Class "S" Requirements

Super Z⁶ (Passenger, Pickup & SUV)

Stock #	** Partial listing of tire sizes								Weight per pair (Lbs.)
SZ119	175/55-16,	175/60-15,	175/65-15,	175/70-14,	185/55-15,	185/60-14,	185/65-14,	195/50-15	8.00
SZ123	185/55-16,	185/60-15,	185/65-15,	195/50-16,	195/55-15,	205/45-16,	215/45-15	225/35-19	8.50
SZ127	195/60-15,	195/70-14,	205/40-18,	205/45-17,	205/50-16,	205/55-15,	215/40-17,	225/55-14	8.50
SZ129	185/65-16,	195/60-16,	195/65-15,	195/70-15,	195/75-14,	205/55-17,	205/65-15,	205/70-14	8.70
SZ131	205/50-17,	205/55-16,	205/60-15,	205/60-16,	215/45-17,	215/45-18,	215/55-16,	245/40-17	9.00
SZ133	215/50-17,	215/55-15,	225/40-17,	225/40-18,	225/45-16,	225/45-17,	225/55-15,	225/60-15	9.00
SZ135	205/65-16,	205/70-15,	205/70-16,	205/75-15,	215/55-17,	215/60-16,	215/65-16,	215/70-15	9.50
SZ137	225/50-17,	225/55-16,	235/40-18,	235/45-17,	235/50-16,	235/55-15,	245/45-17,	255/40-17	9.50
SZ139	215/60-17,	215/65-17,	215/70-16,	225/50-18,	225/55-17,	225/65-15,	235/45-18,	265/40-17	9.50
SZ143	225/65-17,	235/50-18,	235/55-17,	235/60-17,	245/45-18,	245/45-19,	255/40-19,	275/40-17	9.70
SZ429	225/60-18,	235/50-19,	235/55-19,	235/60-18,	235/65-17,	235/70-16,	245/45-20,	245/60-17	10.00
SZ435	235/65-18,	245/50-20,	245/60-18,	245/65-17,	245/70-16,	275/40-20			10.30
SZ441	245/60-20,	245/70-17,	LT245/70-17,	LT245/75-17,	265/70-16,	275/45-20,	275/60-16,	295/65-16	11.00
SZ447	LT235/80-17,	255/55-20,	255/70-18,	265/50-20,	265/65-18,	265/70-17,	LT265/70-17,	265/75-16	11.50
SZ451	LT255/75-17,	265/70-18,	LT265/70-18,	275/55-20,	275/65-18,	LT275/65-18,	285/45-22,	295/60-18	11.50

Packaged: 1 pair per bag / 4 pair per master carton

Order unit: Pair

Minimum order quantity: Master carton

Super Z⁸ (Larger SUVs, small/medium commercial vehicles under 20,000 Lbs. GVW)

Stock #	** Partial listing of tire sizes							Weight per pair (Lbs.)	
SZ462	8.25-15TR,	245/70-19.5,	245/75-19.5,	255/70-19.5,	275/70-18,	LT275/70-18,	LT285/70-17,	18.60	
	305/70-16								
SZ468	9.00-15TR,	9.5-17.5,	255/60-22.5,	265/70-19.5,	LT265/85-16,	LT275/65-20,	285/65-18,	19.65	
	LT295/75-17								
SZ474	33x12.50-15LT,	33x12.50-17,	33x12.50-20,	295/70-17,	305/60-18,	LT305/65-17,	315/70-16,	325/50-20	19.65
SZ480	33x13.50-15LT,	36x14-15LT,	36x14.50-15LT,	36x14.50-16.5LT,	36x15.50-15LT,	355/65-15			21.75
SZ486	10.00-15TR,	245/70-22.5,	285/70-19.5,	LT295/65-18,	LT305/65-18,	305/70-17,	315/75-16,		21.40
	315/75-17								
SZ492	8.25-20,	9-22.5,	245/75-22.5,	255/75-22.5,	295/75-17.5,	305/70-18,	LT315/70-17,		21.55
	325/65-18								
SZ497	7.00-20,	10-17.5,	225/70-22.5,	255/70-22.5,	265/75-19.5,	275/70-19.5,	295/70-19.5,		18.75
	LT305/85-16								

Packaged: 1 pair per bag / 2 pair per master carton

Order unit: Pair

Minimum order quantity: Master carton

SUPER Z[®]

Super Z[®] cable chain is the most popular choice for passenger cars, light truck and SUV's.
"Z" Performance for passenger, light trucks, SUVs and 4x4s at a moderate price.

Super Z[®] (SZ300 series) is designed to meet the traction product needs of the everyday consumer and is available to fit most passenger car tire sizes. Super Z[®] is typically merchandised using a unique display tire and stand, offering potential buyers an opportunity to see the product and to try its installation system before buying. Super Z[®] offers a unique combination of performance and convenience features for every user.

Super Z[®] (ZT700 series) is Super Z's SZ300 series companion product for sport utility vehicles and pickups. The design is the same as Super Z's SZ300 series, but features larger and tougher components. This product also features the same "designed-in" rubber tensioner as the SZ300 series so there is no need to stop and retighten. Super Z[®] covers the majority of light truck tires with only five stock numbers.

Super Z[®] cable chain's diagonal crossmember pattern provides outstanding all-around traction and durability. The split outside cable with two fastening connectors allows easy installation without moving the vehicle. The included rubber tensioners insure a snug fit and eliminate the need to stop and retighten after installation. Super Z[®] is compatible with electronically monitored brake systems (ABS) and traction control systems. Super Z's aggressive traction coils are made from alloy steel for long life.



Inside fastener



Included with each pair of chains:

Super Z's plastic package includes a pair of rubber tensioners, step-by-step installation & removal instructions and plastic gloves.




SUPER Z[®]

Z[®] - Chain's diagonal cross member pattern provides:

- The fastest, easiest installation of any traction product, with included rubber tighteners.
- Better all-around traction performance than conventional cable or link tire chains.
- Traction coils provide greater durability than conventional cable or link tire chains.
- Better compatibility with anti-lock brakes, traction control, all-wheel drive and other electronically monitored control systems.
- Super Z[®] meets Class "S" clearance requirements for vehicles with limited or low clearance.
- Low potential for damage to vehicle body and mechanical components, even when abused.

See Traction Products comparison chart on page 5.



Super Z[®] (Passenger)

Stock #	** Partial listing of tire sizes								Weight per pair (Lbs.)	Replacement Cross Chain #
SZ315	145/65-15,	155/80-13,	165/60-15,	165/65-14,	165/70-14,	165/80-12,	175/55-15,	175/70-13	8.30	SZ1334
SZ319	175/55-16,	175/60-15,	175/65-15,	175/70-14,	185/55-15,	185/60-14,	185/65-14,	195/50-15	9.00	SZ1336
SZ323	185/55-16,	185/60-15,	185/65-15,	195/50-16,	195/55-15,	195/70-13,	205/45-16,	225/35-19	9.10	SZ1338
SZ327	195/60-15,	195/70-14,	205/40-18,	205/45-17,	205/50-16,	205/55-15,	215/40-17,	225/55-14	9.10	SZ1338
SZ329	185/65-16,	195/60-16,	195/65-15,	195/70-15,	195/75-14,	205/55-17,	205/65-15,	205/70-14	10.00	SZ1338
SZ331	205/50-17,	205/55-16,	205/60-15,	205/60-16,	215/45-17,	215/45-18,	215/50-17,	215/55-16	10.00	SZ1340
SZ335	205/65-16,	205/70-16,	215/55-17,	215/60-16,	215/65-16,	215/70-15,	225/50-17		10.10	SZ1342
SZ339	215/55-18,	215/60-17,	215/65-17,	215/70-16,	225/50-18,	225/55-17,	235/45-18,	265/40-17	10.80	SZ1342
SZ343	225/65-17,	235/50-18,	235/55-17,	235/60-17,	245/45-19,	255/40-19,	285/35-19		11.10	SZ1344

Packaged: 1 pair per box / 6 pair per master carton

Order unit: Pair

Super Z[®] (Pickup & SUV)

Stock #	** Partial listing of tire sizes								Weight per pair (Lbs.)	Replacement Cross Chain #
ZT729	225/60-18,	235/55-19,	235/60-18,	235/65-17,	235/70-16,	235/75-15,	245/45-20,	265/40-20	13.25	ZT1742
ZT735	235/65-18,	245/50-20,	245/55-19,	245/60-18,	245/65-17,	245/70-16,	275/40-20		13.50	ZT1742
ZT741	245/60-20,	245/70-17,	245/75-17,	LT245/75-17,	255/60-18,	265/50-19,	265/70-16,	275/45-20	14.00	ZT1744
ZT747	LT235/80-17,	255/55-20,	255/70-18,	265/50-20,	265/65-18,	265/70-17,	LT265/70-17,	265/75-16	14.75	ZT1746
ZT751	LT255/75-17,	265/70-18,	LT265/70-18,	275/55-20,	275/60-20,	275/65-18,	LT275/65-18,	285/45-22	14.50	ZT1746

Packaged: 1 pair per box / 4 pair per master carton

Order unit: Pair

SUPER Z[®]

Extreme "Z" performance for commercial & OTR applications.

Super Z[®] is designed with commercial users in mind. Super Z[®] comes in sizes to fit commercial highway and traction tires, as well as many specialized tire applications. Manganese Alloy traction coils (0.67" diameter) give superior traction performance compared to conventional cable or link tire chains.

***For vehicles under 20,000 Lbs. GVW use Super Z[®] 8**
(see pages 24-25).

Z[®] -Chain's diagonal cross member pattern provides:

- Greater durability and weight savings of at least 20% compared to conventional "link" tire chains.
- Approved by CalTrans under minimum chain-up requirements over I-80 at Donner Pass.
- Superior compatibility with anti-lock brakes and other electronically monitored control systems.
- Low potential for damage to vehicle body and mechanical components, even when abused.
- Fast, easy installation, in comparison to any other winter traction product for trucks or buses.

See Traction Products comparison chart on page 5.



Inside fastener



Super Z[®] & Super Z[®] OTR DO NOT Meet S.A.E. Class "S" Requirements

Super Z[®] (Single Truck)

Stock #	NOTE: Partial listing of tire sizes								Weight per pair (Lbs.)	Replacement Cross Chain #
ZT835	8.25-15TR,	245/70-19.5,	245/75-19.5,	275/50-22,	275/70-18,	LT275/70-18,	LT285/75-16		35.10	ZT8259
ZT837	9.00-15TR,	255/60-22.5,	265/70-19.5,	265/75-19.5,	275/70-19.5,	285/65-18,	305/70-16,	310/70-15	37.00	ZT8261
ZT841	33x12.50-15LT,	33x12.50-16,	33x12.50-17,	33x12.50-20,	295/70-17,	305/60-18,	LT305/65-17,	315/70-16	36.80	ZT8261
ZT853	10.00-15TR,	245/70-22.5,	285/70-19.5,	295/70-19.5,	305/70-17,	LT305/85-16,	315/75-16,	315/75-17	36.65	ZT8263
ZT859	8.25-20,	9-22.5,	235/80-22.5,	245/75-22.5,	245/80-22.5,	255/70-22.5,	295/60-22.5,	LT315/70-17	38.50	ZT8263
ZT865	7.50-22.5,	8.25-22.5,	255/80-22.5,	265/75-22.5,	305/65-20,	315/60-22			38.10	ZT8263
ZT869	9.00-20,	10-22.5,	265/70-22.5,	275/70-22.5,	285/65-22.5				38.35	ZT8263
ZT877	10.00/90-20,	275/75-22.5,	285/75-22.5,	295/70-22.5					39.50	ZT8265
ZT881	10.00-20,	11-22.5,	275/80-22.5,	285/75-24.5,	285/80-22.5,	285/80-24.5,	295/75-22.5,	305/70-22.5	38.80	ZT8263
ZT887	10.00-22,	11.00-20,	11-24.5,	11.50-20,	12-22.5,	305/75-24.5,	315/80-22.5,	320/75-24	39.25	ZT8265
ZT891	11.00-22,	11.00-24,	12.00-20,	12.5-24.5,	12.75-22.5,	13-22.5			42.45	ZT8267
ZT892	14/80-20,	305/85-22.5,	365/70-22.5,	365/80-20,	385/65-22.5,	400/70-20			40.60	ZT8267
ZT896	16.5-22.5,	425/55-22.5,	425/65-22.5,	445/65-19.5					48.25	ZT8275
ZT897	38x18.00-20NHS,	445/50-22.5,	455/50-22.5						43.65	ZT8269
ZT898	395/85-20,	425/70-22.5							48.00	ZT8283
ZT899	455/55-22.5								44.50	ZT8277

Packaged: 1 pair per box / 2 pair per master carton

Order unit: Pair

Included with each pair of chains:

Super Z's package includes 2 pairs of rubber tensioners, step-by-step installation and removal instructions and installation tool.



Super Z[®] OTR (Singles for commercial and OTR applications)

Stock #	NOTE: Partial listing of tire sizes							Weight per pair (Lbs.)	Replacement Cross Chain #
ZT-118	445/65-22.5							51.00	ZT8265
ZT-132	12.4-32,	14.00-20 GRADER,	14.00-24 GRADER,	14.9-26,	15.5-25,	385/95-24,	385/95-25	40.30	ZT1532
ZT-141	16.00-20 GRADER, 16.00-21 GRADER							47.60	ZT1541
ZT-143	16.00-24 GRADER, 16.00-25 GRADER, 445/95-25							47.60	ZT1543
ZT-145	18.00-25,	480/70-34,	505/95-25,	520/70-34			52.60	ZT1545	

Packaged: 1/2 pair per box / 1 pair per master carton

Order unit: Pair

SUPER Z[®] Dual/Triple

QuikDraw™ Tensioning allows for fast, easy installation.

Extreme performance for dual/triple applications

Super Z's patented QuikDraw™ tensioning eliminates the need for any tightening tools or additional tensioners. Its one-piece design allows for fast, easy installation.




Z[®] -Chain's diagonal cross member pattern provides:

- Manganese Alloy traction coils (0.67" diameter) give superior traction performance.
- Greater durability and weight savings of at least 30% compared to conventional "link" tire chains.
- Superior compatibility with anti-lock brakes and other electronically monitored control systems.
- Low potential for damage to vehicle body and mechanical components, even when abused.

See Traction Products comparison chart on page 5.



QuikDraw™ center rail tensioner



Outside fastener



Inside fastener



Super Z Dual/Triple (with QuikDraw™ Tensioning)

Stock #	NOTE: Partial listing of tire sizes									Weight per pair (Lbs.)	Replacement Cross Chain #
ZT948	9.00-15TR,	10-17.5,	11-17.5,	265/75-19.5,	275/70-19.5,	285/70-19.5,	285/85-17,	295/75-18		53.00	ZT9932
ZT956	7.50-20,	10.00-15TR,	235/80-22.5,	245/75-22.5,	245/80-22.5,	255/70-22.5,	265/70-22.5,	275/70-22.5		55.00	ZT9933
ZT962	7.50-22.5,	8.25-20,	8.25-22.5,	9-22.5,	255/80-22.5,	265/75-22.5,	275/75-22.5,	285/75-22.5		58.00	ZT9934
ZT970	9.00-20,	10-22.5,	10.00/90-20,	275/80-22.5,	285/70-24.5,	295/75-22.5,	315/70-22.5			60.00	ZT9935
ZT982	10.00-20,	11-22.5,	275/80-24.5,	285/75-24.5,	285/80-22.5,	285/80-24.5,	295/80-22.5,	305/75-24.5		62.00	ZT9935
ZT990	10.00-22,	11.00-20,	11-24.5,	11.50-20,	12-22.5,	12.75-22.5,	305/85-22.5,	315/80-22.5		65.00	ZT9936

Packaged: 1/2 pair per box / 1 pair per master carton

Order unit: Pair

RADIAL CHAIN

The "original" cable chain for cars & light trucks

Radial Chain was originally conceived to save sidewall wear on radial tires and was the first brand name in "cable chain" winter traction products. Its consumer friendly features caused a revolution in winter traction, and it's still recognized as a market leader.

Radial Chain LT is today's basic product for the pickup, van & recreational vehicle market. Radial Chain LT can be installed in minutes and removed easily. Radial Chain and Radial Chain LT utilize an all-metal fastening system.



Chain tensioners should NOT BE USED

Radial Chain provides:

- Simple mounting and removal due to its low weight.
- Improved starting, stopping and cornering performance.
- All-steel construction for long service life and smooth ride.
- Low operating space requirements around drive tires for passenger sizes.

See Traction Products comparison chart on page 5.

Included with each pair of chains:

Radial chain's package for single and dual applications includes illustrated installation and removal instructions.



Radial Chain (Passenger)

Passenger Chain Meets S.A.E. Class "S" Requirements

Stock #	NOTE: Partial listing of tire sizes								Weight per pair (Lbs.)
SC1014	145/65-15,	155-13,	155/60-15,	155/80-12,	155/80-13,	165/65-13,	165/65-14,	165/70-13	4.40
SC1018	155-15,	165/60-15,	165/65-15,	165/70-14,	165/75-14,	165/80-13,	165/80-14,	175/55-15	4.90
SC1022	6-14,	6.00-14LT,	7.00-13,	165-15,	165/80-15,	175/75-16			5.00
SC1026	175/60-16,	175/65-15,	185/55-16,	185/60-15,	185/65-14,	185/65-15,	195/50-15,	195/50-16	5.10
SC1030	185/65-16,	195/55-16,	195/60-15,	195/60-16,	195/65-15,	195/70-14,	195/70-15,	195/75-14	5.50
SC1032	205/50-16,	205/50-17,	205/55-16,	205/60-16,	215/45-17,	215/45-18,	215/50-17,	215/55-16	5.40
SC1034	205/55-17,	205/65-16,	205/70-15,	205/70-16,	205/75-15,	215/60-15,	215/60-16,	215/65-15	5.90
SC1036	225/40-18,	225/40-19,	225/45-18,	225/50-17,	225/50-18,	235/40-18,	245/40-18,	265/35-18	6.20
SC1038	215/55-18,	215/60-17,	215/65-16,	215/70-15,	225/55-17,	225/60-16,	225/65-16,	225/70-15	6.20
SC1040	235/45-18,	235/50-18,	235/55-17,	235/60-17,	245/40-19,	245/45-18,	255/60-16		6.45
SC1042	215/70-16,	225/65-17,	225/70-16,	245/45-19,	255/40-19,	255/45-18,	255/45-19,	255/55-17	9.70

Packaged: 1 pair per box / 6 pair per master carton

Order unit: Pair

Minimum order quantity: Master carton

Radial Chain LT (Light truck)

Light Truck Chain DOES NOT Meet S.A.E. Class "S" Requirements

Stock #	NOTE: Partial listing of tire sizes								Weight per pair (Lbs.)
TC2111MM	225/55-18,	225/60-18,	225/65-17,	LT225/75-16,	235/55-19,	235/65-17,	235/70-16,	235/75-15	10.80
TC2212MM	235/60-18,	235/75-16,	235/75-17,	245/50-19,	245/55-18,	245/65-17,	245/70-17,	LT245/70-17	11.50
TC2512MM	LT235/80-17,	245/75-16,	LT245/75-16,	LT245/75-17,	255/65-18,	265/70-17,	LT265/70-17,	265/75-16	12.70

Packaged: 1 pair per box / 4 pair per master carton

Order unit: Pair

Minimum order quantity: Master carton

ALLOY RADIAL CHAIN



Alloy Radial Chain is an updated ladder style cable chain for commercial applications.

Alloy Radial Chain provides:

- Manganese alloy traction coils (0.525" diameter) provide superior traction, durability and weight savings of at least 50% compared to conventional "link" tire chains.
- The crossmember eyelets allow for easy replacement of worn crossmembers without any special tools.
- Features a quick and easy link-style fastening system with an "over-center" latch for easier installation and adjustment.

See Traction Products comparison chart on page 5.



Outside fastener



Inside fastener



Alloy Radial Chain (Truck Singles)

Stock #	NOTE: Partial listing of tire sizes							Weight per pair (Lbs.)	Replacement Cross Chain #
TA1939	8.25-20,	9-22.5,	37x11.50-15LT,	235/80-22.5,	245/80-22.5,	255/70-22.5,	255/75-22.5	20.00	TC8611
TA1941	9.00-20,	10-22.5						21.00	TC8611
TA1943	275/75-22.5,	275/80-22.5,	285/70-24.5,	285/75-22.5,	295/70-22.5,	295/75-22.5		22.50	TC8615
TA1945	10.00-20,	11-22.5,	13/80-20,	305/70-22.5,	315/70-22.5			22.25	TC8619
TA1947	11.5-22.5,	275/80-24.5,	285/75-24.5,	295/75-24.5,	305/80-22.5			23.00	TC8623
TA1949	10.00-22,	11-24.5,	12.75-22.5,	315/80-22.5				23.20	TC8623
TA1951	11.00-20,	11.50-20,	12-22.5,	12.5-22.5,	285/80-22.5,	285/80-24.5,	295/80-22.5,	25.00	TC8627

Packaged: 1 pair per box / 4 pair per master carton

Order unit: Pair



Alloy Radial Chain (Super Singles & Wide Base)

Stock #	NOTE: Partial listing of tire sizes					Weight per pair (Lbs.)	Replacement Cross Chain #
TA2069	38x18.00-20NHS,	445/50-22.5,	455/50-22.5,	455/55-22.5		30.00	TC8639
TA2071	16.5-22.5,	425/55-22.5,	425/65-22.5,	425/70-22.5,	445/65-19.5	28.50	TC8637

Packaged: 1/2 pair per box / 2 pair per master carton

Order unit: Pair



Alloy Radial Chain (Truck Duals)

Stock #	NOTE: Partial listing of tire sizes							Weight per pair (Lbs.)	Replacement Cross Chain #
TA3939	8.25-20,	9-22.5,	37x11.50-15LT,	235/80-22.5,	245/80-22.5,	255/70-22.5,	255/75-22.5	32.90	TC8754
TA3941	9.00-20,	10-22.5						34.50	TC8754
TA3943	275/75-22.5,	275/80-22.5,	285/70-24.5,	285/75-22.5,	295/70-22.5,	295/75-22.5		37.00	TC8758
TA3945	10.00-20,	11-22.5,	13/80-20,	305/70-22.5,	315/70-22.5			37.80	TC8762
TA3947	11.5-22.5,	275/80-24.5,	285/75-24.5,	295/75-24.5,	305/80-22.5			38.60	TC8766
TA3949	10.00-22,	11-24.5,	12.75-22.5,	315/80-22.5				40.20	TC8770

Packaged: 1/2 pair per box / 2 pair per master carton

Order unit: Pair

Diamond-Style Products

Auto-Trac	33 - 34
Whitestar & Whitestar LT	35 - 36
Diamond Blue Singles	55

Ladder-style Products

Passenger	37
Light Truck	37 - 45 & 47 - 48
Truck Singles	38 - 42
Super Singles.....	43
Truck	45 - 50

Mud Service

Light Truck	50 - 51
Truck Singles	50
Mud Service Singles	50
Mud Service Duals/Triples.....	51

LINK CHAIN

Square Rod Alloy

Light Truck.....	52
Square Rod Truck	56
Square Rod Dual/Triple	56

Emergency Unit Chain

Truck Singles.....	52
Snap Link.....	53

Stud Chain Products

Truck Singles	53
Truck Dual/Triple	54

Chain Products

Skid Steer/Wide Base Mud.....	57
Forklift	57
Grader/ OTR	58
Tractor.....	59 - 62
Tractor - build your own.....	63
Garden Tractor/ Snow blower/ATV	64 - 65



Auto-Trac™

Self Tightening Traction Chain

The Auto-Trac® advantage:
It automatically adjusts and tightens while you drive!

Auto-Trac® snow chains feature a patented Automatic Tightening and Centering System.

Auto-Trac® can be installed without moving (or jacking up) the vehicle! The patented, ratcheting tightening system automatically tightens the chain while driving. Just connect the inside cable, attach the two outside self-tighteners and drive! No additional chain tighteners are necessary or recommended.

Auto-Trac® will meet Class "S" clearance requirements on SUVs and pickup trucks, as well as normal passenger cars (matching the capabilities of most of our "Z" cable products). This is possible because of a highly effective, patented tensioning system.

Auto-Trac® cross member links are made of manganese alloy steel, allowing them to be shorter, narrower and lighter than conventional cross members. This reduces "fly-off" during operation and provides more gripping points. The low-mass "D" cross section of the links also contributes to longer wear because the impact of the cross members on the road surface is reduced and the surface area contacting the road is increased.

This high impact, self-tightening ratchet system ensures a snug fit and eliminates the need to stop and retighten the chains after installation. The split outside chain with two ratchet connectors allows easy installation without moving the vehicle. Auto-Trac® also features an aggressive diamond patterned cross-chain designed for superior traction and a smooth ride. The case hardened alloy cross-chains provide extended wear life over standard link chain products. Discover the Auto-Trac advantage!



Self-tightening ratchet

Included with each pair of chains:

Waterproof, illustrated, step-by-step installation and removal instructions, plastic gloves and an accessory kit which contains a repair link and wire ties to secure any excess side chain links. Everything is stored in a reusable nylon bag.




For passenger car and light truck applications

The Auto-Trac® Advantage:

- Meets Class "S" clearance requirements, even in light truck sizes.
- Easy installation and removal, with no need to move the vehicle and no need to manually re-tighten after installation.
- Better all-around traction performance and a smoother ride than conventional traction products.
- Best durability of any link-style chain for cars and light trucks.
- Auto-Trac® provides excellent compatibility with ABS and traction control systems.
- Covered by U.S. and international patents.

See Traction Products comparison chart on page 5.



Chain tensioners should NOT BE USED



Auto-Trac Chain Meets S.A.E. Class "S" Requirements

Auto-Trac® (Passenger)

Stock #	NOTE: Partial listing of tire sizes										Weight per pair (Lbs.)
0152005	175/55-15, 175/65-13, 175/65-14, 175/80-12, 185/50-15, 185/50-16, 185/60-14, 185/65-13, 195/60-13, 205/50-14	9.00									
0152505	175/70-14, 185/55-15, 185/60-15, 185/65-14, 195/55-14, 195/55-15, 195/60-14, 195/65-13, 205/50-15, 205/55-14	9.00									
0153005	175/65-15, 185/55-16, 185/65-15, 185/80-13, 195/50-16, 195/60-15, 195/65-14, 205/50-16, 205/60-14, 215/50-15	9.00									
0153505	195/55-16, 195/60-16, 195/65-15, 195/70-14, 195/75-14, 205/40-18, 205/45-17, 205/55-15, 205/60-15, 205/65-14	9.00									
0154005	195/75-15, 205/50-17, 205/55-16, 205/55-17, 205/60-16, 205/65-15, 205/70-14, 215/45-17, 215/50-17, 215/60-15	10.00									
0154505	205/65-16, 205/70-15, 215/55-16, 215/60-16, 215/65-15, 225/45-18, 225/50-16, 225/70-14, 235/45-17, 245/35-19	10.00									
0154705	205/75-15, 225/55-16, 225/60-15, 235/40-18, 235/55-16, 245/35-18, 245/40-17, 255/30-19, 255/35-18	11.00									
0155005	215/55-18, 215/65-16, 215/65-17, 215/70-15, 215/75-15, 225/60-16, 245/45-19, 245/45-20, 255/45-18,	11.00									
0155305	215/55-17, 215/60-17, 215/70-16, 225/50-18, 225/55-17, 235/60-16, 245/40-19, 245/45-18, 245/50-17, 245/60-15	11.00									
0155505	225/45-19, 225/60-17, 225/65-16, 225/65-17, 225/70-15, 225/70-16, 235/50-18, 235/60-17, 235/65-16	12.00									

Packaged: 1 pair per box / 4 pair per master carton

Order unit: Pair

Auto-Trac® (Light Truck & SUV)

Stock #	NOTE: Partial listing of tire sizes										Weight per pair (Lbs.)
0231705	215/80-16, LT215/85-16, LT225/75-17, LT225/85-16, 235/60-17	13.00									
0231805	225/55-19, LT225/75-16, 235/50-19, 235/55-17, 235/65-17, 275/40-19, 285/35-20	14.00									
0231905	225/75-16, 235/60-18, 235/75-16, LT235/75-16, 235/80-16, 255/70-15, 275/60-15, 235/75-15, LT235/75-15	14.00									
0232105	31x10.50-15LT, LT235/80-17, 245/60-18, 245/60-20, LT245/75-17, 255/55-20, 255/70-16, 255/70-17, 265/40-22, 265/50-20, 265/65-17, 275/45-20	14.00									
0232405	235/55-19, 245/50-20, 245/65-17, 245/70-16, 255/45-20, 255/60-18, 255/65-16, 255/65-18	14.00									
0232605	245/70-19.5, 255/75-17, LT255/75-17, 265/70-16, 265/70-17, LT265/70-17, 265/75-15, 265/75-16, LT265/75-16, 275/45-22	15.00									
0232805	275/70-18, LT275/65-18, 265/70-18, LT265/70-18, LT275/70-17, LT285/70-17, 275/65-18, 275/60-20, 255/70-18, 275/55-20	16.00									

Packaged: 1 pair per box / 2 pair per master carton

Order unit: Pair

WHITESTAR™ Alloy

Whitestar Alloy™ is an excellent traction product for use “on & off-road”, steep grades, deep snow, packed snow and icy roadways.

Long wearing, high performance for low clearance passenger cars and light trucks.

Whitestar Alloy™ has easy installation and all-around traction performance similar to Auto-Trac®. It has also been adapted to keep up with the ever increasing demand for products that can operate in the typically small clearances allowed around the drive tires on today’s cars and light trucks. In fact, all Whitestar sizes are able to meet SAE Class “S” clearance requirements.

The cross chain links are made of manganese alloy steel, allowing them to be shorter and lighter than other tire chains. This lighter weight helps reduce “fly-off” during operation and the shorter links provide more gripping points than conventional chains. The reduced size and weight of the links also helps Whitestar to be more durable than other chains – less mass equals less wear on both the chain and the road surface.

Whitestar Alloy™ is a link-style, diamond-pattern tire chain that operates in a limited space and offers outstanding traction performance.

Whitestar Alloy™ can be installed without moving (or jacking up) the vehicle!



Inside fastener



Included with each pair of chains:

Waterproof, illustrated, step-by-step installation and removal instructions, plastic gloves and an accessory kit which contains a repair link and wire ties to secure any excess side chain links. There is also one pair of rubber tensioners. Everything is stored in a reusable nylon bag.



WHITESTAR™

Alloy™

For passenger car and light truck applications

Whitestar Alloy™ Features:

- Whitestar Alloy™ meets Class "S" requirements for passenger car and light truck sizes.
- Better, all-around traction performance than conventional link chains.
- Cross chains are constructed of manganese alloy steel and have an attractive yellow zinc finish.
- Superior durability compared to any conventional link-style product.
- Whitestar Alloy™ offers a smooth ride and excellent compatibility with ABS and traction control systems.

See Traction Products comparison chart on page 5.



Chain tensioners **REQUIRED** and are included



Whitestar Alloy™ Chain Meets S.A.E. Class "S" Requirements

Whitestar Alloy™ (Passenger)

Stock #	NOTE: Partial listing of tire sizes								Weight per pair (Lbs.)	Replacement Cross Chain #
WS1604	145/65-15,	155/60-15,	155/65-14,	155/80-12,	155/80-13,	165/60-15,	175/55-15,	185/55-14	10.00	WS8553
WS1605	175/70-13,	175/80-13,	185/55-15,	185/60-14,	185/65-13,	195/65-13,	205/50-14,	215/50-14	10.25	WS8557
WS1606	175/65-14,	175/65-15,	185/60-15,	185/65-14,	185/70-13,	195/60-13,	205/55-14,	215/55-14	10.50	WS8557
WS1608	175/70-14,	185/55-16,	185/65-15,	195/50-16,	195/60-15,	195/65-15,	205/50-16,	205/60-15	11.00	WS8561
WS1610	LT195/75-14,	205/50-17,	205/55-16,	205/60-16,	205/65-15,	215/50-17,	215/55-16,	235/50-16	11.25	WS8565
WS1612	205/65-16,	205/70-15,	215/55-17,	215/60-16,	215/70-15,	225/50-17,	225/55-16,	245/50-17	11.50	WS8569
WS1614	215/65-17,	215/70-16,	225/50-18,	225/55-17,	225/65-17,	235/50-18,	255/50-18,	255/55-17	13.25	WS8569

Packaged: 1 pair per box / 4 pair per master carton

Order unit: Pair

Whitestar Alloy™ (Light Truck)

Stock #	NOTE: Partial listing of tire sizes								Weight per pair (Lbs.)	Replacement Cross Chain #
WS1705	225/60-18,	235/55-19,	235/60-18,	235/65-17,	235/70-16,	245/50-20,	245/60-18,	245/65-17	17.60	WS8975
WS1707	LT235/80-17,	LT245/85-16,	255/70-18,	265/60-18,	265/65-17,	265/70-16,	265/70-17,	LT265/70-17	19.30	WS8979

Packaged: 1 pair per box / 3 pair per master carton

Order unit: Pair



QUIK GRIP

Not recommended for snow tires or light truck applications.

 Chain tensioners (QG20070 or QG20070-10) are required, sold separately.

- Packaged in a durable, reusable plastic box.



NOTE: Quik Grip PL Chain is the only Quik Grip Link Chain that meets S.A.E. Class "S" clearance requirements.

Highway Service-PL Class "S" Chain (Passenger)

Stock #	NOTE: Partial listing of tire sizes									Weight per pair (Lbs.)	Replacement Cross Chain #
QG1114	145/65-15,	155/60-15,	155/65-14,	155/80-12,	155/80-13,	165/60-14,	165/70-13,	175/50-14,	185/50-14	8.80	QG5414
QG1118	165/60-15,	165/75-14,	165/80-12,	165/80-13,	175/55-15,	175/65-14,	175/70-13,	185/55-14,	185/65-13	9.60	QG5414
QG1122	165-15,	175/60-16,	175/80-14,	185/55-15,	185/60-14,	185/60-16,	185/70-14,	185/75-14,	185/80-13	10.30	QG5414
QG1126	175/55-16,	175/65-15,	175/70-14,	185/55-16,	185/60-15,	185/65-14,	185/65-15,	205/55-15,	205/60-14	10.20	QG5419
QG1130	195/55-16,	195/60-15,	195/60-16,	195/65-15,	195/75-14,	205/50-16,	205/60-15,	205/70-14,	215/55-15	11.00	QG5419
QG1134	205/50-17,	205/55-16,	205/60-16,	205/65-15,	205/70-15,	215/50-17,	215/55-16,	225/50-17,	225/55-16	11.50	QG5420
QG1138	205/65-16,	205/70-16,	215/55-17,	215/55-18,	215/60-16,	215/60-17,	215/65-16,	215/70-15,	225/60-16	12.30	QG5420
QG1142	215/65-17,	215/70-16,	225/50-18,	225/55-18,	225/60-17,	225/65-17,	225/70-16,	225/75-15		12.90	QG5422

Packaged: 1 pair per box / 4 pair per master carton

Order unit: Pair



Highway Service V-Bar (Passenger & Light truck)

 Chain tensioners (QG20070 or QG20070-10) are required, sold separately.

- Packaged in a durable, reusable plastic box.




Does NOT Meet S.A.E. Class "S" Requirements

Stock #	NOTE: Partial listing of tire sizes									Weight per pair (Lbs.)	Replacement Cross Chain #
QG1840	195/75-14,	LT195/75-14,	205/55-16,	205/60-16,	205/70-14,	205/70-15,	205/75-14,	215/55-17,	215/60-15	19.35	QG5820
QG1850	215/55-18,	215/65-17,	215/70-16,	225/70-16,	225/75-15,	225/50-18,	225/55-17,	225/55-18,	225/65-17	22.35	QG5822
QG1854	205/65-16,	205/75-15,	215/60-16,	215/60-17,	215/65-16,	215/70-15,	225/55-16,	225/60-15,	225/60-16,	19.70	QG5822

Packaged: 1 pair per box / 3 pair per master carton

Order unit: Pair

QUIK GRIP

- ▲ (Light Truck) chain tensioners (QG20007, QG20071, QG20074, or QG20074-10) are required, sold separately.
- Packaged in a durable, reuseable plastic box.
- ▲ (Truck Singles) chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.

Quik Grip LT Chain Does NOT Meet S.A.E. Class "S" Requirements



Highway Service (Light Truck)

Stock #	NOTE: Partial listing of tire sizes					Weight per pair (Lbs.)	Cross Chain				Side Chain		
							CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2209	7-14.5LT,	7.00-14LT,	LT195/75-14,	195/75-16,	195/75-16C	22.30	QG6219	0.234	9	QG20051	QG30040	0.219	QG20063
QG2211	7.00-15LT,	7-17.5,	215/75-15,	LT215/75-15		25.25	QG6219	0.234	9	QG20051	QG30040	0.219	QG20063
QG2214	7.00-18,	7.00-20,	7-22.5,	7.50-17,	8-19.5,	29.25	QG6221	0.234	10	QG20051	QG30040	0.219	QG20063
QG2216	8.00-16.5LT,	8.50-16.5LT,	27x8.50-14LT,	205/75-16,	205/80-16,	24.25	QG6221	0.234	10	QG20051	QG30040	0.219	QG20063
QG2219	8-17.5,	205/75-17.5,	LT215/85-16,	225/70-17,	235/55-19,	26.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20063
QG2221	215/75-17.5,	225/70-19.5,	235/75-16,	245/70-17,	LT245/70-17,	28.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20063
QG2226	295/75-17.5,	305/70-17,	305/70-18,	LT315/70-17,	315/75-16,	32.80	QG6229	0.234	14	QG20051	QG30040	0.219	QG20063
QG2228	LT235/80-17,	LT245/75-17,	245/75-19.5,	255/70-18,	LT265/70-17	30.50	QG6225	0.234	12	QG20051	QG30040	0.219	QG20063
QG2229	225/60-18,	225/65-17,	235/60-18,	235/70-16,	245/60-18,	26.70	QG6225	0.234	12	QG20051	QG30040	0.219	QG20063

Packaged: 1 pair per box / 3 pair per master carton

Order unit: Pair

Minimum order quantity: Master carton

Highway Service (Truck Singles)

Stock #	NOTE: Partial listing of tire sizes					Weight per pair (Lbs.)	Cross Chain				Side Chain		
							CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2235	11.5-22.5,	295/75-24.5				62.80	QG6255	0.281	11	QG20053	QG30060	0.281	QG20065
QG2237	7.50-20,	245/70-22.5,	255/60-22.5,	265/70-19.5,	265/75-19.5,	40.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG2239	8.25-20,	9-22.5,	245/75-22.5,	255/70-22.5,	265/70-22.5,	45.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG2241	9.00-20,	10-22.5				49.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG2243	275/75-22.5,	275/80-22.5,	285/75-22.5,	295/70-22.5,	295/75-22.5	49.70	QG6253	0.281	10	QG20053	QG30060	0.281	QG20065
QG2245	10.00-20,	10.00/90-20,	11-22.5,	13/80-20,	285/70-24.5	50.60	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG2247	275/80-24.5,	285/75-24.5				51.50	QG6255	0.281	11	QG20053	QG30060	0.281	QG20065
QG2249	10.00-22,	11-24.5				53.00	QG6253	0.281	10	QG20053	QG30060	0.281	QG20065
QG2251	11.00-20,	12-22.5,	285/80-22.5,	285/80-24.5,	295/80-22.5,	63.00	QG6260	0.312	9	QG20054	QG30070	0.312	QG20065
QG2255	12.00-20,	12.75-22.5,	14/80-20,	305/75-24.5,	305/85-22.5,	67.00	QG6263	0.312	10	QG20054	QG30070	0.312	QG20065
QG2257	12.00-24					74.80	QG6263	0.312	10	QG20054	QG30070	0.312	QG20065

Packaged: 1 pair per bag

Order unit: Pair



QUIK GRIP

Chain tensioners are NOT required.

- (Light Truck) CAM tool (QG20088) is supplied in each bag.

Chain tensioners are NOT required.

- (Truck Singles) CAM tool (QG20095) is supplied in each bag.



Quik Grip Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service-CAM (Light Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2214CAM	7.00-18, 8-19.5,	7.00-20, 225/70-22.5	7-22.5,	7.50-17,	27.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20080
QG2216CAM	8.00-16.5LT, 205/80-16,	8.50-16.5LT, 225/70-15	27x8.50-14LT,	205/75-16,	22.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20080
QG2219CAM	8-17.5, 235/55-19,	205/75-17.5, 245/45-20	LT215/85-16,	225/70-17,	25.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20080
QG2221CAM	215/75-17.5, LT245/70-17,	225/70-19.5, LT245/75-16	235/75-16,	245/70-17,	26.50	QG6221	0.234	10	QG20051	QG30040	0.219	QG20080
QG2226CAM	295/75-17.5, 315/75-16,	305/70-17, 315/75-17	305/70-18,	LT315/70-17,	33.00	QG6229	0.234	14	QG20051	QG30040	0.219	QG20080
QG2228CAM	LT235/80-17, LT265/70-17	LT245/75-17,	245/75-19.5,	255/70-18,	29.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20080
QG2229CAM	225/60-18, 245/60-18,	225/65-17, 245/65-17	235/60-18,	235/70-16,	25.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20080

Packaged: 1 pair per bag

Order unit: Pair

Highway Service-CAM (Truck Singles)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2234CAM	285/70-19.5				43.50	QG6253	0.281	10	QG20053	QG30060	0.281	QG20086
QG2239CAM	8.25-20, 265/70-22.5,	9-22.5, 275/70-22.5	245/75-22.5,	255/70-22.5,	46.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20086
QG2241CAM	9.00-20,	10-22.5			49.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20086
QG2243CAM	275/75-22.5, 295/75-22.5	275/80-22.5,	285/75-22.5,	295/70-22.5,	52.30	QG6253	0.281	10	QG20053	QG30060	0.281	QG20086
QG2245CAM	10.00-20, 285/70-24.5	10.00/90-20,	11-22.5,	13/80-20,	53.30	QG6251	0.281	9	QG20053	QG30060	0.281	QG20086
QG2247CAM	275/80-24.5,	285/75-24.5			53.90	QG6255	0.281	11	QG20053	QG30060	0.281	QG20086
QG2249CAM	10.00-22,	11-24.5			55.70	QG6253	0.281	10	QG20053	QG30060	0.281	QG20086
QG2251CAM	11.00-20, 295/80-22.5,	12-22.5, 305/80-22.5	285/80-22.5,	285/80-24.5,	66.50	QG6260	0.312	9	QG20054	QG30070	0.312	QG20086
QG2255CAM	12.00-20, 305/85-22.5,	12.75-22.5, 315/80-22.5	14/80-20,	305/75-24.5,	71.50	QG6263	0.312	10	QG20054	QG30070	0.312	QG20086

Packaged: 1 pair per bag

Order unit: Pair

QUIK GRIP

Chain tensioners are NOT required.

- Heavy duty 0.312" cross chains.
- CAM tool (QG20095) is supplied in each bag.



Heavy Duty Highway Service-CAM (Truck Singles)

Stock # **NOTE: Partial listing of tire sizes**

Stock #	Weight per pair (Lbs.)	Cross Chain			Side Chain			
		CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2236HD	58.00	QG6263	0.312	10	QG20054	QG30065	0.281	QG20061
QG2244HD	57.00	QG6260	0.312	9	QG20054	QG30065	0.281	QG20061
QG2250HD	60.00	QG6260	0.312	9	QG20054	QG30065	0.281	QG20061

Packaged: 1 pair per bag

Order unit: Pair

(Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.



Chain Does NOT Meet S.A.E. Class "S" Requirements


Highway Service-V-Bar (Light Truck)


Stock # **NOTE: Partial listing of tire sizes**

Stock #	Weight per pair (Lbs.)	Cross Chain			Side Chain			
		CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2809	22.00	QG6819	0.234	9	QG20051	QG30040	0.219	QG20063
QG2811	26.00	QG6819	0.234	9	QG20051	QG30040	0.219	QG20063
QG2814	30.00	QG6821	0.234	10	QG20051	QG30040	0.219	QG20063
QG2816	24.00	QG6821	0.234	10	QG20051	QG30040	0.219	QG20063
QG2819	26.50	QG6821	0.234	10	QG20051	QG30040	0.219	QG20063
QG2821	28.00	QG6821	0.234	10	QG20051	QG30040	0.219	QG20063
QG2826	36.80	-	0.234	14	QG20051	QG30040	0.219	QG20063
QG2828	31.00	QG6825	0.234	12	QG20051	QG30040	0.219	QG20063
QG2829	27.00	QG6825	0.234	12	QG20051	QG30040	0.219	QG20063

Packaged: 1 pair per bag

Order unit: Pair





QUIK GRIP

(Truck Singles) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.



Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service-V-Bar (Truck Singles)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2837	7.50-20, 245/70-22.5, 255/60-22.5, 265/70-19.5, 265/75-19.5	44.80	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG2839	8.25-20, 9-22.5, 245/75-22.5, 255/70-22.5, 265/70-22.5, 275/70-22.5	49.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG2841	9.00-20, 10-22.5	52.20	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG2845	10.00-20, 10.00/90-20, 11-22.5, 13/80-20, 285/70-24.5	56.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG2849	10.00-22, 11-24.5	59.75	QG6853	0.281	10	QG20053	QG30060	0.281	QG20065
QG2851	11.00-20, 12-22.5, 285/80-22.5, 285/80-24.5, 295/80-22.5, 305/80-22.5	69.50	QG6860	0.312	9	QG20054	QG30070	0.312	QG20065
QG2853	11.00-24	81.50	QG6860	0.312	9	QG20054	QG30070	0.312	QG20065
QG2855	12.00-20, 12.75-22.5, 14/80-20, 305/75-24.5, 305/85-22.5, 315/80-22.5	76.00	QG6863	0.312	10	QG20054	QG30070	0.312	QG20065
QG2857	12.00-24	85.00	QG6863	0.312	10	QG20054	QG30070	0.312	QG20065

Packaged: 1 pair per bag

Order unit: Pair



Chain tensioners are NOT required.
 • (Light Truck) CAM tool (QG20088) is supplied in each bag.

Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service V-Bar-CAM (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2814CAM	7.00-18, 7.00-20, 7-22.5, 7.50-17, 8-19.5, 225/70-22.5	31.90	QG6821	0.234	10	QG20051	QG30040	0.219	QG20080
QG2816CAM	8.00-16.5LT, 8.50-16.5LT, 27x8.50-14LT, 205/75-16, 205/80-16, 225/70-15	25.50	QG6821	0.234	10	QG20051	QG30040	0.219	QG20080
QG2819CAM	8-17.5, 205/75-17.5, LT215/85-16, LT225/75-17, 235/55-19, 245/45-20	27.00	QG6821	0.234	10	QG20051	QG30040	0.219	QG20080
QG2821CAM	215/75-17.5, 225/70-19.5, 235/75-16, 245/70-17, LT245/70-17, LT245/75-16	28.50	QG6821	0.234	10	QG20051	QG30040	0.219	QG20080
QG2826CAM	295/75-17.5, 305/70-17, 305/70-18, LT315/70-17, 315/75-16, 315/75-17	37.20	-	0.234	14	QG20051	QG30040	0.219	QG20080
QG2828CAM	LT235/80-17, LT245/75-17, 245/75-19.5, 255/70-18, LT265/70-17	31.50	QG6825	0.234	12	QG20051	QG30040	0.219	QG20080
QG2829CAM	225/60-18, 225/65-17, 235/60-18, 235/70-16, 245/60-18, 245/65-17	27.50	QG6825	0.234	12	QG20051	QG30040	0.219	QG20080


Packaged: 1 pair per bag

Order unit: Pair

QUIK GRIP

Chain tensioners are NOT required.
 • (Truck Singles) CAM tool (QG20095) is supplied in each bag.

Chain Does NOT Meet S.A.E. Class "S" Requirements



Highway Service V-Bar-CAM (Truck Singles)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain			Side Chain			
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2839CAM	8.25-20, 9-22.5, 245/75-22.5, 255/70-22.5, 265/70-22.5, 275/70-22.5	50.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20086
QG2841CAM	9.00-20, 10-22.5	54.70	QG6822	0.281	9	QG20053	QG30060	0.281	QG20086
QG2843CAM	275/75-22.5, 275/80-22.5, 285/75-22.5, 295/70-22.5, 295/75-22.5	57.50	QG6853	0.281	10	QG20053	QG30060	0.281	QG20086
QG2845CAM	10.00-20, 10.00/90-20, 11-22.5, 13/80-20, 285/70-24.5	58.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20086
QG2847CAM	275/80-24.5, 285/75-24.5	60.80	QG6826	0.281	11	QG20053	QG30060	0.281	QG20086
QG2849CAM	10.00-22, 11-24.5	61.20	QG6853	0.281	10	QG20053	QG30060	0.281	QG20086
QG2851CAM	11.00-20, 12-22.5, 285/80-22.5, 285/80-24.5, 295/80-22.5, 305/80-22.5	70.50	QG6860	0.312	9	QG20054	QG30070	0.312	QG20086
QG2855CAM	12.00-20, 12.75-22.5, 14/80-20, 305/75-24.5, 305/85-22.5, 315/80-22.5	78.90	QG6863	0.312	10	QG20054	QG30070	0.312	QG20086

Packaged: 1 pair per bag

Order unit: Pair

 (Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.



Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service Wide Base (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain			Side Chain			
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG3210	235/65-18, 245/60-18, 255/50-20, 255/65-16, 255/70-16, 265/70-16	24.70	QG6225	0.234	12	QG20051	QG30040	0.219	QG20063
QG3227	255/70-17, LT255/75-17, LT265/70-18, 265/75-16, LT265/75-16, LT275/65-18	37.10	QG6253	0.281	10	QG20053	QG30060	0.281	QG20065
QG3229	275/55-20, 275/60-20, LT275/70-18, LT285/70-17, 295/70-17, 305/70-16	39.40	QG6259	0.281	12	QG20053	QG30060	0.281	QG20065
QG3235	36x15.50-15LT, 37x12.50-16.5LT, 38x14.50-17, 38x15.50-20LT, 325/65-18, 345/70-18	46.00	QG6259	0.281	12	QG20053	QG30060	0.281	QG20065
QG3237	31x15.50-15, 31x15.50-15LT	42.00	QG6265	0.281	16	QG20053	QG30060	0.281	QG20065

Packaged: 1 pair per bag

Order unit: Pair

For 4-wheel drive and sport utility vehicles (singles)
Maximum recommended speed is 20mph.





QUIK GRIP

SPEED LIMIT 20 Maximum recommended speed is 20mph.



For 4-wheel drive and sport utility vehicles (singles)

Chain tensioners are NOT required.

- (Light Truck) CAM tool (QG20088) is supplied in each bag.**



Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service - Wide Base-CAM (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain			Side Chain			
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG3210CAM	235/65-18, 245/60-18, 255/50-20, 255/65-16, 255/70-16, 265/70-16	27.50	QG6225	0.234	12	QG20051	QG30040	0.219	QG20080
QG3227CAM	255/70-17, LT255/75-17, 265/75-16, LT265/70-18, LT265/75-16, LT275/65-18	38.00	QG6253	0.281	10	QG20053	QG30060	0.281	QG20086
QG3229CAM	275/55-20, 275/60-20, LT275/70-18, LT285/70-17, 295/70-17, 305/70-16	41.10	QG6259	0.281	12	QG20053	QG30060	0.281	QG20086

Packaged: 1 pair per bag

Order unit: Pair

SPEED LIMIT 20 Maximum recommended speed is 20mph.



(Super Singles) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.

- (Super Singles) CAM tool (QG20095) is supplied in each bag of CAM chain.**



Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service Wide Base Non-CAM & CAM (Super Singles)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain			Side Chain			
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG3255	15-22.5, 16.5-19.5, 365/85-20, 385/65-22.5, 445/55-22.5	68.00	QG7213	0.312	13	QG20054	QG30060	0.281	QG20065
QG3261	19-22.5, 19.5-19.5, 395/85-20, 445/65-22.5	82.00	QG7214	0.312	14	QG20054	QG30060	0.281	QG20065
QG3269	445/50-22.5, 455/50-22.5	72.50	QG7215	0.312	15	QG20054	QG30060	0.281	QG20065
QG3269CAM	445/50-22.5, 455/50-22.5	67.00	QG7215	0.312	15	QG20054	QG30060	0.281	QG20086
QG3271CAM	16.5-22.5, 425/55-22.5, 425/65-22.5, 425/70-22.5, 445/65-19.5	73.50	QG7215	0.312	15	QG20054	QG30060	0.281	QG20086

Packaged: 1 pair per bag

Order unit: Pair

QUIK GRIP

(Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.



Chain Does NOT Meet S.A.E. Class "S" Requirements

For 4-wheel drive and sport utility vehicles (singles)
Maximum recommended speed is 20mph.





Highway Service

Wide Base V-Bar (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG3810	235/65-18, 245/60-18, 255/50-20, 255/65-16, 255/70-16, 265/70-16	28.75	QG6825	0.234	12	QG20051	QG30040	0.219	QG20063
QG3827	255/70-17, LT255/75-17, LT265/70-18, 265/75-16, LT265/75-16, LT275/65-18	40.00	QG6853	0.281	10	QG20053	QG30060	0.281	QG20065
QG3829	275/55-20, 275/60-20, LT275/70-18, LT285/70-17, 295/70-17, 305/70-16	43.00	QG6859	0.281	12	QG20053	QG30060	0.281	QG20065

Packaged: 1 pair per bag

Order unit: Pair

(Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.



Chain Does NOT Meet S.A.E. Class "S" Requirements




Highway Service -

Dual/Triple (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4219	8-17.5, 205/75-17.5, LT215/85-16, 215/75-15, 225/70-17	44.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20063
QG4221	215/75-17.5, 225/70-19.5, 235/75-16, 235/75-17, 245/75-16, LT245/75-16	47.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20063


Packaged: 1 pair per bag

Order unit: Pair



(Truck) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.

QUICK GRIP



Highway Service - Dual/Triple (Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain			Side Chain			
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4235	11.5-22.5, 295/75-24.5	102.50	QG6255	0.281	11	QG20053	QG30060	0.281	QG20065
QG4237	225/80-22.5, 7.50-20, 245/70-22.5, 255/60-22.5, 265/70-19.5, 265/75-19.5	74.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG4239	8.25-20, 9-22.5, 245/75-22.5, 255/70-22.5, 265/70-22.5	80.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG4241	9.00-20, 10-22.5	85.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG4243	275/75-22.5, 275/80-22.5, 285/75-22.5, 295/70-22.5, 295/75-22.5	91.00	QG6253	0.281	10	QG20053	QG30060	0.281	QG20065
QG4245	10.00-20, 10.00/90-20, 11-22.5, 13/80-20, 285/70-24.5	92.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20065
QG4247	275/80-24.5, 285/75-24.5	94.00	QG6255	0.281	11	QG20053	QG30060	0.281	QG20065
QG4249	10.00-22, 11-24.5	96.00	QG6253	0.281	10	QG20053	QG30060	0.281	QG20065
QG4251	11.00-20, 12-22.5, 285/80-22.5, 285/80-24.5, 295/80-22.5, 305/80-22.5	114.00	QG6260	0.312	9	QG20054	QG30070	0.312	QG20065
QG4255	12.00-20, 12.75-22.5, 14/80-20, 305/75-24.5, 305/85-22.5, 315/80-22.5	128.00	QG6263	0.312	10	QG20054	QG30070	0.312	QG20065

Packaged: 1/2 pair per bag

Order unit: Pair



Chain tensioners are NOT required.

- (Light Truck) CAM tool (QG20088) is supplied in each bag.

Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service - Dual/Triple-CAM (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain			Side Chain			
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4219CAM	8-17.5, 205/75-17.5, 215/75-15, LT215/85-16, 225/70-17	45.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20080
QG4221CAM	215/75-17.5, 225/70-19.5, 235/75-16, 235/75-17, 245/75-16, LT245/75-16	48.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20080
QG4228CAM	LT235/80-17, LT245/75-17, 245/75-19.5, 255/70-18, 265/70-17, LT265/70-17	48.80	QG6225	0.234	12	QG20051	QG30040	0.219	QG20080
QG4229CAM	225/60-18, 225/65-17, 235/60-18, 235/70-16, 245/60-18, 245/65-17	46.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20080

Packaged: 1 pair per bag

Order unit: Pair

QUIK GRIP

Chain tensioners are NOT required.

- (Truck) CAM tool (QG20095) is supplied in each bag.




Highway Service - Dual/Triple-CAM (Truck)


Stock #	NOTE: Partial listing of tire sizes			Weight per pair (Lbs.)	Cross Chain				Side Chain		
					CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4239CAM	8.25-20, 9-22.5, 245/75-22.5, 255/70-22.5, 265/70-22.5			82.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20086
QG4241CAM	9.00-20, 10-22.5			86.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20086
QG4243CAM	275/75-22.5, 275/80-22.5, 285/75-22.5, 295/70-22.5, 295/75-22.5			92.00	QG6253	0.281	10	QG20053	QG30060	0.281	QG20086
QG4245CAM	10.00-20, 10.00/90-20, 11-22.5, 13/80-20, 285/70-24.5			94.00	QG6251	0.281	9	QG20053	QG30060	0.281	QG20086
QG4247CAM	278/80-24.5, 285/75-24.5			96.00	QG6255	0.281	11	QG20053	QG30060	0.281	QG20086
QG4249CAM	10.00-22, 11-24.5			100.00	QG6253	0.281	10	QG20053	QG30060	0.281	QG20086

Packaged: 1/2 pair per bag

Order unit: Pair

Chain tensioners are NOT required.

- (HD Truck) CAM tool (QG20095) is supplied in each bag.
- Heavy Duty 0.312" cross chains

Heavy Duty Highway Service Dual/Triple-CAM (Truck)

Stock #	NOTE: Partial listing of tire sizes			Weight per pair (Lbs.)	Cross Chain				Side Chain		
					CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4236HD	275/80-24.5, 285/75-24.5			104.50	QG6263	0.312	10	QG20054	QG30065	0.281	QG20061
QG4244HD	10.00-20, 11-22.5, 275/80-22.5, 275/80-24.5, 295/70-22.5, 295/75-22.5			102.00	QG6260	0.312	9	QG20054	QG30065	0.281	QG20061
QG4250HD	10.00-22, 11-24.5			107.00	QG6260	0.312	9	QG20054	QG30065	0.281	QG20061

Packaged: 1/2 pair per bag

Order unit: Pair



QUICK GRIP

(Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.

Chain Does NOT Meet S.A.E. Class "S" Requirements

Highway Service - Dual/Triple V-Bar (Light Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4819	8-17.5, 225/70-17	205/75-17.5	215/75-15	LT215/85-16	50.00	QG6821	0.234	10	QG20051	QG30040	0.219	QG20063
QG4821	215/75-17.5, 245/75-16	225/70-19.5	235/75-16	235/75-17, LT245/75-16	52.50	QG6821	0.234	10	QG20051	QG30040	0.219	QG20063
QG4828	LT235/80-17, 265/70-17	LT245/75-17	245/75-19.5	255/70-18, LT265/70-17	56.00	QG6825	0.234	12	QG20051	QG30040	0.219	QG20063
QG4829	225/60-18, 245/60-18	225/65-17, 245/65-17	235/60-18	235/70-16	54.00	QG6825	0.234	12	QG20051	QG30040	0.219	QG20063

Packaged: 1 pair per bag

Order unit: Pair



Highway Service - Dual/Triple V-Bar (Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4837	7.50-20, 265/75-19.5	245/70-22.5	255/60-22.5	265/70-19.5	82.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG4839	8.25-20, 265/70-22.5	9-22.5, 275/70-22.5	245/75-22.5	255/70-22.5	88.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG4841	9.00-20	10-22.5			94.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG4845	10.00-20, 285/70-24.5	10.00/90-20	11-22.5	13/80-20	101.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20065
QG4849	10.00-22	11-24.5			108.00	QG6853	0.281	10	QG20053	QG30060	0.281	QG20065
QG4851	11.00-20, 295/80-22.5	12-22.5, 305/80-22.5	285/80-22.5	285/80-24.5	131.00	QG6860	0.312	9	QG20054	QG30070	0.312	QG20065
QG4855	12.00-20, 305/85-22.5	12.75-22.5, 315/80-22.5	14/80-20	305/75-24.5	140.00	QG6863	0.312	10	QG20054	QG30070	0.312	QG20065

Packaged: 1/2 pair per bag

Order unit: Pair

(Truck) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.

QUIK GRIP

Chain tensioners are NOT required.
 • (Truck) CAM tool (QG20095) is supplied in each bag.



Highway Service - Dual/Triple V-Bar CAM (Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4839CAM	8.25-20, 9-22.5, 245/75-22.5, 255/70-22.5, 265/70-22.5, 275/70-22.5	89.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20086
QG4843CAM	275/75-22.5, 275/80-22.5, 285/75-22.5, 295/70-22.5, 295/75-22.5	97.50	QG6853	0.281	10	QG20053	QG30060	0.281	QG20086
QG4845CAM	10.00-20, 10.00/90-20, 11-22.5, 13/80-20, 285/70-24.5	102.00	QG6822	0.281	9	QG20053	QG30060	0.281	QG20086
QG4847CAM	275/80-24.5, 285/75-24.5	103.00	QG6826	0.281	11	QG20053	QG30060	0.281	QG20086
QG4849CAM	10.00-20, 11-24.5	109.00	QG6853	0.281	10	QG20053	QG30060	0.281	QG20086

Packaged: 1/2 pair per bag Order unit: Pair

 (Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.
 • Side chain: 0.312" / Cross chain: 0.281"
 • CAM tool (QG20088) is supplied in each bag of QGVC CAM chain.

Chain Does NOT Meet S.A.E. Class "S" Requirements



Highway Service V-Bar Non-CAM & CAM CTO (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QGV315	205/75-17.5, 215/75-17.5, 235/70-16, 245/65-17, LT245/70-17, LT245/75-16	39.50	QGV5315	0.281	9	QG20054	QG30070	0.312	QG20065
QGV320	215/75-19.5, 225/70-19.5, 225/75-19.5, LT235/80-17, 245/70-17.5, LT245/75-17	43.00	QGV5315	0.281	9	QG20054	QG30070	0.312	QG20065
QGV322	245/75-19.5, 245/85-17.5, 285/70-19.5, 295/85-16, 10-17.5, 8-22.5	45.00	QGV5315	0.281	9	QG20054	QG30070	0.312	QG20065
QGVC315	205/75-17.5, 215/75-17.5, 235/70-16, 245/65-17, LT245/70-17, LT245/75-16	40.00	QGV5315	0.281	9	QG20054	QG30070	0.312	QG20065
QGVC320	215/75-19.5, 225/70-19.5, 225/75-19.5, LT235/80-17, 245/70-17.5, LT245/75-17	43.50	QGV5315	0.281	9	QG20054	QG30070	0.312	QG20065
QGVC322	245/75-19.5, 245/85-17.5, 285/70-19.5, 295/85-16, 10-17.5, 8-22.5	45.50	QGV5315	0.281	9	QG20054	QG30070	0.312	QG20065

Packaged: 1 pair per bag Order unit: Pair

QUIK GRIP



Highway Service V-Bar Non-CAM & CAM CTO (Truck)

Special heat treatment to prevent brittleness in extreme cold conditions.
For off-road applications.

- (Truck) Chain tensioners (QG20009, QG20069 or QG20073) are recommended for NON-CAM product, sold separately.**
- CAM tool (QG20095) is supplied in each bag of QGVC CAM chain.
- Heavy duty 0.312" cross chain and side chain.

Stock #	NOTE: Partial listing of tire sizes					Weight per pair (Lbs.)	Cross Chain				Side Chain		
							CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QGV343HD	10.00-20, 295/70-22.5	11-22.5	275/75-22.5	275/80-22.5	285/75-22.5	68.70	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20062
QGV344HD	10.00-22, 295/75-24.5	11-24.5	11.5-22.5	275/80-24.5	285/75-24.5	75.00	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20062
QGV355	11.00-20, 320/75-24	11.50-20	12-22.5	12.5-22.5	305/85-22.5	71.50	QGV5355	0.312	12	QG20054	QG30070	0.312	QG20062
QGV356	11.00-22, 12.00-20	12-24.5				77.00	QGV5355	0.312	12	QG20054	QG30070	0.312	QG20062
QGVC343HD	10.00-20, 285/75-22.5, 295/70-22.5	11-22.5, 295/70-22.5	275/75-22.5	275/80-22.5		70.50	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20087
QGVC344HD	10.00-22, 285/75-24.5	11-24.5, 295/75-24.5	11.5-22.5	275/80-24.5		77.00	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20087

Packaged: 1 pair per bag

Order unit: Pair



QUIK GRIP

Special heat treatment to prevent brittleness in extreme cold conditions.



(Truck) Chain tensioners (QG20009, QG20069 or QG20073) are recommended for NON-CAM product, sold separately.

- CAM tool (QG20095) is supplied in each bag of QGVC CAM chain.
- Heavy duty 0.312" cross chain and side chain.

Highway Service Dual/Triple V-Bar Non-CAM & CAM CTO (Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain			Side Chain			
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QGV743HD	10.00-20, 285/75-22.5	11-22.5, 295/70-22.5	275/75-22.5	275/80-22.5	126.00	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20062
QGV744HD	10.00-22, 285/75-24.5	11-24.5, 295/75-24.5	11.5-22.5	275/80-24.5	136.00	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20062
QGV755	11.00-20, 305/85-22.5	11.50-20, 320/75-24	12-22.5	12.5-22.5	132.00	QGV5355	0.312	12	QG20054	QG30070	0.312	QG20062
QGV756	11.00-22, 12.00-20	12.00-20	12-24.5		140.00	QGV5355	0.312	12	QG20054	QG30070	0.312	QG20062
QGVC743HD	10.00-20, 285/75-22.5	11-22.5, 295/70-22.5	275/75-22.5	275/80-22.5	127.00	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20087
QGVC744HD	10.00-22, 285/75-24.5	11-24.5, 295/75-24.5	11.5-22.5	275/80-24.5	137.00	QGV5340HD	0.312	11	QG20054	QG30070	0.312	QG20087

Packaged: 1/2 pair per bag

Order unit: Pair

For on and off-road use.

- **(Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are required, sold separately.**
- Heavy duty 0.281" side chain and 0.312" cross chain.
- **(Truck Singles) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.**
- Heavy Duty 0.312" side chain and 0.375" cross chain.

Chain Does NOT Meet S.A.E. Class "S" Requirements

Mud Service - Single (Light Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain			Side Chain			
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2435	205/75-17.5, 245/60-18	235/65-18	235/70-16	235/75-15, 235/75-16	37.00	QG6256	0.312	8	QG20054	QG30060	0.281	QG20065
QG2437	215/75-17.5, LT235/80-17	225/70-19.5, LT245/75-16	225/75-19.5	235/75-17, 235/75-17.5	39.50	QG6256	0.312	8	QG20054	QG30060	0.281	QG20065
QG2439	255/70-18, LT265/70-17	265/65-17, LT275/65-18	265/75-16	265/70-17	42.00	QG6260	0.312	9	QG20054	QG30060	0.281	QG20065

Packaged: 1 pair per bag

Order unit: Pair

Mud Service - Single (Truck Singles)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain			Side Chain			
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2448	10.00-20	11-22.5			77.50	QG6435	0.375	11	QG20054	QG30070	0.312	QG20065
QG2452	10.00-22	11.00-20	11-24.5	12-22.5, 305/85-22.5	82.50	QG6435	0.375	11	QG20054	QG30070	0.312	QG20065

Packaged: 1 pair per bag

Order unit: Pair

QUIK GRIP



(Light Truck) Chain tensioners (QG20007, QG20071, QG20074 or QG20074-10) are recommended, sold separately.

- Heavy duty 0.281" side chain and 0.312" cross chain.

(Truck) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.

- Heavy Duty 0.312" side chain and 0.375" cross chain.

Chain Does NOT Meet S.A.E. Class "S" Requirements

Mud Service - Dual/Triple (Light Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
0441220	7.00-17, 245/75-16,	8.50-17.5, 255/75-16	9.50-16.5,	235/85-16,	82.00	0625610	0.312	8	2005510	3006010	0.281	QG20065

Packaged: 1 pair per drum

Order unit: Pair

Mud Service - Dual/Triple (Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
0443520	8.25-20, 255/70R22.5,	9-22.5, 285/70R19.5	235/80R22.5,	245/75R22.5,	130.00	0643410	0.375	11	2005510	3007010	0.312	QG20065
0443720	14-17.5,	9.00-20,	10.50-20,	10-22.5	141.00	0643410	0.375	11	2005510	3007010	0.312	QG20065
0444820	10.00-20, 295/75-22.5,	11-22.5, 295/80R22.5	275/80-22.5,	285/75-24.5,	153.00	0643410	0.375	11	2005510	3007010	0.312	QG20065
0446120	11.00-20, 315/80-22.5,	12.50-20, 11-24.5,	10.00-22,	12-22.5, 305/75R24.5	163.00	0643410	0.375	11	2005510	3007010	0.312	QG20065

Packaged: 1 pair per drum

Order unit: Pair



(Truck) Chain tensioners (QG20009, QG20069 or QG20073) are recommended, sold separately.

- Heavy Duty 0.312" side chain and 0.375" cross chain.




Mud Service Dual/Triple (Truck)

Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4448	10.00-20,	11-22.5			142.00	QG6435	0.375	11	QG20054	QG30070	0.312	QG20065
QG4461	10.00-22, 12-22.5	11.00-20,	11-24.5,	11.50-20,	151.00	QG6435	0.375	11	QG20054	QG30070	0.312	QG20065

Packaged: 1/2 pair per bag

Order unit: Pair

QUIK GRIP



Chain tensioners are NOT required.

- CAM tool (QG20088) is supplied in each bag.
- 5.5mm cross chain links. ***7mm cross chain links.**

Chain Does NOT Meet S.A.E. Class "S" Requirements

Square Rod Alloy - Singles/Duals - CAM (Light Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2121	215/75-17.5, 225/70-19.5, 235/75-16, 245/70-17, LT245/70-17, LT245/75-16	28.30	QG6121	5.5	10	QG20151	QG30140	0.219	QG20186
QG2126	295/75-17.5, 305/70-17, 305/70-18, LT315/70-17, 315/75-16, 315/75-17	30.50	—	5.5	14	QG20151	QG30140	0.219	QG20186
QG2128	LT235/80-17, LT245/75-17, 245/75-19.5, 255/70-18, LT265/70-17	30.10	QG6125	5.5	12	QG20151	QG30140	0.219	QG20186
QG2129	225/60-18, 225/65-17, 235/60-18, 235/70-16, 245/60-18, 245/65-17	25.75	QG6125	5.5	12	QG20151	QG30140	0.219	QG20186
QG3110	235/65-18, 245/60-18, 255/50-20, 255/65-16, 255/70-16, 265/70-16	24.90	QG6125	5.5	12	QG20151	QG30140	0.219	QG20186
*QG3127	255/70-17, LT255/75-17, LT265/70-18, 265/75-16, LT265/75-16, LT275/65-18	42.25	QG6153	7	13	QG20154	QG30140	0.219	QG20186
*QG3129	275/55-20, 275/60-20, LT275/70-18, LT285/70-17, 295/70-17, 305/70-16	44.65	QG6155	7	15	QG20154	QG30140	0.219	QG20186
QG4121	215/75-17.5, 225/70-19.5, 235/75-16, 235/75-17, 245/75-16, LT245/75-16	46.25	QG6121	5.5	10	QG20151	QG30140	0.219	QG20186
QG4128	LT235/80-17, LT245/75-17, 245/75-19.5, 255/70-18, 265/70-17, LT265/70-17	49.95	QG6125	5.5	12	QG20151	QG30140	0.219	QG20186

Packaged: 1 pair per bag

Order unit: Pair

Truck Emergency Unit Chain (Truck Singles)

Truck "Unit Chains" are made for fast, simple installation. For all truck tires with spoke wheels or wheels with minimum 1" diameter hand holes. Constructed of case hardened twist link cross chain and straight side links (0.281" diameter) for easy installation. Snap links, which are sold separately, are required for hook-up of each individual chain. (See page 53).



DO NOT use for continuous driving



Stock #	Trade Size	Diameter (Inches)	** Partial listing of tire sizes	Total Length (Inches)	Weight Per Bag
QG2901	12-7-7	0.281	(8.25-15LT, 16LT, 20) (9.00-16LT, 20) (10-15LT, 16.5LT, 17.5), 11-15LT, 9.00-22.5	42.1	11.50
QG2902	12-8-8	0.281	10.00-15TR, 10.00-20, 10.00-22, 10.00-22.5	45.7	12.50
QG2903	12-9-9	0.281	11-22.5, 11-24.5, 11.00-20, 11-22, 11-24, 12-24.5	49.3	13.00

Packaged: 5 per bag

Order unit: Each

Note: When unit chain is referred to as "12-9-9" it means that there are 12 twist links with 9 straight links attached to each side. Furnished without snap links. Other sizes available by special order.

Snap Link for Truck Unit Chain

Install as shown in the illustration to the right to prevent putting excess tension on the snap link.

Stock #	Trade Size	Diameter (Inches)	Use with:	Weight Per Bag	Factory Packaging
H6026-0511	5/16"	0.312	For all truck unit chains shown on page 52	1.60	10 / bag
Packaged: 10 pieces per bag			Order unit: Each		



Note: Check local regulations for minimum cross chain requirements. Unit chains are legal in all states and provinces. However, in some states emergency chains do not meet the minimum requirements for highway use when authorities post an order to "use chains".

Warning: Unit chains are meant for very short term driving only. For distance travel through ice and snow conditions, traction products that provide crossmembers evenly spaced around the circumference of the tire, are recommended, such as those shown elsewhere in this catalog. **Always check disc brake clearance before using unit chains!**



Studded truck chain is constructed from high-grade manganese alloy steel for use in off-road applications requiring extra aggressive traction such as mining, logging, farming, or construction. Single CAM style has 3 CAMs on the outside of each half set and a CAM style fastener. Dual/triples have CAM's on the inside as well as the outside side chain.

Stud dimensions:

8.7mm (.343") diameter,
19mm (.750") height.
Self Color finish.

NOT recommended for on road or highway use.



8mm Stud Chain Non-CAM & CAM (Off Road- Truck Singles)

Stock #	NOTE: Partial listing of tire sizes			Weight per pair (Lbs.)	Cross Chain				Side Chain		
					CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (mm)	Fastener Stock #
QGS2945	10.00-20,	11-22.5,	285/75-22.5	76.60	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS2949	10.00-22,	11-24.5,	295/75-24.5	82.20	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS2951	11.00-20,	12-22.5,	295/80-22.5	79.50	QGS6968	8	12	QG20254	QG30272	8	QG20062XL
QGS2955	12.00-20,	11-22,	12-24.5	85.30	QGS6968	8	12	QG20254	QG30272	8	QG20062XL
QGS2945C	10.00-20,	11-22.5,	285/75-22.5	79.00	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS2949C	10.00-22,	11-24.5,	295/75-24.5	84.60	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS2951C	11.00-20,	12-22.5,	295/80-22.5	81.90	QGS6968	8	12	QG20254	QG30272	8	QG20062XL
QGS2955C	12.00-20,	11-22,	12-24.5	87.70	QGS6968	8	12	QG20254	QG30272	8	QG20062XL

Chain tensioners (QG20009, QG20069 or QG20073) are required for NON-CAM product only, sold separately.

- CAM tool (QG20095) is supplied in each bag of CAM chain.

Packaged: 1 pair per bag

Order unit: Pair


QUIK GRIP

NOT recommended for on road or highway use.

 Chain tensioners (QG20009, QG20069 or QG20073) are required for NON-CAM product only, sold separately.

- CAM tool(QG20095) is supplied in each bag of CAM chain.

8mm Stud Chain Non-CAM & CAM (Off Road-Truck Dual/Triple)



Stock #	NOTE: Partial listing of tire sizes			Weight per pair (Lbs.)	CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (mm)	Fastener Stock #
QGS4945	10.00-20,	11-22.5,	285/75-22.5	140.20	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS4949	10.00-22,	11-24.5,	295/75-24.5	150.50	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS4951	11.00-20,	12-22.5,	295/80-22.5	146.00	QGS6968	8	12	QG20254	QG30272	8	QG20062XL
QGS4955	12.00-20,	11-22,	12-24.5	156.70	QGS6968	8	12	QG20254	QG30272	8	QG20062XL
QGS4945C	10.00-20,	11-22.5,	285/75-22.5	145.00	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS4949C	10.00-22,	11-24.5,	295/75-24.5	154.90	QGS6966	8	11	QG20254	QG30272	8	QG20062XL
QGS4951C	11.00-20,	12-22.5,	295/80-22.5	150.80	QGS6968	8	12	QG20254	QG30272	8	QG20062XL
QGS4955C	12.00-20,	11-22,	12-24.5	161.10	QGS6968	8	12	QG20254	QG30272	8	QG20062XL

Packaged: 1/2 pair per bag

Order unit: Pair



Diamond Blue

Premium Alloy Truck Chain

Diamond Blue cross chains are made from high grade manganese alloy steel. Alloy tire chains wear considerably longer than regular carbon steel chains. This makes them ideal for trucks that use their chains often and/or for extended periods of time. Diamond Blue weigh an average of 25% less than equivalent standard highway chains making them easier to install. The "D" shaped or "square rod" links have more gripping power than round rod chains. Combine that with the diamond pattern design of the cross chains, and they become some of the longest lasting, best gripping, easiest to use chains on the market.



Square rod links



Cam tightening system



Cross chain end hooks

Diamond Blue Features:

- 5.5mm "D" shaped alloy cross chain links.
- Diamond pattern cross chains provide better lateral traction than ladder style chain.
- Bell shaped cross chain end hooks.
- Silver zinc finish with blue powdercoat side chain.

See Traction Products comparison chart on page 5.



- CAM tool (QG20095) is included in each bag of chain.



Diamond Pattern Highway Service - Alloy CAM (Truck Singles)

* These parts are available through special order only.

Stock #	** Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain			Side Chain			
						CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (mm)	Fastener Stock #
DB2141	9.00-20,	10-22.5			39.60	DB6051	5.5	9-5-11	*DB9853	DB30050	5.5	*DB9886
DB2143	275/75-22.5, 295/75-22.5	275/80-22.5,	285/75-22.5,	295/70-22.5,	40.80	DB6053	5.5	11-5-11	*DB9853	DB30050	5.5	*DB9886
DB2145	10.00-20, 305/70-22.5,	11-22.5, 315/70-22.5	13/80-20,	285/70-24.5,	40.50	DB6051	5.5	9-5-11	*DB9853	DB30050	5.5	*DB9886
DB2147	275/80-24.5,	285/75-24.5			41.75	DB6053	5.5	11-5-11	*DB9853	DB30050	5.5	*DB9886
DB2149	10.00-22,	11-24.5			40.75	DB6051	5.5	9-5-11	*DB9853	DB30050	5.5	*DB9886
DB2151	11.00-20, 295/80-22.5,	12-22.5, 315/80-22.5	285/80-22.5,	285/80-24.5,	42.25	DB6053	5.5	11-5-11	*DB9853	DB30050	5.5	*DB9886

Packaged: 1 pair per bag

Order unit: Pair

QUIK GRIP

HD Alloy Square Rod Truck Chain

Quik Grip HD Alloy cross chains are made from high grade manganese alloy steel. Alloy tire chains wear considerably longer than regular carbon steel chains. This makes them ideal for trucks that use their chains often and/or for extended periods of time. The “square rod” links have more gripping power than round rod chains. The heavy duty cross chains will out perform any traditional ladder link chain on the market, lasting longer and providing much more aggressive traction.



HD Alloy Square Rod Chain Features:

- Short pitch (length), 7mm or 8mm square rod cross chain links.
- Bell shaped cross chain end hooks.
- Yellow zinc finish.



- CAM tool (QG20095) is included in each bag of chain.



Square Rod Alloy Highway Service

CAM (Truck)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2143	275/75-22.5, 275/80-22.5, 285/75-22.5, 295/70-22.5, 295/75-22.5	61.20	QG6155	7	15	QG20154	QG30160	0.281	QG20186
QG2145	10.00-20, 10.00/90-20, 11-22.5, 285/70-24.5, 305/70-22.5, 315/70-22.5	61.50	QG6153	7	13	QG20154	QG30160	0.281	QG20186
QG2147	275/80-24.5, 285/75-24.5	65.50	QG6155	7	15	QG20154	QG30160	0.281	QG20186
QG2149	10.00-22, 11-24.5	65.40	QG6153	7	13	QG20154	QG30160	0.281	QG20186
QG2151	11.00-20, 12-22.5, 285/80-22.5, 285/80-24.5, 295/80-22.5, 305/80-22.5	61.00	QG6160	8	9	QG20154	QG30160	0.281	QG20186
QG2155	11.00-22, 12.00-20, 12.75-22.5, 305/75-24.5, 305/85-22.5, 315/80-22.5	63.00	QG6163	8	11	QG20154	QG30160	0.281	QG20186

Packaged: 1 pair per bag

Order unit: Pair


Square Rod Alloy Highway Service Dual/Triple CAM (Truck)



Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG4143	275/75-22.5, 275/80-22.5, 285/75-22.5, 295/70-22.5, 295/75-22.5	109.70	QG6155	7	15	QG20154	QG30160	0.281	QG20186
QG4145	10.00-20, 10.00/90-20, 11-22.5, 285/70-24.5, 305/70-22.5, 315/70-22.5	109.50	QG6153	7	13	QG20154	QG30160	0.281	QG20186
QG4147	275/80-24.5, 285/75-24.5	117.60	QG6155	7	15	QG20154	QG30160	0.281	QG20186
QG4149	10.00-22, 11-24.5	116.80	QG6153	7	13	QG20154	QG30160	0.281	QG20186

Packaged: 1/2 pair per bag

Order unit: Pair



QUIK GRIP

- Chain tensioners (QG20074, QG20074-10 or QG20007) are recommended
- Square link alloy & heavy twist link • 2 link & 4 link
- *7mm Square Rod / **8mm Square Rod

Wide Base Mud Service, Skid Steer & Skid Loader Chain

Stock #	Spacing	NOTE: Partial listing of tire sizes							CC Stock #	Weight per pair (Lbs.)
0341055	4 Link								0625110	34.00
0341056	2 Link	7.50-16,	8.00-16,	10x15,	10-16.5NHS,	29-12.00NHS,	29x13.50x15,	38x10x18,	0625110	50.00
*0341095	4 Link	235/70-15,	235/80-16,	235/75-16.5,	245/75-16,	245/70-17.5,	255/75-15,	255/70-16,	-	45.00
*0341096	2 Link	265/70-15,	265/75-15,	265/60-17,	275/55-17,	275/60-17			-	67.00
0342755	4 Link	10-17.5NHS,	11x15,	29x12.5-16,	31x10.50-15,	31x10.50-16.5,	31x11.50-15,	31x12x16.5,	0642610	58.00
0342756	2 Link	32x12-16,	32x12x16.5,	235/85-16,	235/80-17,	265/70-17,	255/75-16,	255/70-17,	0642610	99.00
		265/70-16,	275/70-16,	275/45-20,	285/70-15,	285/60-16				
0342955	4 Link	12x15,	12-16.00,	12-16.5NHS,	12.5-15,	31x13.50-15,	31x13-16.5,	31.5x12.5-15,	0643410	61.00
0342956	2 Link	31.5x13-16.5,	32x11.5-15,	33x10.5-15,	33x12.5-15NHS,	33x12.5-16.5,	33x12.50-16,	35x7.50-16.5,	0643410	99.00
**0342995	4 Link	265/85-16,	275/75-16,	285/70-16,	285/75-16,	295/75-16,	305/70-16,	315/70-15,	-	55.00
**0342996	2 Link	325/60-15,	345/55-16						-	92.00
0343555	4 Link	11-17.5,	12.5x80-18,	14-17.5NHS,	14-17.5SS,	35x12.5-15,	35x12.5-16,	35x12.5-16.5,	0643610	70.00
0343556	2 Link	35x12.5-18,	36x13.5-15NHS,	36x12.5-16.5,	37x12.5-15,	305/85-16,	305/70-16.5,	305/70-19.5	0643610	122.00
1199755	4 Link	33x15.5x16.5							0644610	67.00

Packaged: 1 pair per bag

Order unit: Pair

- Chain tensioners (QG20070 – 10"-14" tires; and QG20074 – 15"-17.5" tires) are recommended, sold separately.
- Heavy duty twist link cross chains & 5.5mm square rod cross chains.

Forklift Chain (Off Road Use)

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches & mm)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
1191055	6.50-10, 23x9.00x10, 5.70x12, 6x12, 23x5.70x12, 5.00x14	15.00	0621810	0.234	8	QG20051	QG30040	0.219	QG20061
1192055	7.50-10, 25x8.5x14, 25x7.5-15, 23x9.00x15, 27x8x16	19.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20061
1193055	7.00-12, 27x8.50x15	20.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20061
1195055	7.00-15, 28x8.50x15, 28x9-15, 29x8-15	22.00	QG6221	0.234	10	QG20051	QG30040	0.219	QG20061
1196055	7.50-15, 28x12-15, 7.5-16	26.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20061
1197055	8.15-15, 23x12.5x15	20.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20061
1198055	8.25x15	28.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20061
1199055	250-15, 27x10.50-15	24.00	QG6225	0.234	12	QG20051	QG30040	0.219	QG20061
1199555	14- 17.5	45.00	QG6259	0.281	12	QG20053	QG30060	0.281	QG20065
QG0103	6x12, 6.50-10	14.60	QG6046	5.5	11	QG20051	QG30040	0.219	QG20061
QG0107	7.50-10, 23x9-15, 25x7.5-15, 25x8.5-14SS	15.00	QG6046	5.5	11	QG20051	QG30040	0.219	QG20061
QG0111	7.00-15NHS, 27x8.5015NHS, 28x9-15, 29x8-15, 29x9-15, 30x8-15NHS, 7.00x12	19.75	QG6046	5.5	11	QG20051	QG30040	0.219	QG20061
QG0117	7.50-15, 7.50-16, 27x10.50-15NHS, 28x12-15	23.40	QG6046	5.5	11	QG20051	QG30040	0.219	QG20061
QG0125	23x10.5-12	17.60	QG6048	5.5	13	QG20051	QG30040	0.219	QG20061
QG0129	27x10.5-15, 250-15	21.45	QG6048	5.5	13	QG20051	QG30040	0.219	QG20061
QG0137	8.25-15NHS	26.85	QG6048	5.5	13	QG20051	QG30040	0.219	QG20061

Packaged: 1 pair per carton

Order unit: Pair



For Grader, Scrapers & Heavy Equipment - Type OTR (Off Road Use)



Stock #	NOTE: Partial listing of tire sizes					Weight per pair (Lbs.)	Cross Chain				Side Chain		
							CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
0261220	12x25, 15.5x25,	13.00-24, 16.9-20,	13.00-25, 380/70-28,	14.00-20, 405/80-20	14.00-21,	110.00	0742210	0.375	17	2005510	3007010	0.312	2006520
0261520	12.4-32,	14.00-24,	14.00-25,	14.9-26,	385/95-25	118.00	0742210	0.375	17	2005510	3007010	0.312	2006520
0262420	16.00-20,	16.00-21,	17.5-25,	445/95-25		164.00	0664010	0.437	15	2005710	3009010	0.375	2009320
0262720	16.00-24,	16.00-25,	560/65-24			178.00	0664010	0.437	15	2005710	3009010	0.375	2009320
0263320	20.5-25, 540/65-28, 600/55-26.5	540/60-30,	555/70-25,	700x40x22.5,	560/65-25,	188.00	0665010	0.437	19	2005710	3009010	0.375	2009320
0263620	18.00-24,	18.00-25,	18.00-26,	520/70-34,	525/80-25	210.00	0665010	0.437	19	2005710	3009010	0.375	2009320
0264220	18.00x33					246.00	0665010	0.437	19	2005710	3009010	0.375	2009320
0264520	23.5-25,	25.5x25,	625/70-25,	28x26		344.00	0675010	0.531	19	2005410	3009510	0.437	2009320
0264820	21.00-24,	21.00-25				366.00	0675010	0.531	19	2005410	3009510	0.437	2009320
0265120	21.00x28/29,	750/65-25				388.00	0675010	0.531	19	2005410	3009510	0.437	2009320
0265420	21.00x35					432.00	0675010	0.531	19	2005410	3009510	0.437	2009320
0265720	26.5x25					430.00	0675310	0.531	22	2005410	3009510	0.437	2009320
0266020	24.00x25,	26.5x29,	30.5x32,	620/70-42,	650/-42	454.00	0675310	0.531	22	2005410	3009510	0.437	2009320
0266320	24.00x29,	710/70-38				480.00	0675310	0.531	22	2005410	3009510	0.437	2009320
0266620	24.00x33,	850/55-42				530.00	0675310	0.531	22	2005410	3009510	0.437	2009320
0267220	29.5x25					486.00	0675610	0.531	26	2005410	3009510	0.437	2009320
0267520	29.5x29					514.00	0675610	0.531	26	2005410	3009510	0.437	2009320

Packaged: 1 pair per drum

Order unit: Pair

For Grader, Scrapers & Heavy Equipment - Type OTR (Off Road Use)



Stock #	NOTE: Partial listing of tire sizes				Weight per pair (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG2612	13.00-24, 16.9-20,	13.00-25, 380/70-28	14.00-20 GRADER,	14.00-21,	112.00	QG6630R	0.375	17	QG20055	QG30070	0.312	QG20065
QG2615	12.4-32, 14.9-26, 385/95-25	14.00-24 GRADER, 14.00-25,			125.00	QG6630R	0.375	17	QG20055	QG30070	0.312	QG20065
QG2624	16.00-20 GRADER,	16.00-21 GRADER,	17.5-25		160.00	QG6640	0.437	15	QG20058	QG30090	0.375	QG20066
QG2627	16.00-24 GRADER,	16.00-25 GRADER,	445/95-25		184.00	QG6640	0.437	15	QG20058	QG30090	0.375	QG20066
QG2633	20.5-25,	540/60-30,	555/70-25		198.00	QG6650	0.437	19	QG20058	QG30090	0.375	QG20066
QG2636	18.00-24,	18.00-25,	18.00-26,	520/70-34	212.00	QG6650	0.437	19	QG20058	QG30090	0.375	QG20066
QG2645	23.5-25				326.00	QG6660	0.531	20	QG20059	QG30100	0.437	QG20066
QG2648	21L-24,	21.00-25			349.00	QG6660	0.531	20	QG20059	QG30100	0.437	QG20066

Packaged: 1/2 pair per bag

Order unit: Pair



- 108 Series Hi-Way chains use a heavy duty cross chain for longer wear under extreme conditions.



*** NOTE: Order unit is piece
- 2 pieces equal 1 pair.**



Hi-Way Tractor Chains 108 Series

Stock #	NOTE: Partial listing of tire sizes				Weight per piece (Lbs.)	Cross Chain				Side Chain		
						CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
1081010	8.3x22,	8.3x24,	8x24		30.00	0981110	0.375	7	2005510	3007110	0.312	2006420
1082010	8.3x28,	9.5x24			35.00	0981110	0.375	7	2005510	3007010	0.312	2006420
1082210	12.5x18,	12.5x80x18,	11.2x24,	9.5x28	38.00	0981210	0.375	8	2005510	3007110	0.312	2006420
1083010	400x70-18,	340/80-20,	12.4x24		42.00	0981410	0.375	10	2005510	3007010	0.312	2006420
1083210	10x28,	11.2x28,	9.5x32		39.00	0981210	0.375	8	2005510	3007110	0.312	2006420
1083510	13.5x16.1,	13.6x16			32.00	0981610	0.375	11	2005510	3007110	0.312	2006420
1084410	11.2x34,	11.2x36,	11.2x38		52.00	0981210	0.375	8	2005510	3007010	0.312	2006420
1084610	13.6x24,	12.4x28,	11.2x30,	340/85-24	43.00	0981410	0.375	10	2005510	3007110	0.312	2006420
1084910	320/85/-34,	12.4x36,	12.4x38		53.00	0981410	0.375	10	2005510	3007110	0.312	2006420
1085410	380/85-34,	13.9x36,	13.6x38,	290/90-42,	59.00	0981610	0.375	11	2005510	3007110	0.312	2006420
1087110	44x16x20,	14.9x24,	380/85-24,	420/70-24,	48.00	0981610	0.375	11	2005510	3007110	0.312	2006420
1087710	14.9x26,	14.9x28,	380x85-28,	420/70-28	54.00	0981610	0.375	11	2005510	3007010	0.312	2006420
1087910	16.9x24,	16.9x26,	17.5x24,	420/80-26,	53.00	0981910	0.375	13	2005510	3007110	0.312	2006420
	425/85-26,	440/65-38										
1088010	460/85-38,	18.4x42			103.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1088210	18.4x24,	18.4x26,	19.5x24		73.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1088310	18.4x16.1				55.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1088410	18.4x28				76.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1088510	18.4x30				82.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1088610	14.9x38,	380/80-38			62.00	0981610	0.375	11	2005510	3007110	0.312	2006420
1088710	21Lx24,	18.4x34			87.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1088810	16.9x34,	15.5x38			64.00	0981910	0.375	13	2005510	3007110	0.312	2006420
1088910	18.4x46,	480/80-42			108.00	0981710	0.437	14	2005710	3007110	0.312	2009320
1089110	16.9x38				68.00	0981910	0.375	13	2005510	3007110	0.312	2006420
*1089310	20.8x42,	520/85-38			113.00	0985510	0.437	15	2005710	3007110	0.312	2009320
1089410	16.9x28,	16.9x30			57.00	0981910	0.375	13	2005510	3007110	0.312	2006420
1089510	23.1x26,	600/65-28			98.00	0982210	0.437	18	2005710	3009010	0.375	2009320
1089710	23.1x34,	24.5x32			110.00	0982210	0.437	18	2005710	3007110	0.312	2009320
1089810	18.4x38,	14.9x46			98.00	0981710	0.437	14	2005710	3007110	0.312	2009320
*1089910	20.8x38				108.00	0985510	0.437	15	2005710	3007110	0.312	2009320

Packaged: 1 piece per bag (*1/2 pair per drum)


Order unit: Piece

NOTE: Order unit is piece - 2 pieces equal 1 pair.

This is only a partial listing of tire size applications. For complete, up-to-date listings, please refer to pages 10-20, or to our website at: www.peerlesschain.com.

Refer to vehicle owner's manual for any traction product limitations.

QUIK GRIP



Ladder Style Farm Tractor - Type OTR

Stock #	NOTE: Partial listing of tire sizes	Weight per pair (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
*QG0822	8.3-24	65.50	QG6435	0.375	11	QG20054	QG30070	0.312	QG20065
QG0832	7.2-24, 9.5-24	71.00	QG6435	0.375	11	QG20054	QG30070	0.312	QG20065
QG0834	12.5/80-18	72.00	QG6445	0.375	14	QG20055	QG30070	0.312	QG20065
QG0836	9.5-28, 11.2-24, 15-19.5 NHS	84.00	QG6445	0.375	14	QG20055	QG30070	0.312	QG20065
QG0838	9.5-32, 11.2-28, 11.2-30, 13.50-16.1	97.50	QG6445	0.375	14	QG20055	QG30070	0.312	QG20065
QG0850	12.4-16, 13.6-16, 14-17.5	76.00	QG7420	0.375	16	QG20055	QG30070	0.312	QG20065
QG0852	12.2-24, 12.4-24, 15-22.5, 41 x14.00-20 NHS, 355/80-20 IND	90.00	QG6445	0.375	14	QG20055	QG30070	0.312	QG20065
QG0856	11.2-32, 12.4-28	104.00	QG6445	0.375	14	QG20055	QG30070	0.312	QG20065
QG0859	13.6-28, 14.9-24	112.00	QG7420	0.375	16	QG20055	QG30070	0.312	QG20065
QG0862	9.5-36, 9.5-38, 9.5-42, 11.2-38, 12.4-36, 12.4-38, 320/85-38	125.00	QG6445	0.375	14	QG20055	QG30070	0.312	QG20065
QG0866	12.4-40, 12.4-42, 13.6-36, 13.6-38, 13.9-36	142.00	QG7420	0.375	16	QG20055	QG30070	0.312	QG20065
QG0869	14.9-26, 14.9-28, 380/85-28, 385/95-25, 420/70-28	121.00	QG7420	0.375	16	QG20055	QG30070	0.312	QG20065
QG0874	16.9-24, 17.5L-24, 445/80-22.5	126.00	QG7426	0.375	19	QG20055	QG30070	0.312	QG20065
QG0876	14.9-30, 16.9-26, 16.9-28, 380/85-30, 420/85-28, 440/80-28	134.00	QG7426	0.375	19	QG20055	QG30070	0.312	QG20065
QG0877	16.9-30, 380/85-34	142.00	QG7426	0.375	19	QG20055	QG30070	0.312	QG20065
QG0879	15.5-38, 16.9-34, 380/80-38, 420/85-34, 420/90-30	150.00	QG7426	0.375	19	QG20055	QG30070	0.312	QG20065
QG0880	16.9-38	165.00	QG7426	0.375	19	QG20055	QG30070	0.312	QG20065
QG0882	21.5-16, 21.5L-16.1	154.00	QG9562	0.437	17	QG20058	QG30090	0.375	QG20066
QG0883	18.4-24, 18.4-26, 19.5L-24, 480/70-28, 480/70-30, 550/65-25	174.00	QG9562	0.437	17	QG20058	QG30090	0.375	QG20066
QG0885	18.4-30, 21L-24	194.00	QG9562	0.437	17	QG20058	QG30090	0.375	QG20066
QG0887	18.4-34	208.00	QG9562	0.437	17	QG20058	QG30090	0.375	QG20066
QG0889	18.4-38, 480/80-38	223.00	QG9562	0.437	17	QG20058	QG30090	0.375	QG20066
QG0891	23.1-26	214.00	QG9567	0.437	22	QG20058	QG30090	0.375	QG20066
QG0893	23.1-30	242.00	QG9567	0.437	22	QG20058	QG30090	0.375	QG20066

Packaged: 1/2 pair per bag (* Packaged 1 pair per bag)

Order unit: Pair



NOT for highway use.

• Adjacent cross chains interconnected to prevent cross chain from dropping into the grooves of the tire tread.
Maximum traction in extreme mud or snow conditions.

*** NOTE: Order unit is piece / 2 pieces equal 1 pair.**

Duo-Trac Tractor Chain -107 Series (Off Road Use)

Stock #	NOTE: Partial listing of tire sizes	Weight per piece (Lbs.)	Cross Chain				Side Chain		
			CC Stock #	Dia. (Inches)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
1070010	7x12	11.00	0960810	0.234	9	2005110	3004010	0.234	2034030
1070110	7x14, 25x8.50x14	12.00	0960810	0.234	9	2005110	3004010	0.234	2034030
1070210	7x16, 6.00x16	13.00	0960810	0.234	9	2005510	3004010	0.234	2034030
1070310	8x16, 8.3x16	15.00	0961010	0.234	11	2005510	3004010	0.234	2034030
1070710	9.5x16, 29x12.5x16	32.00	0970810	0.375	9	2005510	3007010	0.312	2006420
1070810	31x15.50x15, 11.2x16, 8.3x22	38.00	0970810	0.375	9	2005510	3007010	0.312	2006420
1070910	12.4x16, 12x16.00, 12.5x16, 9.5x20	40.00	0970810	0.375	9	2005510	3007010	0.312	2006420
1071010	8.3x24, 8x24	40.00	0970810	0.375	9	2005510	3007110	0.312	2006420
1071210	12x16.5	34.00	0970810	0.375	9	2005510	3007010	0.312	2006420
1072010	9.5x24, 340/80-18	45.00	0971010	0.375	11	2005510	3007110	0.312	2006420
1072210	340x80-20, 360/70-20, 11.2x24, 41x14.00x20	47.00	0971010	0.375	11	2005510	3007110	0.312	2006420
1073010	43x16x20, 12.4x24, 11.2x28, 10x28	51.00	0971010	0.375	11	2005510	3007110	0.312	2006420
1073410	12.4x28, 11.2x30, 9.5x32	53.00	0971010	0.375	11	2005510	3007110	0.312	2006420
1074410	11.2x34, 11.2x36	60.00	0971010	0.375	11	2005510	3007110	0.312	2006420
1074810	320/85-34, 12.4x36, 11.2x38, 12.4x38	67.00	0971010	0.375	11	2005510	3007110	0.312	2006420
1077010	44x18x20, 13.00x20, 14.9x24, 13.00x24, 13.6x24/26	50.00	0971210	0.375	13	2005510	3007110	0.312	2006420
1077410	15x19.5	48.00	0971210	0.375	13	2005510	3007010	0.312	2006420
1077610	49x16x20, 420/70-24, 17.5x24, 15.5x25, 14.9x26, 420/70-26, 13.6x28	58.00	0971210	0.375	13	2005510	3007110	0.312	2006420
1077810	14x24, 14.9x28, 380x85-28, 420x70-28	64.00	0971210	0.375	13	2005510	3007110	0.312	2006420
1078410	380/85-30, 14.9x30, 13.6x36, 13.9x36	65.00	0971210	0.375	13	2005510	3007110	0.312	2006420
1078610	380/85-34, 14.9x34, 13.6x38, 290/90-42	72.00	0971210	0.375	13	2005510	3007110	0.312	2006420
1078710	460/85-38, 18.4x42, 420/80x46	100.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1078810	18.4x46, 480/80-46	109.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1078910	14.9x38, 380/80-38	75.00	0971210	0.375	13	2005510	3007110	0.312	2006420
1079010	23.1x38, 20.8x42, 520/85-38	138.00	0972610	0.437	18	2005710	3007110	0.312	2009320
1079110	460/70-24, 16.9x24, 17.5x25, 16.9x26, 17.5x26, 420/80-26, 425/85-26, 420/70-30	64.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1079310	18.4x24, 19.5x24, 16.9x28, 420/85-28	71.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1079410	18.4x26/28, 16.9x30	72.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1079510	600/65-28, 23.1x30, 20.8x34	122.00	0972610	0.437	18	2005710	3007110	0.312	2009320
1079610	21Lx24, 480/65-24, 20.5x25, 550/65-25, 555/70-25, 18.4x30, 16.9x34, 15.5x38	75.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1079710	24.5x32, 23.1x32, 23.1x34, 20.8x38	125.00	0972610	0.437	18	2005710	3007110	0.312	2009320
1079810	18.4x38, 480/80-38, 14.9x46	91.00	0971410	0.375	15	2005510	3007110	0.312	2006420
1079910	21Lx28, 18.4x34, 16.9x38, 480/85-34	83.00	0971410	0.375	15	2005510	3007110	0.312	2006420

Packaged: 1/2 pair per bag

Order unit: Piece

* NOTE: Order unit is piece - 2 pieces equal 1 pair.

QUIK GRIP




NOT for highway use.

• Adjacent cross chains interconnected to prevent cross chain from dropping into the grooves of the tire tread.
Maximum traction in extreme mud or snow conditions.

*** NOTE: 2 link back space on last cross chain section of each 1/2 pair.**

Farm Tractor & Industrial Type - Twin Grip (Off Road Use)

Stock #	NOTE: Partial listing of tire sizes					Weight per pair (Lbs.)	Cross Chain				Side Chain		
							CC Stock #	Dia. (mm)	No. of links	CC Hook #	SC Stock #	Dia. (Inches)	Fastener Stock #
QG9338	9.5-32,	12.2-24				110.80	QG8330	0.375	11	QG20054	QG30070	0.375	QG20065
*QG9342	9.5-36,	11.2-28,	11.2-30,	11.2-32,	12.4-28,	123.50	QG8330	0.375	11	QG20054	QG30070	0.375	QG20065
	250/95-34												
*QG9346	9.5-40,	11.2-34,	11.2-36,	290/95-34		136.00	QG8330	0.375	11	QG20054	QG30070	0.375	QG20065
*QG9348	9.5-42,	11.2-38,	11.2-40,	12.4-36,	12.4-38,	154.00	QG8330	0.375	11	QG20054	QG30070	0.375	QG20065
	320/85-38												
QG9373	13.6-26					125.00	QG8350	0.375	14	QG20054	QG30070	0.375	QG20065
*QG9374	13.6-28,	14.9-24,	14.9-26,	14.9-28,	380/85-28,	142.00	QG8350	0.375	14	QG20054	QG30070	0.375	QG20065
	385/95-25,	420/70-28											
*QG9376	13.6-36,	13.9-36,	14.9-30,	380/85-30		158.00	QG8350	0.375	14	QG20054	QG30070	0.375	QG20065
QG9377	13.6-38					156.00	QG8350	0.375	14	QG20054	QG30070	0.375	QG20065
*QG9379	14.9-36,	14.9-38,	320/90-42			180.00	QG8350	0.375	14	QG20054	QG30070	0.375	QG20065
*QG9387	16.9-24					135.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
QG9389	16.9-26,	16.9-28,	18.34-24,	19.5L-24,	21.5-16,	154.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
	21.5L-16.1,	420/85-28,	440/80-28,	480/70-28									
QG9391	16.9-32,	18.4-28				166.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
*QG9392	15.5-38,	16.9-30,	18.4-26,	380/80-38,	380/85-34,	175.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
	420/90-30												
QG9394	16.9-34,	16.9-38,	18.4-30,	18.4-34,	420/85-34	192.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
*QG9396	18.4-38,	480/80-38				201.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
QG9397	20.8-34,	23.1-26,	23.1-30			202.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
QG9398	20.8-38,	23.1-34,	24.5-32			230.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20065
QG9399	18.4-42,	18.4-46				240.00	QG8360	0.375	16	QG20054	QG30070	0.375	QG20062XL

Packaged: 1/2 pair per bag

Order unit: Pair

Build Your Own Duo-Trac Chains Replacement cross chains and end members, see pages 71-72.

- Each drum contains enough chain to make 2 pair of the longest chain in each category and includes connectors and fasteners. Stock only 4 sizes of each style for complete coverage in both Highway tractor and Duo-trac (off-road) tractor.



- Continuous length chain for in-store assembly of chains.
 - NO WASTE** – short ends can be re-connected or sold as repair parts.
 - Eliminate inventories for low use sizes.
- Always have the right size available – Deliver right now.

Build Your Own Hi-Way 198 Series Type FHT Tire Chains



Stock #	NOTE: Partial listing of tire sizes				Weight per Drum (Lbs.)	Cross Chain					Side Chain		
	CC per Drum	CC Stock #	Dia. (Inches)	No. of Links		CC Hook #	Length per Drum (ft)	Dia. (Inches)	Fastener Stock #				
1981210	9.5x16, 11.2x24, 11.2x34	10x16.5, 9.5x28, 11.2x38	9.5x24, 11.2x28, 9.5x40	8.3x24, 9.5x32, 11.2x36	243.00	81	0981210	0.375	8	2005510	51.5	0.312	2009320
1981610	13.6x16, 13.6x24, 13.6x26, 14.9x28, 13.9x36, 15.5x38	15x19.5, 14.0x24, 14.9x26, 14.9x30, 12.4x38, 12.4x40	12.4x24, 14.9x24, 12.4x28, 12.4x36, 13.6x38, 13.6x40	13.0x24, 15.5x25, 13.6x28, 13.6x36, 14.9x38, 12.4x42	311.00	89	0981610	0.375	11	2005510	57.0	0.312	2009320
1981910	16.9x24, 16.9x28	17.5x24, 16.9x30	17.5x25, 16.9x34	16.9x26, 16.9x38	342.00	89	0981910	0.375	13	2005510	57.0	0.312	2009320
1982110	18.4x16.1, 20.5x25, 18.4x38	18.4x24, 18.4x26, 18.4x42	19.5x24, 18.4x30, 18.4x28	21x24, 18.4x34, 20.8x38	420.00	97	0982110	0.375	16	2005510	62.0	0.312	2009320

Packaged: Bulk drum

Order unit: Each

Build Your Own Duo-Trac 197 Series Type DT Tire Chains



*** NOTE: Extra heavy duty 11/0 cross chain**

Stock #	NOTE: Partial listing of tire sizes				Drum Type	Weight per Drum (Lbs.)	Cross Chain					Side Chain		
	CC per Drum	CC Stock #	Dia. (Inches)	No. of Links			CC Hook #	Length per Drum (ft)	Dia. (Inches)	Fastener Stock #				
1971010	9.5x16, 11.2x24, 11.2x28, 11.2x32, 11.2x36, 12.4x38	12x16.5, 12.4x24, 12.4x28, 9.5x34, 12.4x36, 9.5x40	8.3x24, 12.4x26, 11.2x30, 11.2x34, 9.5x38, 11.2x40	9.5x24, 9.5x28, 9.5x32, 9.5x36, 11.2x38, 9.5x42	DTA	321	40	0971010	0.375	11	2005510	53	0.312	2009320
1971210	13.6x16, 14.0x24, 14.9x26, 13.6x38, 14.9x36	44x18x20, 14.9x24, 13.6x28, 13.6x40, 14.9x38	13.0x24, 15.5x25, 14.9x28, 13.9x36, 14.9x30	13.6x24, 13.6x26, 13.6x36, 14.9x30	DBA	381	44	0971210	0.375	13	2005510	58	0.312	2009320
1971410	18.4x16, 19.5x24, 23.5x25, 16.9x28, 23.1x30, 18.4x34, 15.5x38, 18.4x42	16.9x24, 21x24, 16.9x26, 18.4x28, 16.9x32, 20.8x34, 16.9x38, 20.8x42	17.5x24, 17.5x25, 18.4x26, 16.9x30, 24.5x32, 23.1x34, 18.4x38	18.4x24, 20.5-25, 23.1x26, 18.4x30, 16.9x34, 480/85-34, 20.8x38	DTC	496	52	0971410	0.375	15	2005510	68.5	0.312	2009320
*1972610	20.8x34, 20.8x38	20.8x38, 20.8x42	20.8x42, 23.1x25		DTD	642	40	0972610	0.437	18	2005710	60.0	0.375	2009320

Packaged: Bulk drum

Order unit: Each



MAX-TRAC Snowblower & Garden Tractor Tire Chains



Chain tensioners: **SMALL** (QG20025), **MEDIUM** (QG20030), or **LARGE** (QG20032) are recommended if applicable.

- Available in **2 LINK** and **4 LINK** spacing.

*** Deep lug tires 4/0 (0.234) cross chain.**

Stock		NOTE: Partial listing of tire sizes				Tensioner Size	2-LINK cross chain spacing		4-LINK cross chain spacing	
2-LINK	4-LINK						No. of Cross Chains per 1/2 pair	Weight per pair (Lbs.)	No. of Cross Chains per 1/2 pair	Weight per pair (Lbs.)
1060156	-	10x2.75,	10x10.50x2.75		-	10	3.00	-	-	
1060256	-	9.5x3,	10.25x3.25, 10x3.50		-	10	4.00	-	-	
1060356	-	12x3,	10.5x4.50x4, 4.10/3.50x5		S	10	5.00	-	-	
1060456	-	4.10/3.50x4,	3.40/3.00x5		S	9	4.00	-	-	
1060856	-	4.10x3.50x6,	11x4x4, 12x3.25, 12.25x3.50, 12x4x6, 4.10x3.50x8		S	11	5.00	-	-	
1061056	-	5.30/4.50x6,	14x5.00x6, 15x3.50x6, 13x4x8, 14x5.30x6		S	14	7.00	-	-	
1061256	-	12.5x4.50x6,	12x7x4, 13x4.00x5, 10x6x6, 13x5.00x6, 5.3x12, 13x4x6, 13x4.1, 13x5.00x7		S	12	5.00	-	-	
1061556	-	4.00x4.80x8			M	16	8.00	-	-	
1061756	-	14x5.50x5,	15x5.00x6, 15.5x5x6, 15x6.00x6		S	12	7.00	-	-	
1061856	-	18x6.50x8,	17x8x8, 18x7x8		M	16	11.00	-	-	
1062056	1062055	5.00x5.70x8,	16x6.50x8, 16x5.50x8		M	13	9.00	7	6.00	
1062156	1062155	16x7.50x8,	18x8.50x8		M	14	11.00	7	7.00	
1062256	1062255	18x8.50x10,	18x9.50x8, 19x9.50x8		M	14	11.00	7	7.00	
1062656	1062655	20x7x12,	20x8.00x8, 20x8.00x10, 20x9.00x8, 21x7x10		L	16	12.00	8	8.00	
1062756	1062755	20x9.00x10,	20x10.00x8, 22x10x8, 20x10.00x10, 21x8x10		L	16	15.00	8	10.00	
1062856	-	22x9.50x12,	22x8x12		L	18	14.00	-	-	
1062956	1062955	22x8x10,	8x12, 22x9x12, 23x6.50x12, 23x8.50x12		L	20	15.00	10	9.00	
1063056	1063055	20x10.5x12,	21x10.50x12, 21x11.00x8, 22x10x12, 23x9.50x12, 24x8.50x12, 24x8.00x14, 22x10x10		L	20	15.00	10	10.00	
1063156	1063155	22x11.00x8,	22x11x10, 23x10.00x12, 23x10.50x12, 24x9.50x12		L	19	17.00	10	11.00	
1063456	1063455	25x10x8,	24x13x12, 26x10x12, 26x11x12, 26x12x12		L	22	22.00	11	13.00	
1063856	1063855	22.5x12x9,	26x13.00x10, 29x12x15		L	25	26.00	13	17.00	
1063956	1063955	24x12x10,	24x12.00-12		L	18	18.00	-	-	
*1065056	-	4.10/3.50-4			S	9	6.00	-	-	
*1065156	-	12.00x3.50x6,	4.10/3.50x6		S	11	7.00	-	-	
*1065256	-	4.00/4.80x8,	16x4.8x8		S	15	12.00	-	-	
*1065356	-	16x6.50x8,	16x6.50x6		S	13	13.00	-	-	
*1065556	-	13x5.00x6,	14x4.00x6		S	11	9.00	-	-	

Packaged: 1 pair per carton

Order unit: Pair



ATV-TRAC / ATV V-Bar Tire Chain (Off Road Use)



Chain tensioners (QG20032/fits all sizes, or QG20048 up to 12" rims) are recommended.

- Available in **2 LINK** and **4 LINK** spacing.

Stock		<i>NOTE: Partial listing of tire sizes</i>						2-LINK cross chain spacing		4-LINK cross chain spacing	
2-LINK	4-LINK							No. of Cross Chains per 1/2 pair	Weight per pair (Lbs.)	No. of Cross Chains per 1/2 pair	Weight per pair (Lbs.)
1064156	1064155	21x9x10, 22x10x9, 22x9x10,	21x10x12, 22x10x10, 22x9x12,	22x8x10, 23x7x10, 23x8.5x12	22x8x12, 23x8x10,	22x9x8, 23x8x11,	22x10x8, 23x10x10,	19	24.00	10	14.00
1064356	1064355	23x10.5x12, 24x13x9, 25x12x10, 25x10.50x12,	24x11x8, 25x10x10, 25x11x9, 26x9x12,	24x11x9, 25x10x12, 22x12.50x10, 26x10x12,	24x11x10, 25x11x10, 24x10.50x10, 26x9x14,	24x11x12, 25x11x12, 25x10x11, 255/65-12,	24x11.5-10, 25x12x9, 24x11.50x12, 27x8x12	21	29.00	11	17.00
1064556	1064555	22x11x8, 24x10x11,	22x11x9, 24x10x12	22x11x10,	23x11x10,	24x9x11,	24x9.5x10,	19	26.00	10	16.00
1064656	1064655	24x8x11,	24x8x12,	26x8x12,	24x9x12,	25x8x12,	6x16	20	24.00	11	15.00
1064756	1064755	25x12x11, 26x11x14,	25x12x12, 25x13x9	26x11x12,	26x12x12,	27x11x12,	28x10x12,	24	32.00	13	20.00

Packaged: 1 pair per carton

Order unit: Pair

SHOWN: 2-Link spacing, V-Bar with optional QG20048 chain tensioner.



Packaged in corrugated cartons. Clear step-by-step installation and removal instructions included. All packaging is UPC coded for inventory control and point-of-purchase.



Replacement Crossmembers

Super Z	67 - 68
Z-Chain	68
Alloy Radial Chain.....	68

Replacement Cross Chains

Quik Grip Bulk Packaging	69 - 70
Quik Grip Retail Packaging	70
Domestic Bulk Packaging	71 - 73
Whitestar Alloy	73
Diamond Blue	73

Tensioners

Rubber Tensioners	73 - 74
Multi-Arm Chain Tensioners	74
Link Chain Spring Tensioners	74

Other Repair Parts

Tensioner Hooks	75
Fastener Speed Hooks	76 - 77
Swivel Hooks	77
End Hooks	77
Center Draw Fastener	75
Fastener Repair Kit	76
End Fasteners	76
Cross Chain Repair Link	78
Side Chains	78
Cross Chains	78

Tools

Lever	79
Repair Pliers & Jaws	79
Bolt/Chain Cutter	79
Alloy Radial Chain Repair	79
Tool Kit	79
Iceman Ice Scraper	79

ACCESSORIES






Super Z® Replacement Crossmember (Passenger/LT)

Stock #	Use on final assembly #	Overall length (Inches)	Weight per ctn (Lbs.)	Factory packaging
SZ1334	SZ315	12.00	2.50	6 bags per ctn
SZ1336	SZ319	13.00	2.40	6 bags per ctn
SZ1338	SZ323, SZ327, SZ329	14.00	2.60	6 bags per ctn
SZ1340	SZ331	15.00	2.70	6 bags per ctn
SZ1342	SZ335, SZ339	16.00	2.90	6 bags per ctn
SZ1344	SZ343	17.00	3.00	6 bags per ctn
ZT1742	ZT729, ZT735	17.00	7.20	10 bags per ctn
ZT1744	ZT741	18.00	7.40	10 bags per ctn
ZT1746	ZT747, ZT751	19.00	7.90	10 bags per ctn

Packaged: 2 per poly bag with header card

Order unit: Pair


Super Z® Crossmember repair:



1 Lay the chains down with the flat side of the eyelets (Marked TIRE SIDE) towards the ground.



2 Open the eyelet flap (about 20°-30°) and take the old crossmember out through the hole in the flat side of the eyelet.



3 Insert the new crossmember through the hole in the flat side of the eyelet.



4 Close with a hammer and make sure that the crossmember is securely seated in the eyelet.



Super Z® Replacement Crossmember (Truck Single)

Stock #	Use on final assembly #	Overall length (Inches)	Weight per ctn (Lbs.)	Factory packaging
ZT8259	ZT835	19.00	9.00	10 per carton
ZT8261	ZT837, ZT841	20.00	9.10	10 per carton
ZT8263	ZT853, ZT859, ZT865, ZT869, ZT881	21.00	9.00	10 per carton
ZT8265	ZT877, ZT887, ZT-118	22.00	9.20	10 per carton
ZT8267	ZT891, ZT892	24.00	10.50	10 per carton
ZT8269	ZT897	26.00	11.10	10 per carton
ZT8275	ZT896	29.00	12.60	10 per carton
ZT8277	ZT899	27.00	11.60	10 per carton
ZT8283	ZT898	31.00	13.30	10 per carton

Packaged: Bulk

Order unit: Each



Super Z® Replacement Crossmember (OTR)

Stock #	Use on final assembly #	Overall length (Inches)	Weight per ctn (Lbs.)	Factory packaging
ZT1532	ZT-132	26.00	9.00	10 per carton
ZT1541	ZT-141	30.00	11.00	10 per carton
ZT1543	ZT-143	32.00	12.50	10 per carton
ZT1545	ZT-145	38.00	14.00	10 per carton

Packaged: Bulk

Order unit: Each



Super Z® QuikDraw™ Replacement Crossmember (Dual/Triple)

Stock #	Use on final assembly #	Overall length (Inches)	Weight per ctn (Lbs.)	Factory packaging
ZT9932	ZT948	32.00	16.00	5 per carton
ZT9933	ZT956	33.00	16.00	5 per carton
ZT9934	ZT962	34.00	16.00	5 per carton
ZT9935	ZT970, ZT982	35.00	17.50	5 per carton
ZT9936	ZT990	36.00	17.50	5 per carton

Packaged: Bulk

Order unit: Each



Z-Chain® Replacement Crossmember

Stock #	Use on final assembly #	Overall length (Inches)	Weight per ctn (Lbs.)	Factory packaging
Z-9380	Z-539	14.00	6.20	10 per carton
Z-9384	Z-547	15.50	6.80	10 per carton
Z-9388	Z-555, Z-563	16.00	7.00	10 per carton
Z-9390	Z-571	16.50	7.20	10 per carton
Z-9394	Z-575, Z-579	17.00	7.20	10 per carton
Z-9398	Z-583	18.00	7.60	10 per carton

Packaged: 2 per poly bag with header card

Order unit: Pair



Alloy Radial Chain® Replacement Crossmember

Stock #	Use on final assembly #	Overall length (Inches)	Weight per ctn (Lbs.)	Factory packaging
TC8611	TA1939, TA1941	14.89	3.50	10 per carton
TC8615	TA1943	15.94	3.50	10 per carton
TC8619	TA1945	16.88	4.00	10 per carton
TC8623	TA1947, TA1949	17.44	4.00	10 per carton
TC8627	TA1951	18.00	4.00	10 per carton
TC8637	TA2071	23.00	5.30	10 per carton
TC8639	TA2069	24.00	5.50	10 per carton
TC8754	TA3939, TA3941	28.00	2.40	6 per carton
TC8758	TA3943	30.00	2.50	6 per carton
TC8762	TA3945	31.00	2.65	6 per carton
TC8766	TA3947	31.50	2.65	6 per carton
TC8770	TA3949	32.00	2.70	6 per carton

Packaged: Bulk

Order unit: Each

Quik Grip standard link

*Square rod alloy




Quik Grip® Regular Link & Square Rod Replacement Cross Chain with End Hooks (Bulk packaging)

Stock #	Number of links	Diameter of links (Inches)		Inside length Cross chain with end hooks (In.)	Cross chain end hook number	Weight per bag (Lbs.)	Factory packaging
QG5414	7	11/64	0.177	10.38	QG20056	11.50	50 / bag
QG5419	8	11/64	0.177	11.56	QG20056	13.00	50 / bag
QG5420	9	11/64	0.177	12.74	QG20056	14.00	50 / bag
QG5422	10	11/64	0.177	13.92	QG20056	15.00	50 / bag
*QG6046	11	5.5mm x 5.5mm	-	13.89	QG20051	15.25	25 / bag
*QG6048	13	5.5mm x 5.5mm	-	15.93	QG20051	17.25	25 / bag
*QG6121	10	5.5mm x 5.5mm	-	12.88	QG20151	14.60	25 / bag
*QG6125	12	5.5mm x 5.5mm	-	14.92	QG20151	20.00	25 / bag
*QG6153	13	7mm x 7mm	-	15.75	QG20154	31.90	25 / bag
*QG6155	15	7mm x 7mm	-	17.75	QG20154	35.50	25 / bag
*QG6160	9	8mm x 8mm	-	16.08	QG20154	32.50	25 / bag
*QG6163	11	8mm x 8mm	-	18.88	QG20154	37.50	25 / bag
QG6219	9	15/64	0.234	12.12	QG20051	27.50	50 / bag
QG6221	10	15/64	0.234	13.12	QG20051	30.00	50 / bag
QG6222	10	5/16	0.312	14.34	QG20054	31.20	25 / bag
QG6225	12	15/64	0.234	15.12	QG20051	33.00	50 / bag
QG6226	12	5/16	0.312	16.50	QG20054	75.00	50 / bag
QG6227	13	15/64	0.234	16.12	QG20051	35.00	50 / bag
QG6229	14	15/64	0.234	17.12	QG20051	35.00	50 / bag
QG6251	9	9/32	0.281	14.37	QG20053	47.00	50 / bag
QG6253	10	9/32	0.281	15.62	QG20053	51.00	50 / bag
QG6255	11	9/32	0.281	16.87	QG20053	62.50	50 / bag
QG6256	8	5/16	0.312	14.62	QG20054	60.00	50 / bag
QG6259	12	9/32	0.281	18.12	QG20053	58.00	50 / bag
QG6260	9	5/16	0.312	16.01	QG20054	32.50	25 / bag
QG6263	10	5/16	0.312	17.40	QG20054	38.00	25 / bag
QG6265	16	9/32	0.281	23.12	QG20053	37.50	25 / bag
QG6266	11	5/16	0.312	18.79	QG20054	35.00	25 / bag
QG6426	10	3/8	0.375	16.12	QG20054	50.00	25 / bag
QG6435	11	3/8	0.375	17.36	QG20054	55.00	25 / bag
QG6436	12	3/8	0.375	18.62	qg20054	58.00	25 / bag
QG6438	13	3/8	0.375	19.88	qg20054	62.00	25 / bag
QG6445	14	3/8	0.375	21.14	QG20055	65.00	25 / bag
QG6630R	17	3/8	0.375	25.00	QG20055	79.00	25 / bag
QG6640	15	7/16	0.437	28.18	QG20058	44.00	10 / bag
QG6650	19	7/16	0.437	34.43	QG20058	54.00	10 / bag
QG6660	20	17/32	0.531	39.43	QG20059	94.00	10 / bag
QG7213	13	5/16	0.312	21.57	QG20054	42.50	25 / bag
QG7214	14	5/16	0.312	22.96	QG20054	44.00	25 / bag
QG7215	15	5/16	0.312	24.35	QG20054	46.00	25 / bag
QG7216	20	5/16	0.312	31.30	QG20054	57.00	25 / bag
QG7420	16	3/8	0.375	23.66	QG20055	68.00	25 / bag
QG7426	19	3/8	0.375	27.44	QG20055	65.00	20 / bag
QG9562	17	7/16	0.437	31.29	QG20058	49.00	10 / bag
QG9567	22	7/16	0.437	39.09	QG20058	60.00	10 / bag

Packaged: Bulk

Order unit: Each



V-Bar Link Chain

Alloy Stud Chain



Quik Grip® V-Bar & *Alloy Stud Chain Replacement Cross Chain with End Hooks (Bulk packaging)

Stock #	Number of links	Diameter of links (Inches)		Inside length Cross chain with end hooks (In.)	Cross chain end hook number	Weight per bag (Lbs.)	Factory packaging
QG5820	9	13/64	0.207	12.03	QG20050	11.00	25 / bag
QG5822	10	13/64	0.207	12.94	QG20050	12.00	25 / bag
QG5830	12	13/64	0.207	13.16	QG20057	13.00	25 / bag
QG5832	13	13/64	0.207	14.08	QG20057	16.00	25 / bag
QG6819	9	15/64	0.234	12.12	QG20051	32.00	50 / bag
QG6821	10	15/64	0.234	13.12	QG20051	33.00	50 / bag
QG6822	9	9/32	0.281	14.37	QG20053	55.00	50 / bag
QG6825	12	15/64	0.234	15.12	QG20051	39.00	50 / bag
QG6826	11	9/32	0.281	16.87	QG20053	74.00	50 / bag
QG6853	10	9/32	0.281	15.62	QG20053	60.00	50 / bag
QG6859	12	9/32	0.281	18.12	QG20053	74.00	50 / bag
QG6860	9	5/16	0.312	16.01	QG20054	37.00	25 / bag
QG6863	10	5/16	0.312	17.40	QG20054	40.00	25 / bag
QG6866	11	5/16	0.312	18.79	QG20054	45.00	25 / bag
*QG56966	11	8mm	0.315	16.14	QG20254	39.25	25 / bag
*QG56968	12	8mm	0.315	17.30	QG20254	42.01	25 / bag
QGV5315	9	9/32	0.281	14.75	QG20054	65.00	50 / bag
QGV5340HD	11	5/16	0.312	18.79	QG20054	44.00	25 / bag
QGV5355	12	5/16	0.312	20.18	QG20054	48.80	25 / bag

Packaged: Bulk


Order unit: Each

Quik Grip® Replacement Cross Chain for Twin Grip Tractor Chain

Stock #	Number of links	Diameter of links (Inches)		Inside length CC with end hook (In.)	Cross chain end hook #	Weight per bag (Lbs)	Factory packaging
QG8330	11	3/8	0.375	22.30	QG20054	60.00	10 / bag
QG8350	14	3/8	0.375	27.40	QG20054	66.00	10 / bag
QG8360	16	3/8	0.375	30.86	QG20054	76.00	10 / bag

Packaged: Bulk

Order unit: Each





Standard Link



Domestic Regular Link Replacement Cross Chain with End Hooks (Bulk packaging)

Stock #	Number of links	Diameter of links (Inches)		Inside length Cross chain with end hooks (In.)	Cross chain end hook number	Weight per bag (Lbs.)	Factory packaging
0621810	8	15/64	0.234	11.44	2005110	13.00	25 / bag
0621910	9	15/64	0.234	12.44	2005110	15.00	25 / bag
0622110	10	15/64	0.234	13.44	2005110	16.00	25 / bag
0622410	11	15/64	0.234	14.44	2005110	18.00	25 / bag
0622510	12	15/64	0.234	15.44	2005110	19.00	25 / bag
0623410	13	5/16	0.312	16.25	2005310	37.00	25 / bag
0625110	9	9/32	0.281	14.38	2005310	24.50	25 / bag
0625310	10	9/32	0.281	15.63	2005310	26.00	25 / bag
0625410	11	9/32	0.281	16.88	2005310	27.00	25 / bag
0625610	8	5/16	0.312	14.94	2005510	33.00	25 / bag
0625910	12	9/32	0.281	18.13	2005310	30.00	25 / bag
0626010	9	5/16	0.312	16.31	2005510	38.00	25 / bag
0626310	10	5/16	0.312	15.63	2005510	40.00	25 / bag
0626510	16	9/32	0.281	23.13	2005310	37.00	25 / bag
0626610	11	5/16	0.312	19.13	2005510	43.00	25 / bag
0626710	17	9/32	0.281	24.38	2005310	38.00	25 / bag
0642610	10	3/8	0.375	16.44	2005510	51.00	25 / bag
0643410	11	3/8	0.375	17.75	2005510	55.00	25 / bag
0643610	12	3/8	0.375	19.00	2005510	59.00	25 / bag
0643810	13	3/8	0.375	20.25	2005510	62.00	25 / bag
0644610	15	3/8	0.375	22.75	2005510	67.00	25 / bag
0664010	15	7/16	0.437	28.55	2005710	45.00	10 / bag
0665010	19	7/16	0.437	34.80	2005710	54.00	10 / bag
0675010	19	17/32	0.531	39.75	2005410	87.00	10 / bag
0675310	22	17/32	0.531	45.31	2005410	100.00	10 / bag
0675610	26	17/32	0.531	52.72	2005410	116.00	10 / bag
0721310	13	5/16	0.312	21.88	2005510	46.00	25 / bag
0721410	14	5/16	0.312	23.25	2005510	48.00	25 / bag
0721510	15	5/16	0.312	24.66	2005510	50.00	25 / bag
0721610	20	5/16	0.312	31.61	2005510	62.00	25 / bag
0742010	16	3/8	0.375	24.01	2005510	70.00	25 / bag
0742210	17	3/8	0.375	25.31	2005510	78.00	25 / bag
0742610	19	3/8	0.375	27.84	2005510	80.00	25 / bag
0981110	7	3/8	0.375	16.50	2005510	44.00	25 / bag
0981210	8	3/8	0.375	18.25	2005510	51.75	25 / bag
0981410	10	3/8	0.375	21.88	2005510	61.00	25 / bag
0981610	11	3/8	0.375	23.63	2005510	65.75	25 / bag
0981710	14	7/16	0.437	32.00	2005710	44.90	10 / bag
0981910	13	3/8	0.375	27.31	2005510	75.00	25 / bag
0982110	16	3/8	0.375	31.63	2005510	35.00	25 / bag
0982210	18	7/16	0.437	39.88	2005710	55.10	10 / bag
0985510	15	7/16	0.437	33.25	2005710	46.30	10 / bag

Packaged: Bulk

Order unit: Each



V-Bar Standard Link

Domestic V-Bar Replacement Cross Chain with End Hooks (Bulk packaging)



Stock #	Number of links	Diameter of links (Inches)		Inside length Cross chain with end hooks (In.)	Cross chain end hook number	Weight per bag (Lbs.)	Factory packaging
0681910	9	15/64	0.234	12.44	2005110	15.00	25 / bag
0682110	10	15/64	0.234	13.44	2005110	16.00	25 / bag
0682210	9	9/32	0.281	14.38	2005310	28.00	25 / bag
0682410	11	15/64	0.234	14.44	2005110	18.00	25 / bag
0682510	12	15/64	0.234	15.44	2005110	19.00	25 / bag
0682610	11	9/32	0.281	16.44	2005310	32.00	25 / bag
0683410	12	9/32	0.281	18.13	2005310	34.00	25 / bag
0683810	12	5/16	0.312	20.40	2005510	48.00	25 / bag
0684610	14	5/16	0.312	23.31	2005510	54.00	25 / bag
0685310	10	9/32	0.281	15.63	2005310	26.00	25 / bag
0686010	9	5/16	0.312	16.31	2005510	38.00	25 / bag
0686310	10	5/16	0.312	17.69	2005510	40.00	25 / bag
0686610	11	5/16	0.312	19.13	2005510	43.00	25 / bag


Packaged: Bulk

Order unit: Each

Domestic Duo-trac Cross Chain "H" Pattern and End Member with *End Hooks



Stock #	Number of links	Diameter of links (Inches)	Inside length CC with end hook (In.)	Cross chain end hook #	Weight per bag (Lbs)	Factory packaging
0960810	9	0.234	12 13/32"	2005110	6.24	5 / bag
0961010	11	0.234	14 13/32"	2005110	7.00	5 / bag
0970810	9	0.375	16 9/32"	2005510	24.00	5 / bag
0971010	11	0.375	19 7/8"	2005510	27.05	5 / bag
0971210	13	0.375	23 1/2"	2005510	30.15	5 / bag
0971410	15	0.375	27 1/8"	2005510	34.95	5 / bag
0972610	18	0.437	35 7/64"	2005710	61.00	5 / bag
*0971218	12	0.375	21 11/16"	2005510	15.00	5 / bag
*0971418	14	0.375	25 5/16"	2005510	15.00	5 / bag
*0972618	17	0.437	33 5/32"	2005710	30.00	5 / bag



Packaged: Bulk

Order unit: Each

* Cross chain end member with end hooks

Domestic Straight Link Side Chain (Non-hardened & *Case hardened)



Stock #	Rod diameter (Inches)	Trade size	Finish	Type	Inside length (Inches)	Weight per 100 ft (Lbs.)	Factory packaging	Bulk part number	Feet per drum
3000110	5/32	#1	Bright Zinc	Passenger	1.24	19.00	100 ft / bag	3000185	1,500
3001010	11/64	1/0	Bright Zinc	Passenger	1.25	23.00	100 ft / bag	3001085	1,500
3002010	3/16	2/0	Bright Zinc	Garden Tractor - PL	1.31	27.00	100 ft / bag	3002085	1,000
3004010	7/32	4/0	Bright Zinc	Light Truck	1.38	31.00	100 ft / bag	3004085	1,000
3006010	9/32	6/0	Bright Zinc	Light Truck - Truck	1.82	53.00	100 ft / bag	3006085	500
3007010	5/16	7/0	Shot Blasted	Truck	1.92	66.00	100 ft / bag	3007085	500
3007110	5/16	7/0	Bright Zinc	Tractor	2.12	64.00	100 ft / bag	3007185	500
3008010	11/32	8/0	Bright Zinc	Truck	2.17	100.00	100 ft / bag	3008085	500
3009010	3/8	9/0	Bright Zinc	OTR - Tractor	2.13	72.00	100 ft / bag	3009085	500
3009510	7/16	11/0	Bright Zinc	OTR	2.12	64.00	100 ft / drum	3009585	350
*3007190	5/16	7/0	Bright Zinc	OTR	2.17	100.00	100 ft / bag	3007195	84
*3009090	3/8	9/0	Bright Zinc	OTR	2.25	149.00	100 ft / bag	3009084	400



Packaged: Bulk

Order unit: Foot



Domestic Twist Link Cross Chain *(Hardened to NACM specifications)*

Stock #	Rod diameter (Inches)	Trade size	Finish	Type	Inside length (Inches)	Weight per bag (Lbs.)	Factory packaging
3011012	0.188	1/0	Bright	Light Truck	0.781	23.00	100 ft / bag
3013012	0.203	3/0	Bright	Light Truck	0.922	35.00	100 ft / bag
3014012	0.234	4/0	Bright	Light Truck	1.000	49.00	100 ft / bag
3016112	0.281	6/0	Bright	Light Truck - Truck	1.240	70.00	100 ft / bag
3017012	0.312	7/0	Bright	Light Truck - Truck (Short pitch)	1.100	98.00	100 ft / bag
3017112	0.312	7/0	Bright	Light Truck - Truck	1.390	83.00	100 ft / bag
3019012	0.375	9/0	Bright	Truck	1.265	66.50	100 ft / bag
3019112	0.375	9/0	Bright	Tractor	1.808	114.00	100 ft / bag
3011112	0.422	11/0	Bright	Tractor, OTR	1.562	84.00	50 ft / bag
3019312	0.437	11/0	Bright	Tractor, OTR	1.950	79.00	50 ft / bag
3019712	0.531	14/0	Bright	Heavy Equipment, OTR	1.850	92.50	50 ft / bag

Packaged: Bulk

Order unit: Foot

Whitestar Alloy® Replacement Cross Chain

Stock #	Number of links	Used on final assembly #	Weight per bag (Lbs)	Factory packaging
WS8553	9 - 7 - 9	WS1604	0.48	1 / bag
WS8557	9 - 7 - 11	WS1605, WS1606	0.50	1 / bag
WS8561	11 - 7 - 11	WS1608	0.55	1 / bag
WS8565	11 - 7 - 13	WS1610	0.57	1 / bag
WS8569	13 - 7 - 13	WS1612, WS1614	0.60	1 / bag
WS8975	11 - 5 - 11	WS1705	0.86	1 / bag
WS8979	13 - 5 - 13	WS1707	0.98	1 / bag

Packaged: 1 per poly bag

Order unit: Each



Diamond Blue® Replacement Cross Chain

Stock #	Number of links	Used on final assembly #	Weight per bag (Lbs)	Factory packaging
DB6051	9 - 5 - 11	DB2141, DB2145, DB2149	20.50	10 / bag
DB6053	11 - 5 - 11	DB2143, DB2147, DB2151	20.50	10 / bag

Packaged: Bulk

Order unit: Each




Cable Chain Rubber Tensioners (2 tensioners per bag)

Stock #	Size (mm)	Used on final assembly #	Weight per bag (Lbs)	Factory packaging
SZ1172	9.5 x 139	SZ115 ~ SZ137, SZ315 ~ SZ335	4.00	10 bags/ctn
SZ1174	10 x 160	SZ139, SZ143, SZ339, SZ343, SZ429, ZT729	5.00	10 bags/ctn
SZ1176	10 x 195	SZ435, SZ441, SZ447, SZ451, ZT735, ZT741, ZT747, ZT751	5.00	10 bags/ctn
SZ1180	12 x 226	SZ462 ~ SZ497	5.50	10 bags/ctn
TA8069	13.5 x 450	TA2069 ~ TA2071, TA3939 ~ TA3949	16.00	12 bags/ctn

Packaged: 2 per poly bag

Order unit: Pair




Super Z® Rubber Tensioners (2 tensioners per bag)

Stock #	Size (mm)	Used on final assembly #	Weight per ctn (Lbs)	Factory packaging
ZT1869	10 x 270	Custom	3.60	6 bags/ctn
ZT1870	10 x 300	ZT881, ZT887, ZT897, ZT899	3.60	6 bags/ctn
ZT1874	10 x 380	ZT-118	3.60	6 bags/ctn
ZT1875	13.5 x 400	Custom	3.60	6 bags/ctn
ZT1876	13.5 x 450	ZT898, ZT-132, ZT-141, ZT-143, ZT-145	3.60	6 bags/ctn
ZT1878	9.5 x 139	Custom	3.60	6 bags/ctn
ZT1882	10 x 195	ZT835, ZT837, ZT841, ZT853, ZT859, ZT865, ZT869, ZT877, ZT891, ZT892, ZT896	3.60	6 bags/ctn

Packaged: 2 per poly bag

Order unit: Pair



Whitestar Alloy® Rubber Tensioners (2 tensioners per bag)

Stock #	Size (mm)	Used on final assembly #	Weight per ctn (Lbs)	Factory packaging
WS8222	10 x 160	WS1604, WS1605, WS1606	4.50	10 bags/ctn
WS8223	10 x 195	WS1608, WS1610, WS1612	5.20	10 bags/ctn
WS8224	12 x 226	WS1614, WS1705, WS1707	7.50	10 bags/ctn

Packaged: 2 per poly bag

Order unit: Pair




Multi-Arm Tire Chain Tensioners (2 tensioners per bag)

Stock #	Description	Used on	Weight per ctn (Lbs)	Factory packaging
QG20007	Rubber w/ 6 hooks	BLUE- Light truck with 16" – 19.5" wheels	8.50	10 bags / ctn
QG20009	Rubber w/ 6 hooks	YELLOW- Truck with 18" – 24.5" wheels	15.0	10 bags / ctn

Packaged: 2 per poly bag

Order unit: Pair



Quik Grip® Link Chain Rubber Tensioners

Stock #	Description	Size (mm)	Used on	Weight per ctn (Lbs)	Factory packaging
QG20025	Rubber w/ 5 hooks	8.5 x 89	Small garden tractor, snow blower	4.00	10 bags / ctn
QG20030	Rubber w/ 4 hooks	9.5 x 139	Medium garden tractor, snow blower	4.00	10 bags / ctn
QG20032	Rubber w/ 4 hooks	10 x 160	Large garden tractor, snow blower & ATV	4.00	10 bags / ctn
QG20069	Rubber w/ 5 hooks	13.5 x 400	Truck link	16.00	12 bags / ctn
QG20070	Rubber w/ 5 hooks	8.5 x 250	Passenger link	20.00	50 bags / ctn
QG20070-10	Rubber w/ 5 hooks	8.5 x 250	Passenger link	5.00	10 bags / ctn
QG20074	Rubber w/ 5 hooks	10.0 x 300	Light truck link	28.00	50 bags / ctn
QG20074-10	Rubber w/ 5 hooks	10.0 x 300	Light truck link	6.00	10 bags / ctn

Packaged: 2 per poly bag

Order unit: Pair




Quik Grip® Link Chain Spring Tensioners

Stock #	Description	Used on	# Springs per tightener	Weight per ctn (Lbs)	Factory packaging
QG20048	Ring and springs	ATV 8"-12" wheels	4	9.00	10 bags / ctn
QG20071	Chain and springs	Light truck link	5	25.00	12 boxes / ctn
QG20072	Chain and springs	Medium truck link	4	45.00	12 boxes / ctn
QG20073	Chain and springs	Large truck link	6	60.00	12 boxes / ctn

Packaged: 1 pair per box

Order unit: Pair



Plastic Replacement Tensioner Hooks

Stock #	Fits hoop size (mm)	Used on final assembly #	Weight per bag (Lbs)	Factory packaging
QG20039	9.5 & 10	QG20030 / QG20032	3.00	12 per bag / 6 bags per ctn
QG20079P	13.5	QG20069	2.80	50 / Bag
SZ1196	9.5 x 10	SZ100, SZ300, SZ435-451 & ZT700 Series	0.60	12 per bag / 6 bags per ctn
SZ1198	12	SZ468-SZ492	0.83	12 per bag / 6 bags per ctn
TA8085	13.5	TA2069 - TA3900 Series	0.50	14 per bag / 6 bags per ctn



Packaged: 1 per poly bag

Order unit: Each

Cable Replacement Tensioner Hooks

Stock #	Color	Used on final assembly #	Weight per ctn (Lbs)	Factory packaging
ZT1807Y	Yellow	All ZT800 & 100 Series	2.00	25 / ctn
ZT1807B	Blue	All ZT800 & 100 Series	2.00	25 / ctn
ZT1807R	Red	All ZT800 & 100 Series	2.00	25 / ctn
ZT1807K	Black	All ZT800 & 100 Series	2.00	25 / ctn



Packaged: Bulk

Order unit: Each

Super Z® Dual/Triple Center Draw Chain Fastener



ZT9970

Weight / Ctn: 2.00 Lbs.
Packaged: Bulk
Factory Package: 10 / ctn
Order Unit: Each

Diamond Blue® Side Chain Hold Down



DB9970

Size: All Diamond Blue Product
Weight / Ctn: 2.5 Lbs.
Factory Package: 10 / ctn
Order Unit: Each

Link Chain Rubber Tensioner Metal Hook

Stock #	Description	Rod Diameter (inches)	Inside length (Inches)	Weight per bag(Lbs)	Factory packaging
QG20075	QG20070	0.156	1.20	2.00	100 / bag
QG20078	QG20074	0.158	1.25	2.25	100 / bag
WS8275	WS1600 & WS1700 Series	N/A	N/A	0.50	50 / bag



QG20075 & QG20078

WS8275

Packaged: Bulk

Order unit: Each

CAM with Long Link (Link not welded)

Stock #	use on:	Weight per bag (Lbs)	Factory packaging
QG20082	Light truck (0.234 side chain)	5.00	25 / bag
QG20083	Truck (0.281 & 0.312 side chain)	11.00	25 / bag
QG20283	Alloy Stud Chain	11.00	25 / bag



Packaged: Bulk

Order unit: Each

CAM Tightening Tools (For Quik Grip and Diamond Blue)



QG20088

Size: For light truck CAM
Weight / Bag: 1.50 Lbs.
Package: Bulk
Factory Package: 10 / bag
Order Unit: Each

QG20095

Size: For truck CAM
Weight / Bag: 3.30 Lbs.
Package: Bulk
Factory Package: 10 / bag
Order Unit: Each



Super Z® Inside Fastener Speed Hook

Stock #	Use on final assembly #	Rod diameter (Inches)	Inside length (Inches)	Weight per ctn (Lbs)	Factory packaging
ZT1802	All ZT800 stock #'s	0.280	1.68	1.50	25 / carton
ZT1803	All ZT100 & ZT900 stock #'s	0.380	2.18	4.00	25 / carton

Packaged: Bulk

Order unit: Each



TA Alloy Radial Chain® Fastener Repair Kit

Stock #	Used on final assembly #	Description	Weight per ctn (Lbs)	Factory packaging
TA8094	All TA truck chains	Complete fastener kit for 1/2 pair	20.00	10 kits / carton

Packaged: 1 kit per bag

Order unit: Each



Link Chain Side Chain End Fastener

Stock #	Type	Weight per bag/ctn (Lbs)	Factory packaging
QG20022	Snowblower/garden tractor (0.122 - 0.150 side chain)	0.75	25 / bag
QG20023	Snowblower/garden tractor (0.162 - 0.192 side chain)	0.75	25 / bag
QG20060	RP passenger & light truck	3.00	25 / bag
QG20061	HD CAM truck (with keeper link)	6.30	25 / bag
QG20062	CTO truck (with keeper link)	9.60	25 / bag
QG20062XL	Stud chain	29.00	50 / bag
QG20063	Light truck	8.00	25 / bag
QG20064	PL passenger	1.00	25 / bag
QG20065	9/32", 5/16" side chain	12.00	25 / bag
QG20066	3/8", 7/16" side chain	23.00	25 / bag
QG20068	9/32", 5/16" with clevis attachment	5.00	10 / bag
*2006420	Tractor	6.00	10 / ctn
*2009320	Heavy Tractor - OTR	10.00	10 / ctn
*2034030	7/32" side chain	4.075	25 / ctn

Packaged: Bulk

Order unit: Each

*Note: Domestic product.



Link Chain Inside Fastener Speed Hook

Domestic Stock #	Factory packaging	Weight per bag (Lbs.)	Import Stock #	Factory packaging	Weight per bag (Lbs.)	Rod diameter (Inches)	Used on final assembly
2008220	25 / bag	2.00	QG20080	100 / bag	6.00	0.250	Passenger, Light truck
2008020	25 / bag	3.00	QG20081	100 / bag	2.00	0.177	PL Passenger
2008420	25 / bag	4.00	QG20084	50 / bag	6.00	0.312	Truck
2008520	10 / bag	3.00	QG20085	50 / bag	9.00	0.375	LT CTO, Mud, Off-Road, Tractor
-	-	-	QG20086	25 / bag	4.00	0.375	CAM, CAM HD
-	-	-	QG20087	50 / bag	24.00	0.393	CTO
-	-	-	QG20186	25 / bag	4.50	0.375	Alloy square rod truck
-	-	-	QG20287	100 / bag	27.50	0.393	Alloy stud chain



Packaged: Bulk

Order unit: Each

Cross Chain Swivel Hooks

Stock #	For use with side chain	For use with cross chain	Type	Weight per bag/ctn (Lbs)	Factory packaging	
QG20098	7/0	0.312	9/0	Swivel hook	13.00	50
QG20099	9/0	0.375	11/0	Swivel hook w/washer	22.50	50
QG20100	11/0	0.437	14/0	Swivel hook w/washer	25.00	50

Packaged: Bulk

Order unit: Each

QG20098



QG20099 & QG20100

Cross Chain End Hook

Domestic Stock #	Factory packaging	Weight per bag (Lbs.)	Import Stock #	Factory packaging	Weight per bag (Lbs.)	Rod diameter (Inches)	Inside length (Inches)	Used on final assembly	
2005010	50 / bag	3.00	QG20050	25 / bag	2.00	13/64	0.207	1.875	Passenger
2005110	50 / bag	5.00	QG20051	25 / bag	2.00	1/4	0.250	1.562	Light Truck
2005310	50 / bag	8.00	QG20053	25 / bag	4.00	5/16	0.312	1.562	Truck
2005510	50 / bag	14.00	QG20054	25 / bag	6.00	3/8	0.375	1.750	Mud, Off-Road, CTO
-	-	-	QG20055	25 / bag	8.00	13/32	0.406	1.750	Tractor, Off-Road
2004610	50 / bag	2.00	QG20056	25 / bag	1.00	11/64	0.177	1.060	PL Passenger
2005710	50 / bag	20.00	QG20057	25 / bag	9.50	13/32	0.406	2.375	Tractor
2005410	50 / bag	23.00	QG20058	25 / bag	11.00	7/16	0.437	2.375	Off-Road
-	-	-	QG20059	25 / bag	19.00	17/32	0.531	2.716	Off-Road
-	-	-	QG20151	25 / bag	2.50	1/4	0.250	1.400	Alloy Square Rod LT
-	-	-	QG20154	25 / bag	5.00	5/16	0.312	1.700	Alloy Square Rod Truck
-	-	-	QG20254	25 / bag	7.00	3/8	0.394	1.752	Alloy Stud Chain

Packaged: Bulk

Order unit: Each



Side Chain End Lap Repair Links

Stock #	Rod diameter (Inches)	Used on final assembly #	Inside length (Inches)	Weight per bag (Lbs)	Factory packaging
8030135	0.219	Passenger	1.00	3.00	100 / ctn
8030235	0.250	Light truck	1.22	3.50	50 / ctn
8030335	0.281	Truck	1.51	7.50	50 / ctn
8030435	0.312	Truck, Large truck	1.65	11.50	50 / ctn
8034435	0.375	Off Road	2.13	13.50	50 / ctn
QG20046	0.207	Passenger (V-shaped)	0.95	4.00	100 / bag

Packaged: Bulk

Order unit: Each



Cross Chain Repair Link (Self closing)

Stock #	Rod diameter (Inches)	Finish	Description	Weight per bag/ctn (Lbs)	Factory packaging
QG20027	0.207	Bright zinc	All passenger	4.00	100 / bag
QG20028	0.250	Lacquer	Light Truck	6.00	100 / bag
QG20029	0.312	Lacquer	Truck	10.00	100 / bag



Packaged: Bulk

Order unit: Each

Straight Link Side Chain (Non-hardened)

*Note: For older model Stud Chains

Stock #	Rod diameter (Inches)		Trade size	Finish	Type	Inside width (Inches)	Inside length (Inches)	Weight per bag (Lbs.)	Factory packaging
QG30005	5/32	0.162	#1	Bright Zinc	PL	0.285	1.251	19.00	100 ft / bag
QG30020	3/16	0.193	2/0	Lacquer	RP	0.339	1.300	26.00	100 ft / bag
QG30040	7/32	0.217	4/0	Lacquer	LSH, DH, RLS	0.354	1.390	34.00	100 ft / bag
QG30060	9/32	0.281	6/0	Lacquer	CAM, LSM, RS, RDT, DH, SH, DTH	0.490	1.812	55.00	100 ft / bag
QG30065	9/32	0.281	6/0	Lacquer	CAM HD	0.500	1.956	55.00	100 ft / bag
QG30070	5/16	0.312	7/0	Lacquer	SM, DTM, OTR, FTH, CTO-RS	0.490	1.921	67.00	100 ft / bag
QG30090	3/8	0.375	9/0	Lacquer	FTH, OTR	0.530	2.172	110.00	100 ft / bag
QG30100	7/16	0.437	11/0	Lacquer	OTR	0.637	2.250	74.00	50 ft / bag
QG30140	7/32	0.217	4/0	Yellow Zinc	For QG Alloy LT	0.354	1.921	34.00	100 ft / bag
QG30160	9/32	0.281	6/0	Yellow Zinc	For QG2100 & QG4100 Series	0.490	1.812	59.00	100 ft / bag
*QG30270	5/16	0.312	7/0	Yellow Zinc	For QGS - Stud Chain	0.490	1.900	74.00	100 ft / bag
QG30272	5/16	0.315	7/0	Self Color	For QGS2900-4900 Stud Chain	0.490	1.968	75.00	100 ft / bag



Packaged: 100 Feet per bag, except QG30100 @ 50ft/bag

Order unit: Foot

Square Rod Alloy Cross Chain (Case-hardened)

Stock #	Rod diameter (mm)	Finish	Type	Inside width (Inches)	Inside length (Inches)	Weight per bag (Lbs.)	Factory packaging	
QG32155	5.5mm SQ	0.217	Yellow Zinc	5.5mm Alloy LT chains	0.350	1.020	23.70	50 ft / bag
QG32160	7mm SQ	0.275	Yellow Zinc	7mm Alloy LT & Truck	0.460	0.995	47.00	50 ft / bag
QG32170	8mm SQ	0.315	Yellow Zinc	8mm Truck	0.525	1.398	45.10	50 ft / bag



Packaged: 50 Feet per bag

Order unit: Foot

Twist Link Cross Chain (Case-hardened)

Stock #	Rod diameter (Inches)	Trade size	Finish	Type	Inside width (Inches)	Inside length (Inches)	Weight per bag (Lbs.)	Factory packaging	
QG32050	15/64	0.234	4/0	Lacquer	Light truck	0.375	1.000	27.00	50 ft / bag
QG32060	9/32	0.281	6/0	Lacquer	Light truck, Truck	0.495	1.250	35.00	50 ft / bag
QG32070	5/16	0.312	7/0	Lacquer	Light truck, Truck	0.525	1.390	41.00	50 ft / bag
QG32090	3/8	0.375	9/0	Lacquer	Truck, Tractor	0.530	1.265	66.00	50 ft / bag
QG32100	7/16	0.437	11/0	Lacquer	Tractor, OTR	0.637	1.562	89.00	50 ft / bag



Packaged: 50 Feet per bag

Order unit: Foot

Straight Link Side Chain (Non-hardened)

Stock #	Rod diameter (Inches)	Trade size	Finish	Type	Inside width (Inches)	Inside length (Inches)	Weight per bag (Lbs.)	Factory packaging	
DB30050	3/16	0.197	2/0	Blue powdercoat	Diamond Blue	0.280	1.10	48.00	100 ft / bag



Packaged: 100 Feet per bag

Order unit: Foot

Super Z® Tensioner Installation Lever



ZT1897

Weight: 0.90 Lbs. /ea.
 Factory Package: 1 / sleeve
 Order Unit: Each

Super Z® Truck Repair Plier



ZT1893

Weight: 7.00 Lbs. /ea.
 Factory Package: 1 / box
 Order Unit: Each

Passenger Link Chain Repair Plier



QG20089

Weight: 0.40 Lbs. /ea.
 Packaging: 1 / bag with header
 Factory Package: 10 / ctn
 Order Unit: Each

Light Truck Link Chain Repair Plier



QG20094

Weight: 1.25 Lbs. /ea.
 Packaging: 1 / box
 Order Unit: Each

Truck Link Chain Repair Plier (33")



QG20093

Weight: 9.80 Lbs. /ea.
 Factory Package: 1 / box
 Order Unit: Each

Truck Chain Plier Replacement Jaws



QG20092

Application: Jaws for QG20093
 Weight: 3.00 Lbs. /ea.
 Factory Package: 1 / box
 Order Unit: Each

30" Bolt/Chain Cutter



4103010

Capacity: 5/16" Proof Coil
 Weight: 10.00 Lbs. /ea.
 Packaging: 1 / box
 Order Unit: Each

Alloy Radial Chain Repair Tool Kit



TC8993

Weight: 4.50 Lbs. /ea.
 Factory Package: 1 kit / box
 Order Unit: Each

Iceman™ Ice scraper:

The Iceman™ Ice Scraper not only does a great job cleaning ice and snow off the windshield, but can also assist in installing tire chains. The cut-a-ways near the scraper end can be used to pull the chain around the tire during installation.

- Great promotional give-a-way item!
- Only 12" long, so it conveniently stores in door pockets for easy access.
- 4 color sleeve with punch hole for hanging from peg board.

ES2000

Weight: 0.15 Lbs./ ea.
 Factory Package: 12 / carton
 Order Unit: Each



"Z" Product display & Point of Purchase

Beginning with a truly practical display tire, Peerless offers the necessary material to display **Z traction products** effectively and attractively in a retail environment.

RETAIL DISPLAY



WS1007 (Shelf stand)



WS1003 (Display tire) / WS1005 (Adjustable display stand)



AD-ZWindow
(13" x 27" Static cling window banner)



AD-Rack



AD-Sign
(30" x 60" Outdoor banner)



AD-ZSign
(30" x 60" Outdoor banner)

Passenger & Light Truck Link Chain Specifications



Stock #	Cross Chain				Side Chain	
	Inside length (Inches)	# of links in each cross chain	# of cross chains per 1/2 pair	Rod diameter (Inches)	# of side chain links	Overall chain length w/o fastener (Inches)
0341055	14.40	9	10	0.279	43	78.50
0341056	14.40	9	19	0.279	43	78.50
0341095	14.10	11	10	0.276	43	84.60
0341096	14.10	11	19	0.276	43	84.60
0342755	16.50	10	10	0.361	43	82.70
0342756	16.50	10	19	0.361	43	82.70
0342955	17.70	11	10	0.361	43	82.70
0342956	17.70	11	19	0.361	43	82.70
0342995	17.97	15	10	0.315	41	80.70
0342996	17.97	15	19	0.315	41	80.70
0343555	19.00	12	11	0.315	47	90.40
0343556	19.00	12	21	0.315	47	90.40
1199755	22.80	15	13	0.375	39	75.00
QG1114	10.38	7	10	0.177	43	53.80
QG1118	10.38	7	11	0.177	47	58.80
QG1122	10.38	7	12	0.177	51	63.80
QG1126	11.56	8	11	0.177	47	58.80
QG1130	11.56	8	12	0.177	51	63.80
QG1134	12.74	9	12	0.177	51	63.80
QG1138	12.74	9	13	0.177	55	68.80
QG1142	13.92	10	13	0.177	55	68.80
QG1840	12.03	9	12	0.207	51	66.10
QG1850	12.97	10	13	0.207	55	71.30
QG1854	12.97	10	12	0.207	51	66.10
QG2121	13.30	10	14	5.5 mm D	59 + 4 cams	82.00
QG2126	17.39	14	15	5.5 mm D	55 + 4 cams	87.60
QG2128	15.40	12	14	5.5 mm D	59 + 4 cams	82.00
QG2129	15.40	12	12	5.5 mm D	51 + 4 cams	70.09
QG2209	12.12	9	11	0.234	45	62.60
QG2211	12.12	9	13	0.234	53	73.70
QG2214	13.12	10	15	0.234	63	87.80
QG2214CAM	13.12	10	15	0.234	55 + 4 cams	87.80
QG2216	13.12	10	12	0.234	51	70.90
QG2216CAM	13.12	10	12	0.234	43 + 4 cams	70.90
QG2219	13.12	10	13	0.234	55	76.50
QG2219CAM	13.12	10	13	0.234	47 + 4 cams	76.50
QG2221	13.12	10	14	0.234	59	82.00
QG2221CAM	13.12	10	14	0.234	51 + 4 cams	82.00
QG2226	17.12	14	15	0.234	63	87.60
QG2226	17.12	14	15	0.234	55 + 4 cams	87.60
QG2228	15.12	12	14	0.234	59	82.00
QG2228CAM	15.12	12	14	0.234	51 + 4 cams	82.00
QG2229	15.12	12	12	0.234	51	70.90
QG2229CAM	15.12	12	12	0.234	43 + 4 cams	70.90
QG2435	14.62	8	9	0.312	40	70.70
QG2437	14.62	8	10	0.312	43	77.90
QG2809	12.12	9	11	0.234	45	62.60
QG2811	12.12	9	13	0.234	53	73.70
QG2814	13.12	10	15	0.234	63	87.80
QG2814CAM	13.12	10	15	0.234	55 + 4 cams	87.80
QG2816	13.12	10	12	0.234	51	70.90
QG2816CAM	13.12	10	12	0.234	43 + 4 cams	70.90
QG2819	13.12	10	13	0.234	55	76.50
QG2819CAM	13.12	10	13	0.234	47 + 4 cams	76.50
QG2821	13.12	10	14	0.234	59	82.00
QG2821CAM	13.12	10	14	0.234	51 + 4 cams	82.00
QG2826	17.12	14	15	0.234	63	87.60

Passenger & Light Truck Link Chain Specifications

Stock #	Cross Chain				Side Chain	
	Inside length (Inches)	# of links in each cross chain	# of cross chains per 1/2 pair	Rod diameter (Inches)	# of side chain links	Overall chain length w/o fastener (Inches)
QG2826CAM	17.12	14	15	0.234	55 + 4 cams	87.60
QG2828	15.12	12	14	0.234	59	82.00
QG2828CAM	15.12	12	14	0.234	51 + 4 cams	82.00
QG2829	15.12	12	12	0.234	51	70.90
QG2829CAM	15.12	12	12	0.234	-	70.90
QG3110	15.35	12	13	5.5 mm D	47 + 4 cams	76.50
QG3127	15.75	13	10	7.14 mm D	37 + 3 cams	77.90
QG3129	17.75	15	10	7.14 mm D	37 + 3 cams	77.90
QG3210	15.12	12	13	0.234	55	76.50
QG3210CAM	15.12	12	13	0.234	47 + 4 cams	76.50
QG3227	15.62	10	10	0.281	43	77.90
QG3227CAM	15.62	10	10	0.281	37 + 4 cams	77.90
QG3229	18.12	12	10	0.281	43	77.90
QG3229CAM	18.12	12	10	0.281	37 + 4 cams	77.90
QG3810	15.12	12	13	0.234	55	76.50
QG3827	15.12	10	10	0.281	43	77.90
QG3829	18.12	12	10	0.281	43	77.90
QG4121	13.32	10	28	5.5 mm D	53 + 4 cams	82.00
QG4128	15.35	12	28	5.5 mm D	53 + 4 cams	82.00
QG4219	13.12	10	26	0.234	55	76.50
QG4219CAM	13.12	10	26	0.234	47 + 4 cams	76.50
QG4221	13.12	10	28	0.234	59	82.00
QG4221CAM	13.12	10	28	0.234	51 + 4 cams	82.00
QG4228CAM	15.12	12	28	0.234	51 + 4 cams	82.00
QG4229CAM	15.12	12	24	0.234	43 + 4 cams	70.90
QG4819	13.12	10	26	0.234	55	76.50
QG4821	13.12	10	28	0.234	59	82.00
QG4828	15.12	12	28	0.234	59	82.00
QG4829	15.12	12	24	0.234	51	70.90
QGV315	14.75	9	9	0.281	39	74.90
QGVC315	14.75	9	9	0.281	31 + 4 cams	74.90
QGV320	14.75	9	10	0.281	42	87.70
QGVC320	14.75	9	10	0.281	34 + 4 cams	80.70
QGV322	14.75	9	11	0.281	46	88.40
QGVC322	14.75	9	11	0.281	38 + 4 cams	88.40

Truck & Tractor Link Chain Specifications



Stock #	Cross Chain				Side Chain	
	Inside length (Inches)	# of links in each cross chain	# of cross chains per 1/2 pair	Rod diameter (Inches)	# of side chain links	Overall chain length w/o fastener (Inches)
DB2141	16.53	9-5-11	7 nets	5.5mm D	70 + 4 cams	99.21
DB2143	18.03	11-5-11	7 nets	5.5mm D	66 + 4 cams	92.60
DB2145	16.53	9-5-11	7 nets	5.5mm D	78 + 4 cams	108.03
DB2147	18.03	11-5-11	7 nets	5.5mm D	74 + 4 cams	103.62
DB2149	16.53	9-5-11	7 nets	5.5mm D	80 + 4 cams	110.24
DB2151	18.03	11-5-11	7 nets	5.5mm D	78 + 4 cams	108.03
QG0103	13.90	11	8	5.5mm D	36	50.05
QG0107	13.90	11	10	5.5mm D	44	61.17
QG0111	13.90	11	11	5.5mm D	48	66.73
QG0117	13.90	11	13	5.5mm D	57	79.24
QG0125	15.93	13	9	5.5mm D	40	55.60

Truck & Tractor Link Chain Specifications

Stock #	Cross Chain				Side Chain	
	Inside length (Inches)	# of links in each cross chain	# of cross chains per 1/2 pair	Rod diameter (Inches)	# of side chain links	Overall chain length w/o fastener (Inches)
QG0129	15.93	13	11	5.5mm D	49	68.12
QG0137	15.93	13	14	5.5mm D	60	83.41
QG0822	17.36	11	11	0.375	46	88.37
QG0832	17.36	11	12	0.375	50	96.05
QG0834	21.14	14	10	0.375	42	80.68
QG0836	21.14	14	12	0.375	50	96.05
QG0838	21.14	14	14	0.375	58	111.42
QG0850	23.66	16	10	0.375	42	80.68
QG0852	21.14	14	13	0.375	55	105.65
QG0856	21.14	14	15	0.375	62	119.10
QG0859	23.66	16	15	0.375	63	121.02
QG0862	21.14	14	18	0.375	76	146.00
QG0866	23.66	16	19	0.375	78	149.84
QG0869	23.66	16	16	0.375	67	128.71
QG0874	27.44	19	15	0.375	63	121.02
QG0876	27.44	19	16	0.375	68	130.63
QG0877	27.44	19	17	0.375	71	136.39
QG0879	27.44	19	18	0.375	76	146.00
QG0880	27.44	19	20	0.375	82	157.52
QG0882	31.29	17	12	0.437	51	110.72
QG0883	31.29	17	13	0.437	56	121.57
QG0885	31.29	17	15	0.437	63	136.77
QG0887	31.29	17	16	0.437	67	145.46
QG0889	31.29	17	17	0.437	71	154.14
QG0891	39.09	22	14	0.437	59	128.09
QG0893	39.09	22	16	0.437	66	143.30
QG2143	17.75	15	13	7mm D	48 + 4 cams	100.46
QG2145	16.27	13	14	7mm D	52 + 4 cams	107.71
QG2147	17.75	15	14	7mm D	52 + 4 cams	107.71
QG2149	16.27	13	15	7mm D	56 + 4 cams	114.96
QG2151	16.08	9	14	8 mm D	52 + 4 cams	109.50
QG2155	16.08	11	14	8 mm D	52 + 4 cams	109.50
QG2234CAM	15.62	10	12	0.281	42+ 4 cams	97.25
QG2235	16.87	11	15	0.281	63	114.00
QG2236HD	17.40	10	13	0.312	49 + 3 cams	107.60
QG2237	14.37	9	12	0.281	51	92.40
QG2239	14.37	9	13	0.281	53	96.00
QG2239CAM	14.37	9	13	0.281	45 + 4 cams	96.00
QG2241	14.37	9	14	0.281	57	103.30
QG2241CAM	14.37	9	14	0.281	49 + 4 cams	103.30
QG2243	15.62	10	14	0.281	60	108.60
QG2243CAM	15.62	10	14	0.281	51 + 4 cams	108.60
QG2244HD	15.99	9	13	0.312	49 + 3 cams	107.60
QG2245	14.37	9	15	0.281	61	110.50
QG2245CAM	14.37	9	15	0.281	53 + 4 cams	110.50
QG2247	16.87	11	14	0.281	60	108.60
QG2247CAM	16.87	11	14	0.281	52 + 4 cams	108.60
QG2249	15.62	10	15	0.281	63	114.20
QG2249CAM	15.62	10	15	0.281	55 + 4 cams	114.20
QG2250HD	15.99	9	14	0.312	53 + 3 cams	115.03
QG2251	15.99	9	14	0.312	59	113.40
QG2251CAM	15.99	9	14	0.312	51 + 4 cams	113.40
QG2255	17.40	10	14	0.312	59	113.40
QG2255CAM	17.40	10	14	0.312	51 + 4 cams	113.40
QG2257	17.40	10	16	0.312	67	128.71
QG2448	17.36	11	13	0.375	53	101.80
QG2452	17.36	11	14	0.375	57	109.50
QG2612	24.92	17	14	0.375	58	111.40
QG2615	24.92	17	16	0.375	65	124.90
QG2624	28.18	15	13	0.437	54	117.20
QG2627	28.18	15	15	0.437	62	134.61
QG2633	34.43	19	14	0.437	57	123.80
QG2636	34.43	19	15	0.437	62	134.70
QG2645	39.25	20	15	0.531	62	139.50

Truck & Tractor Link Chain Specifications

Stock #	Cross Chain				Side Chain	
	Inside length (Inches)	# of links in each cross chain	# of cross chains per 1/2 pair	Rod diameter (Inches)	# of side chain links	Overall chain length w/o fastener (Inches)
QG2648	39.25	20	16	0.531	66	148.50
QG2837	14.37	9	12	0.281	51	92.40
QG2839	14.37	9	13	0.281	53	96.00
QG2839CAM	14.37	9	13	0.281	45 + 4 cams	96.00
QG2841	14.37	9	14	0.281	57	103.30
QG2841CAM	14.37	9	14	0.281	49 + 4 cams	103.30
QG2843CAM	15.62	10	14	0.281	51 + 4 cams	108.60
QG2845	14.37	9	15	0.281	61	110.50
QG2845CAM	14.37	9	15	0.281	53 + 4 cams	110.50
QG2847CAM	16.87	11	14	0.281	52 + 4 cams	108.60
QG2849	15.62	10	15	0.281	63	114.20
QG2849CAM	15.62	10	15	0.281	55 + 4 cams	114.20
QG2851	15.99	9	14	0.312	59	113.40
QG2851CAM	15.99	9	14	0.312	51 + 4 cams	113.40
QG2853	15.99	9	16	0.312	67	128.78
QG2855	17.40	10	14	0.312	59	113.40
QG2855CAM	17.40	10	14	0.312	51 + 4 cams	113.40
QG2857	17.40	10	16	0.312	67	128.71
QGS2945	16.15	11	13	8 mm D	57	112.20
QGS2945C	16.15	11	13	8 mm D	49 + 4 cams	112.20
QGS2949	16.15	11	14	8 mm D	61	120.08
QGS2949C	16.15	11	14	8 mm D	53 + 4 cams	120.08
QGS2951	17.30	12	13	8 mm D	57	112.20
QGS2951C	17.30	12	13	8 mm D	49 + 4 cams	112.20
QGS2955	17.30	12	14	8 mm D	61	120.08
QGS2955C	17.30	12	14	8 mm D	53 + 4 cams	120.08
QG3235	18.12	12	12	0.281	51	92.30
QG3237	23.20	16	9	0.312	39	70.70
QG3255	21.57	13	14	0.312	59	106.80
QG3261	22.96	14	16	0.312	67	121.30
QG3269	24.35	15	13	0.312	57	99.70
QG3269CAM	24.35	15	13	0.312	49 + 4 cams	99.70
QG3271CAM	24.35	15	14	0.312	51 + 4 cams	106.92
QG3273	31.30	20	12	0.312	51	92.40
QG4143	17.75	15	26	7 mm D	48 + 4 cams	100.46
QG4145	16.27	13	28	7 mm D	52 + 4 cams	107.70
QG4147	17.75	15	28	7 mm D	52 + 4 cams	107.70
QG4149	16.27	13	30	7 mm D	56 + 4 cams	114.96
QG4235	16.87	11	30	0.281	63	114.00
QG4236HD	17.40	10	26	0.312	49 + 3 cams	107.20
QG4237	14.37	9	24	0.281	51	92.40
QG4239	14.37	9	26	0.281	53	96.00
QG4239CAM	14.37	9	26	0.281	45 + 4 cams	96.00
QG4241	14.37	9	28	0.281	57	103.30
QG4241CAM	14.37	9	28	0.281	49 + 4 cams	103.30
QG4243	15.62	10	28	0.281	59	106.90
QG4243CAM	15.62	10	28	0.281	51 + 4 cams	106.90
QG4244HD	15.99	9	26	0.312	49 + 3 cams	107.20
QG4245	14.37	9	30	0.281	63	114.20
QG4245CAM	14.37	9	30	0.281	55 + 4 cams	114.20
QG4247	16.87	11	28	0.281	59	106.80
QG4247CAM	16.87	11	28	0.281	52 + 4 cams	106.80
QG4249	15.62	10	30	0.281	63	114.20
QG4249CAM	15.62	10	30	0.281	55 + 4 cams	114.20
QG4250HD	15.99	9	28	0.312	53 + 3 cams	115.03
QG4251	16.01	9	28	0.312	59	113.40
QG4255	17.40	10	28	0.312	59	113.40
QG4448	17.36	11	26	0.375	53	101.80
QG4461	17.36	11	28	0.375	57	115.26
QG4837	14.37	9	24	0.281	51	92.40
QG4839	14.37	9	26	0.281	53	96.00
QG4839CAM	14.37	9	26	0.281	45 + 4 cams	96.00
QG4841	14.37	9	28	0.281	57	103.30

Truck & Tractor Link Chain Specifications

Stock #	Cross Chain				Side Chain	
	Inside length (Inches)	# of links in each cross chain	# of cross chains per 1/2 pair	Rod diameter (Inches)	# of side chain links	Overall chain length w/o fastener (Inches)
QG4843CAM	15.62	10	28	0.281	51 + 4 cams	106.90
QG4845	14.37	9	30	0.281	63	114.20
QG4845CAM	14.37	9	30	0.281	55 + 4 cams	114.20
QG4847CAM	16.87	11	28	0.281	52 + 4 cams	106.80
QG4849	15.62	10	30	0.281	63	114.20
QG4849CAM	15.62	10	30	0.281	55 + 4 cams	114.20
QG4851	16.01	9	28	0.312	59	113.40
QG4855	17.40	10	28	0.312	59	113.40
QGS4945	16.15	11	26	8 mm D	57	112.20
QGS4945C	16.15	11	26	8 mm D	49 + 4 cams	112.20
QGS4949	16.15	11	28	8 mm D	61	120.08
QGS4949C	16.15	11	28	8 mm D	53 + 4 cams	120.08
QGS4951	17.30	12	26	8 mm D	57	112.20
QGS4951C	17.30	12	26	8 mm D	49 + 4 cams	112.20
QGS4955	17.30	12	28	8 mm D	61	120.08
QGS4955C	17.30	12	28	8 mm D	53 + 4 cams	120.08
QG9338	22.31	11 H	6 H + 1 free	0.375	55	106.00
QG9342	22.31	11 H	7 H + 1 free	0.375	63	121.00
QG9346	22.31	11 H	8 H + 1 free	0.375	71	136.00
QG9348	22.31	11 H	9 H + 1 free	0.375	79	151.00
QG9373	27.40	14 H	6 H + 1 free	0.375	55	106.00
QG9374	27.40	14 H	7 H + 1 free	0.375	63	121.00
QG9376	27.40	14 H	8 H + 1 free	0.375	71	136.00
QG9377	27.40	14 H	8 H + 1 free	0.375	71	136.00
QG9379	27.40	14 H	9 H + 1 free	0.375	79	151.00
QG9387	30.86	16 H	6 H + 1 free	0.375	55	106.00
QG9389	30.86	16 H	7 H + 1 free	0.375	63	121.00
QG9391	30.86	16 H	8 H + 1 free	0.375	71	136.00
QG9392	30.86	16 H	8 H + 1 free	0.375	71	136.00
QG9394	30.86	16 H	9 H + 1 free	0.375	79	151.00
QG9396	30.86	16 H	10 H + 1 free	0.375	87	167.00
QG9397	30.86	16 H	10 H + 1 free	0.375	87	167.00
QG9398	30.86	16 H	11 H + 1 free	0.375	95	182.00
QG9399	30.86	16 H	13 H	0.375	101	216.00
QGV343HD	18.79	11	12	0.312	53	101.80
QGVC343HD	18.79	11	12	0.312	45 + 4 cams	101.80
QGV344HD	18.79	11	13	0.312	57	109.50
QGVC344HD	18.79	11	13	0.312	45 + 4 cams	109.50
QGV355	20.18	12	12	0.312	53	101.80
QGV356	20.18	12	13	0.312	57	109.50
QGV743HD	18.79	11	24	0.312	53	101.80
QGVC743HD	18.79	11	24	0.312	45 + 4 cams	101.80
QGV744HD	18.79	11	26	0.312	57	109.50
QGVC744HD	18.79	11	26	0.312	49 + 4 cams	109.50
QGV755	20.18	12	24	0.312	53	101.80
QGV756	20.18	12	26	0.312	57	109.50

Packaging Specs for Traction Products:

PREFIX	Applicable Stock Number	Package	Package Stock #	Individual Package			Master Package		
				Length (Inches)	Width (Inches)	Height (Inches)	Length (Inches)	Width (Inches)	Height (Inches)
DB	2141, 2143, 2145, 2147, 2149, 2151	Cotton Bag	DBBAG-L2	16.00	15.00	4.50	-	-	-
QG	1114, 1118, 1122, 1126, 1130, 1134, 1138, 1142	Plastic box	QGSMPB-B	9.00	8.50	3.25	15.50	9.50	9.00
QG	1840, 1850, 1854	Plastic box	QGLGPB-B	13.75	10.50	3.50	13.50	13.50	11.00
QG	20070	Poly bag	-	6.25	9.50	0.75	15.50	9.50	9.00
QG	20070-10	Poly bag	-	6.25	9.50	0.75	13.50	7.75	4.75
QG	20074	Poly bag	-	6.25	11.50	1.00	13.50	13.50	11.00
QG	20074-10	Poly bag	-	6.25	11.50	1.00	13.50	7.75	4.75
QG	2209, 2211, 2214, 2216, 2219, 2221, 2228, 2229	Plastic box	QGLGPB-B	13.75	10.50	3.50	13.50	13.50	11.00
QG	0103, 0107, 0111, 0117, 0125	Cotton Bag	QGBAG-S	10.00	8.50	2.50	-	-	-
QG	0129, 0137, 2214CAM, 2216CAM, 2219CAM, 2221CAM, 2228CAM, 2229CAM, 2809, 2811, 2814, 2816, 2819, 2821, 2828, 2829, 3210, 3210CAM, 3810	Cotton Bag	QGBAG-M	12.00	8.50	4.00	-	-	-
QG	0832, 0834, 0850, 2226, 2234CAM, 2237, 2239, 2239CAM, 2435, 2437, 2837, 2839, 2839CAM, 3227, 3227CAM, 3229, 3229CAM, 3235, 3237, 3827, 3829, 4219, 4219CAM, 4221, 4221CAM, 4228CAM, 4229CAM, 4235, 4236HD, 4237, 4239, 4239CAM, 4541, 4241CAM, 4243, 4243CAM, 4245, 4245CAM, 4247, 4247CAM, 4249, 4249CAM, 4819, 4821, 4828, 4829, 4837, 4839, 4841, V315, V320	Cotton Bag	QGBAG-L1	14.00	12.00	5.50	-	-	-
QG	0822, 0836, 0838, 0852, 0856, 0859, 0862, 0866, 0869, 2143, 2145, 2147, 2149, 2235, 2236HD, 2241, 2241CAM, 2243, 2243CAM, 2244HD, 2245, 2245CAM, 2247, 2247CAM, 2249, 2249CAM, 2250HD, 2251, 2251CAM, 2255, 2255CAM, 2612, 2615, 2841, 2841CAM, 2843CAM, 2845, 2845CAM, 2847CAM, 2849, 2849CAM, 2851	Cotton Bag	QGBAG-L2	16.00	15.00	4.50	-	-	-
QG	2851CAM, 2855, 2855CAM, 2857, 4143, 4145, 4147, 4149, 4244HD, 4250HD, 4251, 4255, 4448, 4843CAM, 4845, 4845CAM, 4847CAM, 4849, 4849CAM, 4851, 4855, 9338, V343HD, V344HD, V355, V356, V746HD, V744HD, V755, V756, VC343HD, VC344HD, VC743HD, VC744HD	Cotton Bag	QGBAG-L2	16.00	15.00	4.50	-	-	-

Packaging Specs for Traction Products:

PREFIX	Applicable Stock Number	Package	Package Stock #	Individual Package			Master Package		
				Length (Inches)	Width (Inches)	Height (Inches)	Length (Inches)	Width (Inches)	Height (Inches)
QG	0876, 0877, 0879, 0880, 0882, 0883, 2257, 2448, 2452, 2624, 2853, 3255, 3261, 3269, 3269CAM, 3271C AM, 3273, 4461, 9342, 9346, 9348, 9373, 9374, 9376, 9377, 9379, 9387, 9389, 9391	Cotton Bag	QGBAG-EXL1	20.00	16.00	6.50	-	-	-
QG	0885, 0887, 0889, 0891, 0893, 2627, 2633, 2636, 2645, 2648, 9392, 9394, 9396, 9397, 9398, 9399	Cotton Bag	QGBAG-EXL2	24.00	18.00	7.50	-	-	-
SC	1014, 1018, 1022, 1026, 1030, 1032, 1034, 1036, 1038, 1040, 1042	Plastic box	CHPB	13.75	8.00	4.75	17.00	14.25	14.25
SZ	311, 315, 319, 323, 327, 329, 331, 335, 339, 343	Plastic box	SZPB	13.75	8.00	4.75	17.00	14.25	14.25
SZ	115, 119, 123, 127, 129, 131, 133, 135, 137, 139, 143	Nylon bag	SZ6BAG-S	17.00	5.75	5.25	17.00	11.50	10.75
SZ	429, 435, 441, 447, 451	Nylon bag	SZ6BAG-L	18.75	5.75	5.50	19.00	11.75	11.00
SZ	462, 468, 474, 480, 486, 492, 497	Nylon bag	SZ8BAG-M	22.50	6.33	6.75	23.25	13.00	8.25
TA	All Alloy Radial Truck cable chains	Cardboard box	TP162	19.00	8.25	8.50	19.25	17.00	17.25
TC	2111MM, 2212MM, 2512MM	Cardboard box	TP150	19.50	8.50	8.25	19.25	17.00	17.25
WS	1604, 1605 1606, 1608, 1610, 1612, 1614	Nylon bag	WSBAG	12.00	3.50	12.00	15.00	13.50	12.50
WS	1705, 1707	Nylon bag	WSBAG	12.00	4.50	12.00	15.00	13.50	12.00
Z	539, 547, 555, 563, 571, 575, 579, 583	Nylon bag	ZBAG	12.00	3.50	12.00	16.00	13.00	13.00
ZT	729, 735, 741, 747, 751	Plastic box	ZTPB	17.00	8.00	8.00	16.00	16.00	18.00
ZT	800 series	Cardboard box	TP178	18.00	10.00	8.50	18.25	10.50	18.00
ZT	900 series	Cardboard box	TP180	18.00	10.00	8.50	18.25	10.50	18.00

Products by Page:

Product Description

Page

Alloy Light Truck Link Chain	52
Alloy Link Chain Truck Duals	56
Alloy Link Chain Truck Singles	56
Alloy Radial Chain Fastener Repair Kit	76
Alloy Radial Chain Repair Tool Kit	79
ATV Link Chain	65
Auto-Trac Link Chain	33-34
Link Cross Chain with End Hooks	69-72
Cross Chain (Bulk)	78
Side Chain (Bulk)	78
Cable Chain Rubber Tensioners	73-74
Cable Chain Replacement Tensioner Hooks	75
Cable Crossmembers	67-68
Cable Inside Fastener Speed Hook	76
CAM Tensioner Tools	75
CAM with Long Link	75
Diamond Blue Link Chain	55
Diamond Blue Replacement Cross Chain	73
Diamond Blue Side Chain	78
Diamond Blue Side Chain Hold Down	75
Duo-Trac Tractor Link Chain-Domestic	61
Emergency Unit Link Chain	52
End Fastener	76
Forklift Link Chain	57
Garden Tractor Link Chain	64
Grader/OTR Link Chain	58
Hi-way Tractor Link Chain - Domestic/Import	59-60
Ice Scraper	79
Light Truck Link Chain	33-48
Link Chain 30" Bolt/Chain Cutter	79
Link Chain Cross Chain End Hook	77
Link Chain Cross Chain Repair Link	78
Link Chain Tensioner Hooks	75
Link Chain Inside Fastener Speed Hook	77
Link Chain Light Truck Repair Plier	79
Link Chain Passenger Repair Plier	79
Link Chain Plier Replacement Jaws	79
Link Chain Spring Tensioners	74
Link Chain Straight Link Side Chain	78
Link Chain Truck Repair Plier	79
Link Chain Twist Link Cross Chain	78
Mud Service Light Truck Link Chain Duals	51

Product Description

Page

Mud Service Light Truck Link Chain Singles	50
Mud Service Link Chain Duals	51
Mud Service Link Chain Singles	50
Multi-Arm Tire Chain Tensioners	74
Link Chain Passenger and LT	33-48
Merchandisers Adjustable Stand	80
Merchandisers Display Rack	80
Merchandisers Display Tire	80
Merchandisers Outdoor banner (AD-Sign)	80
Merchandisers Outdoor banner (AD-ZSign)	80
Merchandisers Shelf Stand	80
Merchandisers Static Cling	80
Merchandisers Window Banner	80
Radial Chain Passenger & LT	30
Skid Steer Link Chain	57
Snow Blower Link Chain	64
Square Rod Alloy Truck Singles/Duals	56
Studded Link Chain Singles and Duals	53-54
Super Z 6	24-25
Super Z 8	24-25
Super Z Cable Chain Tensioner Installation Lever	79
Super Z Dual/Triple & OTR	29
Super Z LT	27
Super Z Passenger	27
Super Z Quik Draw fastener	75
Super Z Rubber Tensioners	73-74
Super Z Truck Repair Plier	79
Super Z Truck Single	28
TA Truck Duals	31
TA Truck Singles	31
Tire Application Guide	10-20
Tractor Link Chain (Build your own) - Domestic	63
Tractor Link Chain - Domestic/Import	59-62
Truck Link Chain Duals	46-48
Truck Link Chain Singles	38-42
Whitestar Link Chain	35-36
Whitestar Replacement Cross Chain	73
Whitestar Rubber Tensioner	74
Z-Chain	22-23

Product Part Numbers:

STOCK #	Page #	STOCK #	Page #	STOCK #	Page #	STOCK #	Page #	STOCK #	Page #
0152005	34	0626010	71	1061756	64	1078810	61	2005310	77
0152505	34	0626310	71	1061856	64	1078910	61	2005410	77
0153005	34	0626510	71	1062055	64	1079010	61	2005510	77
0153505	34	0626610	71	1062056	64	1079110	61	2005710	77
0154005	34	0626710	71	1062155	64	1079310	61	2006520	76
0154505	34	0642610	71	1062156	64	1079410	61	2008020	77
0154705	34	0643410	71	1062255	64	1079510	61	2008220	77
0155005	34	0643610	71	1062256	64	1079610	61	2008420	77
0155305	34	0643810	71	1062655	64	1079710	61	2008520	77
0155505	34	0644610	71	1062656	64	1079810	61	2009320	76
0231705	34	0664010	71	1062755	64	1079810	61	3000110	72
0231805	34	0665010	71	1062756	64	1079910	61	3001010	72
0231905	34	0675010	71	1062856	64	1081010	59	3002010	72
0232105	34	0675310	71	1062955	64	1082010	59	3004010	72
0232405	34	0675610	71	1062956	64	1082210	59	3006010	72
0232605	34	0681910	72	1063055	64	1083010	59	3007010	72
0232805	34	0682110	72	1063056	64	1083210	59	3007110	72
0261220	58	0682210	72	1063155	64	1083510	59	3007190	72
0261520	58	0682410	72	1063156	64	1084410	59	3008010	72
0262420	58	0682510	72	1063455	64	1084610	59	3009010	72
0262720	58	0682610	72	1063456	64	1084910	59	3009090	72
0263320	58	0683410	72	1063855	64	1085410	59	3009510	72
0263620	58	0683810	72	1063856	64	1087110	59	3011012	73
0264220	58	0684610	72	1063955	64	1087710	59	3011112	73
0264520	58	0685310	72	1063956	64	1087910	59	3013012	73
0264820	58	0686010	72	1064155	65	1088010	59	3014012	73
0265120	58	0686310	72	1064156	65	1088210	59	3016112	73
0265420	58	0686610	72	1064355	65	1088310	59	3017012	73
0265720	58	0721310	71	1064356	65	1088410	59	3017112	73
0266020	58	0721410	71	1064555	65	1088510	59	3019012	73
0266320	58	0721510	71	1064556	65	1088610	59	3019112	73
0266620	58	0721610	71	1064655	65	1088710	59	3019312	73
0267220	58	0742010	71	1064656	65	1088810	59	3019712	73
0267520	58	0742210	71	1064755	65	1088910	59	4103010	79
0341055	57	0742610	71	1064756	65	1089110	59	8030135	77
0341056	57	0960810	72	1065056	64	1089310	59	8030235	77
0341095	57	0961010	72	1065156	64	1089410	59	8030335	77
0341096	57	0970810	72	1065256	64	1089510	59	8030435	77
0342755	57	0971010	72	1065356	64	1089710	59	8034435	77
0342756	57	0971210	72	1065556	64	1089810	59	AD-RACK	80
0342955	57	0971218	72	1070010	61	1089910	59	AD-SIGN	80
0342956	57	0971410	72	1070110	61	1191055	57	AD-ZSIGN	80
0342995	57	0971418	72	1070210	61	1192055	57	AD-ZWINDOW	80
0342996	57	0972610	72	1070310	61	1193055	57	DB2141	55
0343555	57	0972618	72	1070710	61	1195055	57	DB2143	55
0343556	57	0981110	71	1070810	61	1196055	57	DB2145	55
0441220	51	0981210	71	1070910	61	1197055	57	DB2147	55
0443520	51	0981410	71	1071010	61	1198055	57	DB2149	55
0443720	51	0981610	71	1071210	61	1199055	57	DB2151	55
0444820	51	0981710	71	1072010	61	1199555	57	DB30050	78
0446120	51	0981910	71	1072210	61	1199755	57	DB6051	73
0621810	71	0982110	71	1073010	61	1971010	63	DB6053	73
0621910	71	0982210	71	1073410	61	1971210	63	DB9970	75
0622110	71	0985510	71	1074410	61	1971410	63	ES2000	79
0622410	71	1060156	64	1074810	61	1972610	63	H6026-0511	53
0622510	71	1060256	64	1077010	61	1981210	63	QG0103	57
0623410	71	1060356	64	1077410	61	1981610	63	QG0107	57
0625110	71	1060456	64	1077610	61	1981910	63	QG0111	57
0625310	71	1060856	64	1077810	61	1982110	63	QG0117	57
0625410	71	1061056	64	1078410	61	2004610	77	QG0125	57
0625610	71	1061256	64	1078610	61	2005010	77	QG0129	57
0625910	71	1061556	64	1078710	61	2005110	77	QG0137	57

Product Part Numbers:



STOCK #	Page #	STOCK #	Page #	STOCK #	Page #	STOCK #	Page #	STOCK #	Page #
QG0822	60	QG20064	76	QG2229	38	QG2847CAM	42	QG4235	45
QG0832	60	QG20065	76	QG2229CAM	39	QG2849	41	QG4236HD	46
QG0834	60	QG20066	76	QG2234CAM	39	QG2849CAM	42	QG4237	45
QG0836	60	QG20068	76	QG2235	38	QG2851	41	QG4239	45
QG0838	60	QG20069	74	QG2236HD	40	QG2851CAM	42	QG4239CAM	46
QG0850	60	QG20070	74	QG2237	38	QG2853	41	QG4241	45
QG0852	60	QG20070-10	74	QG2239	38	QG2855	41	QG4241CAM	46
QG0856	60	QG20071	74	QG2239CAM	39	QG2855CAM	42	QG4243	45
QG0859	60	QG20072	74	QG2241	38	QG2857	41	QG4243CAM	46
QG0862	60	QG20073	74	QG2241CAM	39	QG2901	52	QG4244HD	46
QG0866	60	QG20074	74	QG2243	38	QG2902	52	QG4245	45
QG0869	60	QG20074-10	74	QG2243CAM	39	QG2903	52	QG4245CAM	46
QG0874	60	QG20075	75	QG2244HD	40	QG30020	78	QG4247	45
QG0876	60	QG20078	75	QG2245	38	QG30040	78	QG4247CAM	46
QG0877	60	QG20079P	75	QG2245CAM	39	QG30060	78	QG4249	45
QG0879	60	QG20080	77	QG2247	38	QG30065	78	QG4249CAM	46
QG0880	60	QG20081	77	QG2247CAM	39	QG30070	78	QG4250HD	46
QG0882	60	QG20082	75	QG2249	38	QG30090	78	QG4251	45
QG0883	60	QG20083	75	QG2249CAM	39	QG30100	78	QG4255	45
QG0885	60	QG20084	77	QG2250HD	40	QG30140	78	QG4448	51
QG0887	60	QG20085	77	QG2251	38	QG30160	78	QG4461	51
QG0889	60	QG20086	77	QG2251CAM	39	QG30270	78	QG4819	47
QG0891	60	QG20087	77	QG2255	38	QG30272	78	QG4821	47
QG0893	60	QG20088	75	QG2255CAM	39	QG3110	52	QG4828	47
QG1114	37	QG20089	79	QG2257	38	QG3127	52	QG4829	47
QG1118	37	QG20092	79	QG2435	50	QG3129	52	QG4837	47
QG1122	37	QG20093	79	QG2437	50	QG32050	78	QG4839	47
QG1126	37	QG20094	79	QG2439	50	QG32060	78	QG4839CAM	48
QG1130	37	QG20095	75	QG2448	50	QG32070	78	QG4841	47
QG1134	37	QG20096	76	QG2452	50	QG32090	78	QG4843CAM	48
QG1138	37	QG20098	77	QG2612	58	QG3210	42	QG4845	47
QG1142	37	QG20099	77	QG2615	58	QG32100	78	QG4845CAM	48
QG1840	37	QG20100	77	QG2624	58	QG3210CAM	43	QG4847CAM	48
QG1850	37	QG20151	77	QG2627	58	QG32155	78	QG4849	47
QG1854	37	QG20154	77	QG2633	58	QG32160	78	QG4849CAM	48
QG20007	74	QG20186	77	QG2636	58	QG32170	78	QG4851	47
QG20009	74	QG20283	75	QG2645	58	QG3227	42	QG4855	47
QG20022	76	QG20287	77	QG2648	58	QG3227CAM	43	QG5414	69
QG20023	76	QG2121	52	QG2809	40	QG3229	42	QG5419	69
QG20025	74	QG2126	52	QG2811	40	QG3229CAM	43	QG5420	69
QG20027	78	QG2128	52	QG2814	40	QG3235	42	QG5422	69
QG20028	78	QG2129	52	QG2814CAM	41	QG3237	42	QG5820	70
QG20029	78	QG2143	56	QG2816	40	QG3255	43	QG5822	70
QG20030	74	QG2145	56	QG2816CAM	41	QG3261	43	QG5830	70
QG20032	74	QG2147	56	QG2819	40	QG3269	43	QG5832	70
QG20039	75	QG2149	56	QG2819CAM	41	QG3269CAM	43	QG6046	69
QG20046	77	QG2151	56	QG2821	40	QG3271CAM	43	QG6048	69
QG20048	74	QG2155	56	QG2821CAM	41	QG3810	44	QG6121	69
QG20050	77	QG2209	38	QG2826	40	QG3827	44	QG6125	69
QG20051	77	QG2211	38	QG2826CAM	41	QG3829	44	QG6127	69
QG20053	77	QG2214	38	QG2828	40	QG4121	52	QG6153	69
QG20054	77	QG2214CAM	39	QG2828CAM	41	QG4128	52	QG6155	69
QG20055	77	QG2216	38	QG2829	40	QG4143	56	QG6160	69
QG20056	77	QG2216CAM	39	QG2829CAM	41	QG4145	56	QG6163	69
QG20057	77	QG2219	38	QG2837	41	QG4147	56	QG6219	69
QG20058	77	QG2219CAM	39	QG2839	41	QG4149	56	QG6221	69
QG20059	77	QG2221	38	QG2839CAM	42	QG4219	44	QG6222	69
QG20060	76	QG2221CAM	39	QG2841	41	QG4219CAM	45	QG6225	69
QG20061	76	QG2226	38	QG2841CAM	42	QG4221	44	QG6226	69
QG20062	76	QG2226CAM	39	QG2843CAM	42	QG4221CAM	45	QG6227	69
QG20062XL	76	QG2228	38	QG2845	41	QG4228CAM	45	QG6229	69
QG20063	76	QG2228CAM	39	QG2845CAM	42	QG4229CAM	45	QG6251	69

Product Part Numbers:

STOCK #	Page #	STOCK #	Page #	STOCK #	Page #	STOCK #	Page #	STOCK #	Page #
QG6253	69	QGS2951C	53	SZ1344	67	WS1007	80	ZT729	27
QG6255	69	QGS2955	53	SZ135	25	WS1604	36	ZT735	27
QG6256	69	QGS2955C	53	SZ137	25	WS1605	36	ZT741	27
QG6259	69	QGS4945	54	SZ139	25	WS1606	36	ZT747	27
QG6260	69	QGC4945C	54	SZ143	25	WS1608	36	ZT751	27
QG6263	69	QGS4949	54	SZ315	27	WS1610	36	ZT8259	67
QG6265	69	QGS4949C	54	SZ319	27	WS1612	36	ZT8261	67
QG6266	69	QGS4951	54	SZ323	27	WS1614	36	ZT8263	67
QG6426	69	QGS4951C	54	SZ327	27	WS1705	36	ZT8265	67
QG6435	69	QGS4955	54	SZ329	27	WS1707	36	ZT8267	67
QG6436	69	QGS4955C	54	SZ331	27	WS8222	74	ZT8269	67
QG6438	69	QGS6966	70	SZ335	27	WS8223	74	ZT8275	67
QG6445	69	QGS6968	70	SZ339	27	WS8224	74	ZT8277	67
QG6630R	69	QGV315	48	SZ343	27	WS8275	75	ZT8283	67
QG6640	69	QGV320	48	SZ429	25	WS8553	73	ZT835	28
QG6650	69	QGV322	48	SZ435	25	WS8557	73	ZT837	28
QG6660	69	QGV343HD	49	SZ441	25	WS8561	73	ZT841	28
QG6819	70	QGV344HD	49	SZ447	25	WS8565	73	ZT853	28
QG6821	70	QGV355	49	SZ451	25	WS8569	73	ZT859	28
QG6822	70	QGV356	49	SZ462	25	WS8975	73	ZT865	28
QG6825	70	QGV5315	70	SZ468	25	WS8979	73	ZT869	28
QG6826	70	QGV5340HD	70	SZ474	25	Z-539	23	ZT877	28
QG6829	70	QGV5355	70	SZ480	25	Z-547	23	ZT881	28
QG6853	70	QGV743HD	50	SZ486	25	Z-555	23	ZT887	28
QG6859	70	QGV744HD	50	SZ492	25	Z-563	23	ZT891	28
QG6860	70	QGV755	50	SZ497	25	Z-571	23	ZT892	28
QG6863	70	QGV756	50	TA1939	31	Z-575	23	ZT896	28
QG6866	70	QGVC315	48	TA1941	31	Z-579	23	ZT897	28
QG7213	69	QGVC320	48	TA1943	31	Z-583	23	ZT898	28
QG7214	69	QGVC322	48	TA1945	31	Z-9380	68	ZT899	28
QG7215	69	QGVC343HD	49	TA1947	31	Z-9384	68	ZT948	29
QG7216	69	QGVC344HD	49	TA1949	31	Z-9388	68	ZT956	29
QG7420	69	QGVC743HD	50	TA1951	31	Z-9390	68	ZT962	29
QG7426	69	QGVC744HD	50	TA2069	31	Z-9394	68	ZT970	29
QG8330	70	SC1014	30	TA2071	31	Z-9398	68	ZT982	29
QG8350	70	SC1018	30	TA3939	31	ZT-118	29	ZT990	29
QG8360	70	SC1022	30	TA3941	31	ZT-132	29	ZT9932	68
QG9338	62	SC1026	30	TA3943	31	ZT-141	29	ZT9933	68
QG9342	62	SC1030	30	TA3945	31	ZT-143	29	ZT9934	68
QG9346	62	SC1032	30	TA3947	31	ZT-145	29	ZT9935	68
QG9348	62	SC1034	30	TA3949	31	ZT1532	67	ZT9936	68
QG9373	62	SC1036	30	TA8069	73	ZT1541	67	ZT9970	75
QG9374	62	SC1038	30	TA8085	75	ZT1543	67		
QG9376	62	SC1040	30	TA8094	76	ZT1545	67		
QG9377	62	SC1042	30	TC2111MM	30	ZT1742	67		
QG9379	62	SZ1172	73	TC2212MM	30	ZT1744	67		
QG9387	62	SZ1174	73	TC2512MM	30	ZT1746	67		
QG9389	62	SZ1176	73	TC8611	68	ZT1802	76		
QG9391	62	SZ1180	73	TC8615	68	ZT1803	76		
QG9392	62	SZ119	25	TC8619	68	ZT1807B	75		
QG9394	62	SZ1196	75	TC8623	68	ZT1807K	75		
QG9396	62	SZ1198	75	TC8627	68	ZT1807R	75		
QG9397	62	SZ123	25	TC8637	68	ZT1807Y	75		
QG9398	62	SZ127	25	TC8639	68	ZT1869	74		
QG9399	62	SZ129	25	TC8754	68	ZT1870	74		
QG9562	69	SZ131	25	TC8758	68	ZT1874	74		
QG9567	69	SZ133	25	TC8762	68	ZT1875	74		
QGS2945	53	SZ1334	67	TC8766	68	ZT1876	74		
QGS2945C	53	SZ1336	67	TC8770	68	ZT1878	74		
QGS2949	53	SZ1338	67	TC8993	79	ZT1882	74		
QGS2949C	53	SZ1340	67	WS1003	80	ZT1893	79		
QGS2951	53	SZ1342	67	WS1005	80	ZT1897	79		



PEERLESS[®] INDUSTRIAL GROUP



peerlesschain.com

USE THE **Online Tire Chain Finder** to select the right traction product for your vehicle



Scan here to link directly to our online tire finder

Peerless Industrial Group • 1416 East Sanborn Street • P.O. Box 5349 • Winona, MN • 55987-5349 • www.peerlesschain.com
Specifications are subject to change without notice. ©2015 Peerless Industrial Group

27.76 • Printed in the U.S.A. • ©2015 Peerless Industrial Group • All rights reserved
No part of this publication may be reproduced in any form or by any means without prior written permission.

A Kito Group Company
KITO